

INTERNATIONAL
STANDARD

ISO/IEC
10646

Fifth edition
2017-12-01

AMENDMENT 2
2019-06

Information technology — Universal Coded Character Set (UCS)

AMENDMENT 2: Nandinagari, Georgian
extension, and other characters

Technologies de l'information — Jeu universel de caractères codés (JUC)

*AMENDEMENT 2: Caractères nandinagari, extension pour les
caractères géorgiens et autres caractères*

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646:2017/Amd.2:2019



Reference number
ISO/IEC 10646:2017/Amd.2:2019(E)

© ISO/IEC 2019



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see <http://patents.iec.ch>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 2, *Coded character sets*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

Information technology — Universal Coded Character Set (UCS) —

AMENDMENT 2: Nandinagari, Georgian extension, and other characters

16.6.3 Ideographic variation sequences

Insert a new sentence at the end of the first paragraph:

The purpose of IVD registration is to provide a technical solution to represent ideographs variants that are considered unifiable (see Annex S) and should not be encoded in CJK Unified ideographs.

23.1 List of source references (for CJK ideographs)

In the list of Hanzi G sources, insert the following entries:

GCE Chemistry Elements (化学元素中文用字)

In the list of Hanzi H sources, insert the following entry:

HD Hong Kong Supplementary Character Set - 2016

In the list of ChuNom V sources, insert the following entry:

VU VHN 06: 2007, Viện Nghiên cứu Hán Nôm & Hội Bảo tồn Di sản chữ Nôm

23.2 Source reference file for CJK ideographs

In Table 5, add the format definitions according to the list of third field format per the following table:

Tag Value	Third field format
kIRG_Gsource	GCE-ddd
kIRG_Hsource	HD-hhhhh
kIRG_VSource	VU-hnhhh

Update the link with following:

<http://standards.iso.org/iso-iec/10646/ed-5/en/amd/2/CJKSrc.txt>

24.2 Source reference file for Tangut ideographs

Update the link with following:

<http://standards.iso.org/iso-iec/10646/ed-5/en/amd/2/TangutSrc.txt>

ISO/IEC 10646:2017/Amd.2:2019 (E)

33. Code charts and list of character names

1. Modifications to existing blocks

Insert the additional character glyphs and names at the indicated positions in the blocks given below.

Plane 00

Telugu
Lao
Vedic Extensions
Miscellaneous Symbols and Arrows
Supplemental Punctuation
CJK Unified Ideographs
Latin Extended-D
Latin Extended-E

Plane 01

Newa
Takri
Soyombo
Miao
Ideographic Symbols and Punctuation
Tangut
Enclosed Alphanumeric Supplement
Transport and Map Symbols
Supplemental Symbols and Pictographs
Chess Symbols

These blocks contain new characters and names at the following code positions:

0C77 0E86 0E89 0E8C 0E8E-0E93 0E98 0EA0 0EA8-0EA9 0EAC 0EBA 1CFA 2BC9 2BFF 2E4F 9FEB-
9FEF A7BA-A7BF A7C2-A7C6 AB66-AB67 1145F 116B8 11A84-11A85 16F45-16F4A 16F4F 16F7F-
16F87 16FE2-16FE3 187F2-187F7 1F16C 1F6F9 1F94D-1F94F 1F96C-1F970 1F973-1F976 1F97A
1F97C-1F97F 1F998-1F9A2 1F9B0-1F9B9 1F9C1-1F9C2 1F9E7-1F9FF 1FA00-1FA53

These following code positions have updated glyphs:

10FA 11003-11004 1105D-1105E 17159 1732E 17336 17378 173E1 173EB 173EC 173F4 173FB
173FF 17403 1756E 176E4 1788A-1788D 17B16 17B17 17B5B 17D36 17F8B 17FBB 181B2 181C0
1820D 1823D 183B3 1841D 18488 187C6 18885 1F6D2

2. New blocks

Insert the following additional blocks.

Plane 00

Georgian Extended

Plane 01

Elymaic
Nandinagari
Tamil Supplement
Egyptian Hieroglyphs Format Controls

Small Kana Extension
 Nyiakeng Puachue Hmong
 Wancho
 Ottoman Siyaq Numbers

These blocks add new characters and names at the following code positions:

1C90-1CBA 1CBD-1CBF 10FE0-10FF6 119A0-119A7 119AA-119D7 119DA-119E4 11FC0-11FF1
 11FFF 13430-13438 1B150-1B152 1B164-1B167 1E100-1E12C 1E130-1E13D 1E140-1E149 1E14E-
 1E14F 1E2C0-1E2F9 1E2FF 1ED01-1ED3D

Annex A.1

In the list of collection numbers and names, after
 168 SYRIAC SUPPLEMENT

insert the new entry as follows:

169 GEORGIAN EXTENDED	1C90-1CBF
-----------------------	-----------

In the list of collection numbers and names, after
 1119 CHESS SYMBOLS

insert the new entry as follows:

1120 ELYMAIC	10FE0-10FFF
1121 NANDINAGARI	119A0-119FF
1122 TAMIL SUPPLEMENT	11FC0-11FFF
1123 EGYPTIAN HIEROGLYPHS FORMAT CONTROLS	13430-1343F
1124 SMALL KANA EXTENSION	1B130-1B16F
1125 NYIAKENG PUACHUE HMONG	1E100-1E14F
1126 WANCHO	1E2C0-1E2FF
1127 OTTOMAN SIYAQ NUMBERS	1ED00-1ED4F

In the list of collection numbers and names, after
 317 UNICODE 10.0

insert the new entry as follows:

318 UNICODE 11.0	see A.6 *
------------------	-----------

Annex A.1

In the alphabetical list of keywords in Note 3, add the value 169 to Georgian entry, the values 311-318 to Unicode, the value 1122 to the Tamil entry, the value 1123 to the Egyptian Hieroglyphs entry, the value 1124 to the Hiragana and Katakana entries; and insert the following entries:

Elymaic	1120
Nandinagari	1121
Nyiakeng Puachue Hmong	1125
Ottoman Syaq Numbers	1127
Wancho	1126

Annex A.2.1

In the list of blocks in the BMP, insert the following new entries:

Annex A.2.2

In the list of blocks in the SMP, insert the following new entries:

ELYMAIC	10FE0-10FFF
NANDINAGARI	11B90-11BEF
TAMIL SUPPLEMENT	11FC0-11FFF
EGYPTIAN HIEROGLYPHS FORMAT	
CONTROLS	13430-1343F
SMALL KANA EXTENSION	1B130-1B16F
NYIAKENG PUACHUE HMONG	1E100-1E14F
WANCHO	1E2C0-1E2FF
OTTOMAN SYAQ NUMBERS	1ED00-1ED4F

Annex A.6 Unicode collections

Insert the new entry as follows:

318 UNICODE 11.0 Age property value less than or equal to 11.0

Annex G

Insert each of the new character name entries at the appropriate position, ordered alphabetically by the character name, in the list of character names in Annex G. These new names are provided in a machine-readable format that is accessible as a link to this document.

<http://standards.iso.org/iso-iec/10646/ed-5/en/amd2/Am2names.txt>

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

	0C0	0C1	0C2	0C3	0C4	0C5	0C6	0C7
0	ఁ	ః	ఁ	ఁ	ఁ		ఁ	
1	ఁ		ఁ	ఁ	ఁ		ఁ	
2	ఁ	ఁ	ఁ	ఁ	ఁ		ఁ	
3	ఁ	ఁ	ఁ	ఁ	ఁ		ఁ	
4	ఁ	ఁ	ఁ	ఁ	ఁ			
5	ఁ	ఁ	ఁ	ఁ		ఁ		
6	ఁ	ఁ	ఁ	ఁ	ఁ	ఁ	ఁ	
7	ఁ	ఁ	ఁ	ఁ	ఁ		ఁ	ఁ
8	ఁ	ఁ	ఁ	ఁ	ఁ	ఁ	ఁ	ఁ
9	ఁ	ఁ		ఁ		ఁ	ఁ	
A	ఁ	ఁ	ఁ		ఁ	ఁ	ఁ	
B	ఁ	ఁ	ఁ		ఁ	ఁ	ఁ	
C	ఁ	ఁ	ఁ		ఁ	ఁ	ఁ	
D		ఁ	ఁ	ఁ	ఁ	ఁ	ఁ	
E	ఁ	ఁ	ఁ	ఁ		ఁ	ఁ	
F	ఁ	ఁ	ఁ	ఁ		ఁ	ఁ	

0C00

Telugu

0C6B

Various signs

0C00	ం	TELUGU SIGN COMBINING CANDRABINDU ABOVE
0C01	ం	TELUGU SIGN CANDRABINDU = arasunna • indicates a contextually elided nasal
0C02	ం	TELUGU SIGN ANUSVARA = sunna • used in Prakrit language texts to indicate gemination of the following consonant
0C03	ం	TELUGU SIGN VISARGA
0C04	ం	TELUGU SIGN COMBINING ANUSVARA ABOVE • used in Prakrit language texts for the linguistic anusvara

Independent vowels

0C05	అ	TELUGU LETTER A
0C06	ఇ	TELUGU LETTER AA
0C07	ఈ	TELUGU LETTER I
0C08	ఉ	TELUGU LETTER II
0C09	ఊ	TELUGU LETTER U
0C0A	ఌ	TELUGU LETTER UU
0C0B	ఔ	TELUGU LETTER VOCALIC R
0C0C	చు	TELUGU LETTER VOCALIC L
0C0D	౪	<reserved>
0C0E	ఎ	TELUGU LETTER E
0C0F	ఏ	TELUGU LETTER EE
0C10	ఒ	TELUGU LETTER AI
0C11	౪	<reserved>
0C12	ఔ	TELUGU LETTER O
0C13	ఌ	TELUGU LETTER OO
0C14	ఔ	TELUGU LETTER AU

Consonants

0C15	క	TELUGU LETTER KA
0C16	ఖ	TELUGU LETTER KHA
0C17	గ	TELUGU LETTER GA
0C18	ఘ	TELUGU LETTER GHA
0C19	ఙ	TELUGU LETTER NGA
0C1A	చ	TELUGU LETTER CA
0C1B	ఛ	TELUGU LETTER CHA
0C1C	ఝ	TELUGU LETTER JA
0C1D	ఞ	TELUGU LETTER JHA
0C1E	ణ	TELUGU LETTER NYA
0C1F	ట	TELUGU LETTER TTA
0C20	ఠ	TELUGU LETTER TTAA
0C21	డ	TELUGU LETTER DDA
0C22	ఢ	TELUGU LETTER DDHA
0C23	ణ	TELUGU LETTER NNA
0C24	త	TELUGU LETTER TA
0C25	థ	TELUGU LETTER THA
0C26	ధ	TELUGU LETTER DA
0C27	ష	TELUGU LETTER DHA
0C28	శ	TELUGU LETTER NA
0C29	౪	<reserved>
0C2A	ప	TELUGU LETTER PA
0C2B	ఫ	TELUGU LETTER PHA
0C2C	బ	TELUGU LETTER BA
0C2D	ఫ	TELUGU LETTER BHA
0C2E	మ	TELUGU LETTER MA
0C2F	య	TELUGU LETTER YA
0C30	ఱ	TELUGU LETTER RA
0C31	ఱ	TELUGU LETTER RRA

0C32	ల	TELUGU LETTER LA
0C33	ల్ల	TELUGU LETTER LLA
0C34	ల్ల్ల	TELUGU LETTER LLLA
0C35	వ	TELUGU LETTER VA
0C36	శ	TELUGU LETTER SHA
0C37	ష	TELUGU LETTER SSA
0C38	స	TELUGU LETTER SA
0C39	హ	TELUGU LETTER HA

Addition for Sanskrit

0C3D	ా	TELUGU SIGN AVAGRAHA
------	---	----------------------

Dependent vowel signs

0C3E	ాం	TELUGU VOWEL SIGN AA
0C3F	ిం	TELUGU VOWEL SIGN I
0C40	ంి	TELUGU VOWEL SIGN II
0C41	ంం	TELUGU VOWEL SIGN U
0C42	ంంం	TELUGU VOWEL SIGN UU
0C43	ంంం	TELUGU VOWEL SIGN VOCALIC R
0C44	ంంం	TELUGU VOWEL SIGN VOCALIC RR
0C45	౪	<reserved>
0C46	ొ	TELUGU VOWEL SIGN E
0C47	ొం	TELUGU VOWEL SIGN EE
0C48	ొం	TELUGU VOWEL SIGN AI ≡ 0C46 ం 0C56 ం
0C49	౪	<reserved>
0C4A	౦	TELUGU VOWEL SIGN O
0C4B	ొం	TELUGU VOWEL SIGN OO
0C4C	ొం	TELUGU VOWEL SIGN AU

Virama

0C4D	్	TELUGU SIGN VIRAMA = halant (the preferred name)
------	---	---

Various signs

0C55	ు	TELUGU LENGTH MARK
0C56	ు	TELUGU AI LENGTH MARK

Historic phonetic variants

0C58	ఁ	TELUGU LETTER TSA
0C59	ఁఁ	TELUGU LETTER DZA
0C5A	ఁ	TELUGU LETTER RRRA • letter for an alveolar consonant whose exact phonetic value is not known

Additional vowels for Sanskrit

0C60	౔	TELUGU LETTER VOCALIC RR
0C61	౔	TELUGU LETTER VOCALIC LL

Dependent vowels

0C62	ం	TELUGU VOWEL SIGN VOCALIC L
0C63	ం	TELUGU VOWEL SIGN VOCALIC LL

Reserved

For viram punctuation, use the generic Indic 0964 and 0965.

0C64	౪	<reserved> → 0964 I devanagari danda
0C65	౪	<reserved> → 0965 II devanagari double danda

Digits

0C66	౦	TELUGU DIGIT ZERO
0C67	౯	TELUGU DIGIT ONE
0C68	౨	TELUGU DIGIT TWO
0C69	౩	TELUGU DIGIT THREE
0C6A	౪	TELUGU DIGIT FOUR
0C6B	౫	TELUGU DIGIT FIVE

0C6C ఎ TELUGU DIGIT SIX
 0C6D ఏ TELUGU DIGIT SEVEN
 0C6E ఉ TELUGU DIGIT EIGHT
 0C6F ఊ TELUGU DIGIT NINE

Sign

0C77 శ TELUGU SIGN SIDDHAM
 = siddhirastu
 • used at the beginning of texts as an invocation
 → A8FC స devanagari sign siddham
 → 111DB శ sharada sign siddham

Telugu fractions and weights

0C78 ఔ TELUGU FRACTION DIGIT ZERO FOR ODD POWERS OF FOUR
 0C79 ఌ TELUGU FRACTION DIGIT ONE FOR ODD POWERS OF FOUR
 0C7A ఌ TELUGU FRACTION DIGIT TWO FOR ODD POWERS OF FOUR
 0C7B ఌ TELUGU FRACTION DIGIT THREE FOR ODD POWERS OF FOUR
 0C7C ఌ TELUGU FRACTION DIGIT ONE FOR EVEN POWERS OF FOUR
 0C7D ఌ TELUGU FRACTION DIGIT TWO FOR EVEN POWERS OF FOUR
 0C7E ఌ TELUGU FRACTION DIGIT THREE FOR EVEN POWERS OF FOUR
 0C7F ఌ TELUGU SIGN TUUMU

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

IECNORM.COM Click To view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

	0E8	0E9	0EA	0EB	0EC	0ED	0EE	0EF
0	ກ 0E90	ກ 0EA0	ຂ 0EB0	ສ 0EC0	ເ 0ED0			
1	ບ 0E81	ບ 0E91	ມ 0EA1	ຕ 0EB1	ແ 0EC1	ດ 0ED1		
2	ຂ 0E82	ຂ 0E92	ຢ 0EA2	່ 0EB2	້ 0EC2	່ 0ED2		
3		ຕ 0E93	ນ 0EA3	ໍ 0EB3	ໍ 0EC3	ໍ 0ED3		
4	ັ 0E84	ັ 0E94		າ 0EB4	າ 0EC4	າ 0ED4		
5		ຳ 0E95	ລ 0EA5	ັ 0EB5		ຳ 0ED5		
6	ໝ 0E86	ໝ 0E96		ີ 0EB6	ີ 0EC6	ີ 0ED6		
7	ໆ 0E87	ໆ 0E97	ວ 0EA7	ຶ 0EB7		ໆ 0ED7		
8	່ 0E88	່ 0E98	ສ 0EA8	ົ 0EB8	ົ 0EC8	ົ 0ED8		
9	໌ 0E89	໌ 0E99	ຫ 0EA9	ຸ 0EB9	ຸ 0EC9	ຫ 0ED9		
A	໌ 0E8A	ຸ 0E9A	ຫ 0EA9A	ົ 0EBA	ົ 0ECA			
B		ົ 0E9B	ຫ 0EAB	ົ 0EBB	ົ 0ECB			
C	໌ 0E8C	ຍ 0E9C	ກ 0EAC	ົ 0EBC	ົ 0ECC	໌ 0EDC		
D	ຢ 0E8D	ຢ 0E9D	່ 0EAD	ຈ 0EBD	່ 0ECD	່ 0EDD		
E	ລ 0E8E	ລ 0E9E	ນ 0EAE			໌ 0EDE		
F	໌ 0E8F	໌ 0E9F	ຸ 0EAF			໌ 0EDF		

Consonants

0E81	ກ	LAO LETTER KO = ko kay
0E82	ຂ	LAO LETTER KHO SUNG = kho khay
0E83	ຂໍ	<reserved>
0E84	ຄ	LAO LETTER KHO TAM = kho khuay
0E85	ຂໍ	<reserved>
0E86	ວ	LAO LETTER PALI GHA
0E87	ງ	LAO LETTER NGO = ngo ngu, ngo ngua
0E88	ນ	LAO LETTER CO = co cok, co cuu
0E89	ຈ	LAO LETTER PALI CHA
0E8A	ສ	LAO LETTER SO TAM = so sang
0E8B	ຂໍ	<reserved>
0E8C	ຫ	LAO LETTER PALI JHA
0E8D	ຍ	LAO LETTER NYO = nyo nyung
0E8E	ຢ	LAO LETTER PALI NYA
0E8F	ຢ	LAO LETTER PALI TTA
0E90	ຖ	LAO LETTER PALI TTHA
0E91	ຫຼ	LAO LETTER PALI DDA
0E92	ຫຼ	LAO LETTER PALI DDHA
0E93	ຫຼ	LAO LETTER PALI NNA
0E94	ດ	LAO LETTER DO = do dek
0E95	ຕ	LAO LETTER TO = to ta
0E96	ທ	LAO LETTER THO SUNG = tho thong
0E97	ທ	LAO LETTER THO TAM = tho thung
0E98	ທ	LAO LETTER PALI DHA
0E99	ນ	LAO LETTER NO = no nok
0E9A	ບ	LAO LETTER BO = bo be, bo bet
0E9B	ປ	LAO LETTER PO = po pa
0E9C	ຜ	LAO LETTER PHO SUNG = pho pheng
0E9D	ຝ	LAO LETTER FO TAM ✖ LAO LETTER FO FON = fo fa
		• name is a mistake for fo sung
0E9E	ຝ	LAO LETTER PHO TAM = pho phu
0E9F	ຝ	LAO LETTER FO SUNG ✖ LAO LETTER FO FAY • name is a mistake for fo tam
0EA0	ຝ	LAO LETTER PALI BHA
0EA1	ມ	LAO LETTER MO = mo mew, mo ma
0EA2	ຢ	LAO LETTER YO = yo ya
0EA3	ຮ	LAO LETTER LO LING ✖ LAO LETTER RO = ro rot
		• name is a mistake, lo ling is the mnemonic for 0EA5 ລ
0EA4	ຂໍ	<reserved>

0EA5 ລ LAO LETTER LO LOOT

✖ LAO LETTER LO
= lo ling
• name is a mistake, lo loot is the mnemonic for 0EA3 ສ

0EA6 ຂໍ <reserved>

0EA7 ວ LAO LETTER WO
= wo wi

0EA8 ສ LAO LETTER SANSKRIT SHA

0EA9 ສ LAO LETTER SANSKRIT SSA

0EAA ສ LAO LETTER SO SUNG
= so sya0EAB ແ LAO LETTER HO SUNG
= ho hay, ho han

0EAC ຕ LAO LETTER PALI LLA

0EAD ອ LAO LETTER O
= o o0EAE ສ LAO LETTER HO TAM
= ho hya, ho hyan**Sign**

0EAF ພ LAO ELLIPSIS

Vowels

0EB0 ອ LAO VOWEL SIGN A

0EB1 ອ ອ LAO VOWEL SIGN MAI KAN

• vowel shortener

0EB2 ອ ອ LAO VOWEL SIGN AA

0EB3 ອ ອ LAO VOWEL SIGN AM

≈ 0ECD ອ 0EB2 ອ

0EB4 ອ ອ LAO VOWEL SIGN I

0EB5 ອ ອ LAO VOWEL SIGN II

0EB6 ອ ອ LAO VOWEL SIGN Y

0EB7 ອ ອ LAO VOWEL SIGN YY

0EB8 ອ ອ LAO VOWEL SIGN U

0EB9 ອ ອ LAO VOWEL SIGN UU

Virama

0EBA ອ ອ LAO SIGN PALI VIRAMA

Vowel0EBC ອ ອ LAO VOWEL SIGN MAI KON
= mai kong**Signs**

0EBC ອ ອ LAO SEMIVOWEL SIGN LO

0EBD ຈ ຈ LAO SEMIVOWEL SIGN NYO
= nyo fyang**Vowels***These vowels precede a consonant in visual order.*

0EC0 ອ ອ LAO VOWEL SIGN E

0EC1 ອ ອ LAO VOWEL SIGN EI

0EC2 ອ ອ LAO VOWEL SIGN O

0EC3 ອ ອ LAO VOWEL SIGN AY

= mai muan

0EC4 ອ ອ LAO VOWEL SIGN AI

= mai may

Repetition mark

0EC6 ຖ ຖ LAO KO LA

• repetition

Tone marks

0EC8 ອ ອ LAO TONE MAI EK

0EC9 ອ ອ LAO TONE MAI THO

0ECA ອ ອ LAO TONE MAI TI

IECNORM.com Click to view the full PDF of ISO 10646:2017/Amd 2:2019

0ECB ◊ LAO TONE MAI CATAWA

Signs

0ECC ◊ LAO CANCELLATION MARK

0ECD ◊ LAO NIGGAHITA

• final nasal or long o vowel

Digits

0ED0 ◊ LAO DIGIT ZERO

0ED1 ◊ LAO DIGIT ONE

0ED2 ◊ LAO DIGIT TWO

0ED3 ◊ LAO DIGIT THREE

0ED4 ◊ LAO DIGIT FOUR

0ED5 ◊ LAO DIGIT FIVE

0ED6 ◊ LAO DIGIT SIX

0ED7 ◊ LAO DIGIT SEVEN

0ED8 ◊ LAO DIGIT EIGHT

0ED9 ◊ LAO DIGIT NINE

Digraphs

0EDC ◊ LAO HO NO

≈ 0EAB ڻ 0E99 ڻ

0EDD ◊ LAO HO MO

≈ 0EAB ڻ 0EA1 ڻ

Consonants for Khmu

0EDE ◊ LAO LETTER KHMU GO

0EDF ◊ LAO LETTER KHMU NYO

	10A	10B	10C	10D	10E	10F
0	ც 10A0	ქ 10B0	უ 10C0	ა 10D0	რ 10E0	ჰ 10F0
1	ყ 10A1	ს 10B1	თ 10C1	ბ 10D1	ს 10E1	ღ 10F1
2	ლ 10A2	բ 10B2	շ 10C2	զ 10D2	օ 10E2	ღ 10F2
3	ხ 10A3	օ 10B3	ყ 10C3	թ 10D3	շ 10E3	ჳ 10F3
4	Ղ 10A4	Փ 10B4	Վ 10C4	Յ 10D4	Ց 10E4	Տ 10F4
5	Դ 10A5	✚ 10B5	Ք 10C5	Ճ 10D5	Ճ 10E5	Ճ 10F5
6	Ե 10A6	Ո 10B6	Շ		Կ 10E6	Փ 10F6
7	Շ 10A7	Վ 10B7	Հ 10C7	Թ 10D7	Յ 10E7	Զ 10F7
8	Ղ 10A8	Ֆ 10B8	Շ		Ծ 10E8	Ե 10F8
9	Ւ 10A9	Ւ 10B9	Շ		Յ 10E9	Ւ 10F9
A	՚ 10AA	Շ 10BA	Շ		Յ 10DA	Յ 10EA
B	Շ 10AB	Ժ 10BB	Շ		Ժ 10DB	Ժ 10EB
C	Բ 10AC	Բ 10BC	Շ		Բ 10DC	Բ 10EC
D	Ջ 10AD	Տ 10BD	Շ 10CD	Ր 10DD	Ջ 10ED	Տ 10FD
E	Ւ 10AE	Ւ 10BE	Շ		Ե 10DE	Ե 10EE
F	՚ 10AF	՚ 10BF	Շ		՚ 10DF	՚ 10EF
						Օ 10FF

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

Capital letters (Khutsuri)

This is the uppercase of the old ecclesiastical alphabet. The style shown in the code charts is known as Asomtavruli. See the Georgian Supplement block for lowercase Nuskhuri.

10A0	ა	GEORGIAN CAPITAL LETTER AN → 2D00 ა georgian small letter an
10A1	ბ	GEORGIAN CAPITAL LETTER BAN
10A2	გ	GEORGIAN CAPITAL LETTER GAN
10A3	დ	GEORGIAN CAPITAL LETTER DON
10A4	ე	GEORGIAN CAPITAL LETTER EN
10A5	ვ	GEORGIAN CAPITAL LETTER VIN
10A6	ზ	GEORGIAN CAPITAL LETTER ZEN
10A7	თ	GEORGIAN CAPITAL LETTER TAN
10A8	ი	GEORGIAN CAPITAL LETTER IN
10A9	კ	GEORGIAN CAPITAL LETTER KAN
10AA	ლ	GEORGIAN CAPITAL LETTER LAS
10AB	ჭ	GEORGIAN CAPITAL LETTER MAN
10AC	ნ	GEORGIAN CAPITAL LETTER NAR
10AD	ო	GEORGIAN CAPITAL LETTER ON
10AE	უ	GEORGIAN CAPITAL LETTER PAR
10AF	ყ	GEORGIAN CAPITAL LETTER ZHAR
10B0	ჟ	GEORGIAN CAPITAL LETTER RAE
10B1	ს	GEORGIAN CAPITAL LETTER SAN
10B2	რ	GEORGIAN CAPITAL LETTER TAR
10B3	ო	GEORGIAN CAPITAL LETTER UN
10B4	ფ	GEORGIAN CAPITAL LETTER PHAR
10B5	ჳ	GEORGIAN CAPITAL LETTER KHAR
10B6	ჷ	GEORGIAN CAPITAL LETTER GHAN
10B7	ჸ	GEORGIAN CAPITAL LETTER QAR
10B8	ჹ	GEORGIAN CAPITAL LETTER SHIN
10B9	ჵ	GEORGIAN CAPITAL LETTER CHIN
10BA	ჲ	GEORGIAN CAPITAL LETTER CAN
10BB	ჶ	GEORGIAN CAPITAL LETTER JIL
10BC	ჴ	GEORGIAN CAPITAL LETTER CIL
10BD	ჵ	GEORGIAN CAPITAL LETTER CHAR
10BE	ჸ	GEORGIAN CAPITAL LETTER XAN
10BF	჻	GEORGIAN CAPITAL LETTER JHAN
10C0	ჾ	GEORGIAN CAPITAL LETTER HAE
10C1	ჱ	GEORGIAN CAPITAL LETTER HE
10C2	ჳ	GEORGIAN CAPITAL LETTER HIE
10C3	ჵ	GEORGIAN CAPITAL LETTER WE
10C4	ჷ	GEORGIAN CAPITAL LETTER HAR
10C5	ჸ	GEORGIAN CAPITAL LETTER HOE

Additional letter

10C7	ჸ	GEORGIAN CAPITAL LETTER YN
------	---	----------------------------

Additional letter for Ossetian

10CD	ჺ	GEORGIAN CAPITAL LETTER AEN
------	---	-----------------------------

Mkhedruli

This is the lowercase of the modern secular alphabet. Modern Georgian orthography uses these letters for most text, including at the beginnings of sentences and names. See the Georgian Extended block for uppercase Mtavruli.

10D0	ა	GEORGIAN LETTER AN → 1C90 ა georgian mtavruli capital letter an
10D1	ბ	GEORGIAN LETTER BAN
10D2	გ	GEORGIAN LETTER GAN
10D3	დ	GEORGIAN LETTER DON
10D4	ე	GEORGIAN LETTER EN
10D5	ვ	GEORGIAN LETTER VIN
10D6	ზ	GEORGIAN LETTER ZEN

10D7	ო	GEORGIAN LETTER TAN
10D8	ი	GEORGIAN LETTER IN
10D9	პ	GEORGIAN LETTER KAN
10DA	ლ	GEORGIAN LETTER LAS
10DB	ძ	GEORGIAN LETTER MAN
10DC	ნ	GEORGIAN LETTER NAR
10DD	ო	GEORGIAN LETTER ON
10DE	პ	GEORGIAN LETTER PAR
10DF	ჯ	GEORGIAN LETTER ZHAR
10E0	რ	GEORGIAN LETTER RAE
10E1	ს	GEORGIAN LETTER SAN
10E2	ტ	GEORGIAN LETTER TAR
10E3	უ	GEORGIAN LETTER UN
10E4	ვ	GEORGIAN LETTER PHAR
10E5	ქ	GEORGIAN LETTER KHAR
10E6	ღ	GEORGIAN LETTER GHAN
10E7	ყ	GEORGIAN LETTER QAR
10E8	შ	GEORGIAN LETTER SHIN
10E9	ჩ	GEORGIAN LETTER CHIN
10EA	ც	GEORGIAN LETTER CAN
10EB	ძ	GEORGIAN LETTER JIL
10EC	წ	GEORGIAN LETTER CIL
10ED	ჩ	GEORGIAN LETTER CHAR
10EE	ხ	GEORGIAN LETTER XAN
10EF	ჰ	GEORGIAN LETTER JHAN
10F0	ჳ	GEORGIAN LETTER HAE

Archaic letters

10F1	ჳ	GEORGIAN LETTER HE
10F2	ჷ	GEORGIAN LETTER HIE
10F3	ჵ	GEORGIAN LETTER WE
10F4	ჶ	GEORGIAN LETTER HAR
10F5	ჸ	GEORGIAN LETTER HOE
10F6	ჹ	GEORGIAN LETTER FI

Additional letters for Mingrelian and Svan

10F7	ჸ	GEORGIAN LETTER YN
10F8	ჼ	GEORGIAN LETTER ELIFI

Additional letters

10F9	ჽ	GEORGIAN LETTER TURNED GAN
10FA	ჿ	GEORGIAN LETTER AIN

Punctuation

10FB	ჲ	GEORGIAN PARAGRAPH SEPARATOR → 2056 ჲ three dot punctuation
------	---	--

Modifier letter

10FC	ნ	MODIFIER LETTER GEORGIAN NAR ≈ <super> 10DC ნ
------	---	--

Additional letters for Ossetian and Abkhaz

10FD	ჸ	GEORGIAN LETTER AEN
10FE	ჹ	GEORGIAN LETTER HARD SIGN
10FF	ო	GEORGIAN LETTER LABIAL SIGN

	1C9	1CA	1CB
0	Ճ	Ճ	Ճ
1	Ճ	Ծ	Ծ
2	Ճ	Ը	Ը
3	Ճ	Ճ	Ճ
4	Ճ	Ճ	Ճ
5	Ճ	Ճ	Ճ
6	Ճ	Ճ	Ճ
7	Ճ	Ճ	Ճ
8	Ճ	Ճ	Ճ
9	Ճ	Ճ	Ճ
A	Ճ	Ճ	Ճ
B	Ճ	Ճ	
C	Ճ	Ճ	
D	Ճ	Ճ	Ճ
E	Ճ	Ճ	Ճ
F	Ճ	Ճ	Ճ

Capital letters (Mtavruli)

This is the special uppercase of the modern secular alphabet. Modern Georgian orthography uses these letters to emphasize words and phrases analogously to Latin "all caps" style. See the Georgian block for lowercase Mkhedruli.

1C90	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER AN → 10D0 Ճ georgian letter an
1C91	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER BAN
1C92	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER GAN
1C93	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER DON
1C94	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER EN
1C95	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER VIN
1C96	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER ZEN
1C97	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER TAN
1C98	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER IN
1C99	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER KAN
1C9A	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER LAS
1C9B	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER MAN
1C9C	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER NAR
1C9D	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER ON
1C9E	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER PAR
1C9F	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER ZHAR
1CA0	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER RAE
1CA1	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER SAN
1CA2	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER TAR
1CA3	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER UN
1CA4	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER PHAR
1CA5	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER KHAR
1CA6	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER GHAN
1CA7	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER QAR
1CA8	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER SHIN
1CA9	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER CHIN
1CAA	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER CAN
1CAB	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER JIL
1CAC	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER CIL
1CAD	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER CHAR
1CAE	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER XAN
1CAF	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER JHAN
1CBA	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER HAE

Archaic letters

1CB1	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER HE
1CB2	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER HIE
1CB3	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER WE
1CB4	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER HAR
1CB5	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER HOE
1CB6	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER FI

Additional letters for Mingrelian and Svan

1CB7	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER YN
1CB8	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER ELIFI

Additional letters

1CB9	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER TURNED GAN
1CBA	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER AIN

Additional letters for Ossetian and Abkhaz

1CBD	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER AEN
1CBE	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER HARD SIGN
1CBF	Ճ	GEORGIAN MTAVRULI CAPITAL LETTER LABIAL SIGN

IECNORM.COM. Click to view the full PDF.

	1CD	1CE	1CF
0	^ ○ 1CD0	„ ○ 1CE0	ጀ ጀ 1CF0
1	↑ ○ 1CD1	„ ○ 1CE1	ጀ ጀ 1CF1
2	— ○ 1CD2	— ○ 1CE2	ጀ ጀ 1CF2
3	“ ○ 1CD3	○ ○ 1CE3	ጀ ጀ 1CF3
4	○ ○ 1CD4	○ ○ 1CE4	○ ○ 1CF4
5	○ ○ 1CD5	○ ○ 1CE5	X ○ 1CF5
6	○ ○ 1CD6	○ ○ 1CE6	○ ○ 1CF6
7	○ ○ 1CD7	○ ○ 1CE7	○ ○ 1CF7
8	○ ○ 1CD8	○ ○ 1CE8	○ ○ 1CF8
9	○ ○ 1CD9	○ ○ 1CE9	○ ○ 1CF9
A	II ○ 1CDA	○ ○ 1CEA	○ ○ 1CFA
B	III ○ 1CDB	○ ○ 1CEB	▨ ▨ 1CFA
C	○ ○ 1CDC	○ ○ 1CEC	▨ ▨ 1CFA
D	○ ○ 1CDD	○ ○ 1CED	▨ ▨ 1CFA
E	○ ○ 1CDE	○ ○ 1CEE	▨ ▨ 1CFA
F	○ ○ 1CDF	○ ○ 1CEF	▨ ▨ 1CFA

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

Tone marks for the Samaveda

- 1CD0 VEDIC TONE KARSHANA
= vaidika saamasvara karshanna
- 1CD1 VEDIC TONE SHARA
= vaidika svarita uurdhva shara
- 1CD2 VEDIC TONE PRENKHA
• indicates vibrato
= vaidika saamasvara prenkha

Breathing mark for the Samaveda

- 1CD3 VEDIC SIGN NIHSHVASA
= vaidika saamagaana yogakaala
• separates sections between which a pause is disallowed

Signs for Yajurvedic

- 1CD4 VEDIC SIGN YAJURVEDIC MIDLINE SVARITA
• used predominantly in the Maitrayani Samhita and in some manuscripts of the Vajasaneyi Madhyandina Samhita
- 1CD5 VEDIC TONE YAJURVEDIC AGGRAVATED INDEPENDENT SVARITA
= vaidika svarita adho nyubja
- 1CD6 VEDIC TONE YAJURVEDIC INDEPENDENT SVARITA
= vaidika svarita adhah konna
- 1CD7 VEDIC TONE YAJURVEDIC KATHAKA INDEPENDENT SVARITA
= vaidika svarita adho vakra rekhaa
- 1CD8 VEDIC TONE CANDRA BELOW
= vaidika svarita adho'rda vakra
- 1CD9 VEDIC TONE YAJURVEDIC KATHAKA INDEPENDENT SVARITA SCHROEDER
= vaidika svarita adhah samyukta rekhaa
- 1CDA VEDIC TONE DOUBLE SVARITA
= vaidika svarita uurdhva dvi rekhaa
→ 0951 devanagari stress sign udatta
- 1CDB VEDIC TONE TRIPLE SVARITA
= vaidika svarita uurdhva tri rekhaa
- 1CDC VEDIC TONE KATHAKA ANUDATTA
= vaidika svarita adho rekhaa
→ 0952 devanagari stress sign anudatta
- 1CDD VEDIC TONE DOT BELOW
= vaidika svarita adho bindu

Tone marks for the Satapathabrahmana

- 1CDE VEDIC TONE TWO DOTS BELOW
= vaidika svarita adho dvi bindu
- 1CDF VEDIC TONE THREE DOTS BELOW
= vaidika svarita adhas tri bindu

Tone mark for the Rigveda

- 1CE0 VEDIC TONE RIGVEDIC KASHMIRI INDEPENDENT SVARITA
= vaidika uurdhva vakra rekhaa

Tone mark for the Atharvaveda

- 1CE1 VEDIC TONE ATHARVAVEDIC INDEPENDENT SVARITA
= vaidika svarita dvi vakra khanda

Diacritics for visarga

- 1CE2 VEDIC SIGN VISARGA SVARITA
= vaidika madhyarekhaa
- 1CE3 VEDIC SIGN VISARGA UDATTA
= vaidika visarga dakshinnatah uurdhvaga
- 1CE4 VEDIC SIGN REVERSED VISARGA UDATTA
= vaidika visarga vaamatah uurdhvaga

- 1CE5 VEDIC SIGN VISARGA ANUDATTA
= vaidika visarga vaamatah adhoga

- 1CE6 VEDIC SIGN REVERSED VISARGA ANUDATTA
= vaidika visarga dakshinnatah adhoga
- 1CE7 VEDIC SIGN VISARGA UDATTA WITH TAIL
= vaidika visarga dakshinnatah uurdhva vakra
- 1CE8 VEDIC SIGN VISARGA ANUDATTA WITH TAIL
= vaidika visarga vaamatah adho vakra

Nasalization signs

- 1CE9 VEDIC SIGN ANUSVARA ANTARGOMUKHA
= vaidika anusvaara antarmukha
- 1CEA VEDIC SIGN ANUSVARA BAHIRGOMUKHA
= vaidika anusvaara naagaphanna
- 1CEB VEDIC SIGN ANUSVARA VAMAGOMUKHA
= vaidika anusvaara vaamagomukha
- 1CEC VEDIC SIGN ANUSVARA VAMAGOMUKHA WITH TAIL
= vaidika anusvaara vaamagomukha sa-vakra
- 1CED VEDIC SIGN TIRYAK
= vaidika tiryak
- 1CEE VEDIC SIGN HEXIFORM LONG ANUSVARA
= vaidika anusvaara anugaamii
- 1CEF VEDIC SIGN LONG ANUSVARA
= vaidika anusvaara dakshinamukha
- 1CF0 VEDIC SIGN RTHANG LONG ANUSVARA
= vaidika anusvaara ttha-sadrisha
- 1CF1 VEDIC SIGN ANUSVARA UBHAYATO MUKHA
= vaidika anusvaara ubhayato mukha

Ardhavisarga

Ardhavisarga denotes the sounds jihvamuliya and upadhmaniya (velar and bilabial voiceless fricatives) in Sanskrit. Its use is not limited to Vedic.

- 1CF2 VEDIC SIGN ARDHAVISARGA
= vaidika jihvamuliya upadhmaniyya
- 1CF3 VEDIC SIGN ROTATED ARDHAVISARGA

Sign for Yajurvedic

- 1CF4 VEDIC TONE CANDRA ABOVE

Signs

- 1CF5 VEDIC SIGN JIHVAMULIYA
• marks a velar fricative occurring only before unvoiced velar stops
→ 0CF1 kannada sign jihvamuliya
→ 0F88 tibetan sign lce tsa can
→ 11003 brahmi sign jihvamuliya
→ 111C2 sharada sign jihvamuliya
→ 11A84 soyombo sign jihvamuliya
- 1CF6 VEDIC SIGN UPADHMANIYA
• marks a bilabial fricative occurring only before unvoiced labial stops
→ 0CF2 kannada sign upadhmaniya
→ 0F89 tibetan sign mchu can
→ 11004 brahmi sign upadhmaniya
→ 111C3 sharada sign upadhmaniya
→ 11A85 soyombo sign upadhmaniya
- 1CF7 VEDIC SIGN ATIKRAMA
= vaidika saamagaana atikrama
• indicates skipping of a svara

Signs for Jaimitiya Sama Veda

- 1CF8 VEDIC TONE RING ABOVE
- 1CF9 VEDIC TONE DOUBLE RING ABOVE

IEC/Normative Content - See the full PDF at www.iec.ch

Nasalization sign

1CFA ॐ VEDIC SIGN DOUBLE ANUSVARA
ANTARGOMUKHA

- used as a base for a combining nasal sign

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

2B0	2B1	2B2	2B3	2B4	2B5	2B6	2B7	2B8	2B9	2BA	2BB	2BC	2BD	2BE	2BF
↗	↖	◇	◆	❖	❖	❖	❖	❖	❖	❖	❖	❖	❖	❖	❖
2B00	2B10	2B20	2B30	2B40	2B50	2B60	2B70	2B80	2B90	2BA0	2BB0	2BC0	2BD0	2BE0	2BF0
↙	↑	○	○	↔	↔	↑	↑	↔	↔	↑	↔	◆	❖	❖	❖
2B01	2B11	2B21	2B31	2B41	2B51	2B61	2B71	2B81	2B91	2BA1	2BB1	2BC1	2BD1	2BE1	2BF1
↘	↗	○	○	↔	↔	↓	↑	↔	↔	↓	↑	◆	❖	❖	❖
2B02	2B12	2B22	2B32	2B42	2B52	2B62	2B72	2B82	2B92	2BA2	2BB2	2BC2	2BD2	2BE2	2BF2
↙	□	○	○	↔	↔	↓	↓	↔	↔	↓	↑	◆	❖	❖	❖
2B03	2B13	2B23	2B33	2B43	2B53	2B63	2B73	2B83	2B93	2BA3	2BB3	2BC3	2BD3	2BE3	2BF3
↔	□	○	○	↔	↔	↔	↔	↔	↔	↔	↔	◆	❖	❖	❖
2B04	2B14	2B24	2B34	2B44	2B54	2B64	2B74	2B84	2B94	2BA4	2BB4	2BC4	2BD4	2BE4	2BF4
↑	↔	●	●	↔	↔	↔	↔	↔	↔	↔	↔	◆	❖	❖	❖
2B05	2B15	2B25	2B35	2B45	2B55	2B65	2B75	2B85	2B95	2BA5	2BB5	2BC5	2BD5	2BE5	2BF5
↑	◆	◆	◆	↑	↑	↑	↑	↑	↑	↑	↑	▼	○	△	■
2B06	2B16	2B26	2B36	2B46	2B56	2B66	2B76	2B86	2B96	2BA6	2BB6	2BC6	2BD6	2BE6	2BF6
↓	◆	◆	◆	↖	↖	↖	↖	↖	↖	↖	↖	▼	○	△	■
2B07	2B17	2B27	2B37	2B47	2B57	2B67	2B77	2B87	2B97	2BA7	2BB7	2BC7	2BD7	2BE7	2BF7
↗	◆	◆	◆	↑	↑	↑	↑	↑	↑	↑	↑	▶	▷	▪	↖
2B08	2B18	2B28	2B38	2B48	2B58	2B68	2B78	2B88	2B98	2BA8	2BB8	2BC8	2BD8	2BE8	2BF8
↖	◆	◆	◆	↑	↑	↑	↑	↑	↑	↑	↑	▶	▷	▪	↖
2B09	2B19	2B29	2B39	2B49	2B59	2B69	2B79	2B89	2B99	2BA9	2BB9	2BC9	2BD9	2BE9	2BF9
↖	◆	◆	◆	↑	↑	↑	↑	↑	↑	↑	↑	▶	▷	▪	↖
2B0A	2B1A	2B2A	2B3A	2B4A	2B5A	2B6A	2B7A	2B8A	2B9A	2BA9	2BB9	2BC9	2BD9	2BE9	2BF9
↖	◆	◆	◆	↑	↑	↑	↑	↑	↑	↑	↑	▶	▷	▪	↖
2B0B	2B1B	2B2B	2B3B	2B4B	2B5B	2B6B	2B7B	2B8B	2B9B	2BA9	2BB9	2BC9	2BD9	2BE9	2BF9
↖	◆	◆	◆	↑	↑	↑	↑	↑	↑	↑	↑	▶	▷	▪	↖
2B0C	2B1C	2B2C	2B3C	2B4C	2B5C	2B6C	2B7C	2B8C	2B9C	2BA9	2BB9	2BC9	2BD9	2BE9	2BF9
↔	▪	○	○	↔	↔	↔	↔	↔	↔	↔	↔	◆	❖	❖	❖
2B0D	2B1D	2B2D	2B3D	2B4D	2B5D	2B6D	2B7D	2B8D	2B9D	2BA9	2BB9	2BC9	2BD9	2BE9	2BF9
↑	▪	○	○	↔	↑	↖	⟳	↑	↑	▶	▷	▶	▷	▪	↑
2B0E	2B1E	2B2E	2B3E	2B4E	2B5E	2B6E	2B7E	2B8E	2B9E	2BA9	2BB9	2BC9	2BD9	2BE9	2BF9
↖	▪	○	○	↔	↑	↖	⟳	↑	↑	▶	▷	▶	▷	▪	↖
2B0F	2B1F	2B2F	2B3F	2B4F	2B5F	2B6F	2B7F	2B8F	2B9F	2BA9	2BB9	2BC9	2BD9	2BE9	2BF9

White and black arrows

Other white and black arrows to complete this set can be found in the Arrows and Dingbats blocks.

2B00	↗	NORTH EAST WHITE ARROW
2B01	↖	NORTH WEST WHITE ARROW
2B02	↘	SOUTH EAST WHITE ARROW
2B03	↙	SOUTH WEST WHITE ARROW
2B04	↔	LEFT RIGHT WHITE ARROW → 21E6 ↲ leftwards white arrow → 21F3 ↴ up down white arrow
2B05	⬅	LEFTWARDS BLACK ARROW → 27A1 ➡ black rightwards arrow → 2B95 ➤ rightwards black arrow
2B06	⬆	UPWARDS BLACK ARROW
2B07	⬇	DOWNTOWARDS BLACK ARROW
2B08	↗	NORTH EAST BLACK ARROW
2B09	↖	NORTH WEST BLACK ARROW
2B0A	↘	SOUTH EAST BLACK ARROW
2B0B	↙	SOUTH WEST BLACK ARROW
2B0C	↔	LEFT RIGHT BLACK ARROW
2B0D	↔	UP DOWN BLACK ARROW

Arrows with bent tips

Other arrows with bent tips to complete this set can be found in the Arrows block.

2B0E	→	RIGHTWARDS ARROW WITH TIP DOWNTOWARDS
2B0F	→	RIGHTWARDS ARROW WITH TIP UPWARDS
2B10	←	LEFTWARDS ARROW WITH TIP DOWNTOWARDS
2B11	←	LEFTWARDS ARROW WITH TIP UPWARDS

Squares

2B12	■	SQUARE WITH TOP HALF BLACK → 25E7 ■ square with left half black
2B13	■	SQUARE WITH BOTTOM HALF BLACK
2B14	■	SQUARE WITH UPPER RIGHT DIAGONAL HALF BLACK
2B15	■	SQUARE WITH LOWER LEFT DIAGONAL HALF BLACK

Diamonds

2B16	◆	DIAMOND WITH LEFT HALF BLACK
2B17	◆	DIAMOND WITH RIGHT HALF BLACK
2B18	◆	DIAMOND WITH TOP HALF BLACK
2B19	◆	DIAMOND WITH BOTTOM HALF BLACK

Squares

2B1A	□	DOTTED SQUARE
2B1B	■	BLACK LARGE SQUARE → 25A0 ■ black square
2B1C	□	WHITE LARGE SQUARE → 25A1 □ white square
2B1D	▪	BLACK VERY SMALL SQUARE → 25AA ▪ black small square
2B1E	▫	WHITE VERY SMALL SQUARE → 25AB ▫ white small square

Pentagons

2B1F	◆	BLACK PENTAGON
2B20	◇	WHITE PENTAGON

Hexagons

2B21	○	WHITE HEXAGON → 2394 ○ software-function symbol
2B22	⬢	BLACK HEXAGON
2B23	⬢	HORIZONTAL BLACK HEXAGON

Circle

2B24	●	BLACK LARGE CIRCLE → 25CF ● black circle → 25EF ○ large circle → 1F534 ● large red circle
------	---	--

Diamonds and lozenges

2B25	◆	BLACK MEDIUM DIAMOND → 25C6 ◆ black diamond
2B26	◇	WHITE MEDIUM DIAMOND → 25C7 ◇ white diamond → 1F754 ◇ alchemical symbol for soap
2B27	◆	BLACK MEDIUM LOZENGE
2B28	◇	WHITE MEDIUM LOZENGE → 25CA ◇ lozenge
2B29	◆	BLACK SMALL DIAMOND → 22C4 ◆ diamond operator → 1F538 ◆ small orange diamond
2B2A	◆	BLACK SMALL LOZENGE
2B2B	◇	WHITE SMALL LOZENGE

Ellipses

2B2C	●	BLACK HORIZONTAL ELLIPSE
2B2D	○	WHITE HORIZONTAL ELLIPSE
2B2E	●	BLACK VERTICAL ELLIPSE
2B2F	○	WHITE VERTICAL ELLIPSE

Mathematical arrows

These provide the opposite direction complement for arrows for mathematical use not originally encoded in both a leftwards and rightwards direction.

2B30	↔	LEFT ARROW WITH SMALL CIRCLE → 21F4 ↔ right arrow with small circle
2B31	☰	THREE LEFTWARDS ARROWS → 21F6 ☰ three rightwards arrows
2B32	⤠	LEFT ARROW WITH CIRCLED PLUS → 27F4 ⤠ right arrow with circled plus
2B33	⤸⤸⤸	LONG LEFTWARDS SQUIGGLE ARROW → 27FF ⤸⤸⤸ long rightwards squiggle arrow → 21DC ⤸ leftwards squiggle arrow
2B34	⤵⤵⤵	LEFTWARDS TWO-HEADED ARROW WITH VERTICAL STROKE → 2900 ⤵⤵⤵ rightwards two-headed arrow with vertical stroke
2B35	⤵⤵⤵	LEFTWARDS TWO-HEADED ARROW WITH DOUBLE VERTICAL STROKE → 2901 ⤵⤵⤵ rightwards two-headed arrow with double vertical stroke
2B36	⤵⤵⤵	LEFTWARDS TWO-HEADED ARROW FROM BAR → 2905 ⤵⤵⤵ rightwards two-headed arrow from bar
2B37	⤵⤵⤵	LEFTWARDS TWO-HEADED TRIPLE DASH ARROW → 2910 ⤵⤵⤵ rightwards two-headed triple dash arrow
2B38	⤵⤵⤵	LEFTWARDS ARROW WITH DOTTED STEM → 2911 ⤵⤵⤵ rightwards arrow with dotted stem
2B39	⤵⤵⤵	LEFTWARDS ARROW WITH TAIL WITH VERTICAL STROKE → 2914 ⤵⤵⤵ rightwards arrow with tail with vertical stroke
2B3A	⤵⤵⤵	LEFTWARDS ARROW WITH TAIL WITH DOUBLE VERTICAL STROKE → 2915 ⤵⤵⤵ rightwards arrow with tail with double vertical stroke

2B3B	← LEFTWARDS TWO-HEADED ARROW WITH TAIL → 2916 ➞ rightwards two-headed arrow with tail
2B3C	↔ LEFTWARDS TWO-HEADED ARROW WITH TAIL WITH VERTICAL STROKE → 2917 ➞ rightwards two-headed arrow with tail with vertical stroke
2B3D	↔ LEFTWARDS TWO-HEADED ARROW WITH TAIL WITH DOUBLE VERTICAL STROKE → 2918 ➞ rightwards two-headed arrow with tail with double vertical stroke
2B3E	↔ LEFTWARDS ARROW THROUGH X → 2947 ➞ rightwards arrow through x
2B3F	↔ WAVE ARROW POINTING DIRECTLY LEFT → 2933 ↘ wave arrow pointing directly right → 219C ← leftwards wave arrow
2B40	⇐ EQUALS SIGN ABOVE LEFTWARDS ARROW → 2971 ≈ equals sign above rightwards arrow
2B41	↔ REVERSE TILDE OPERATOR ABOVE LEFTWARDS ARROW • mirror image of "≈" → 2972 ≈ tilde operator above rightwards arrow
2B42	↖ LEFTWARDS ARROW ABOVE REVERSE ALMOST EQUAL TO • mirror image of "↖" → 2975 ↖ rightwards arrow above almost equal to
2B43	↗ RIGHTWARDS ARROW THROUGH GREATER-THAN • mirror image of "↖" → 2977 ↙ leftwards arrow through less-than
2B44	⇒ RIGHTWARDS ARROW THROUGH SUPERSET • mirror image of "↖" → 297A ↛ leftwards arrow through subset
2B45	↖ LEFTWARDS QUADRUPLE ARROW → 27F0 ↑↑ upwards quadruple arrow
2B46	↗ RIGHTWARDS QUADRUPLE ARROW
2B47	⇒ REVERSE TILDE OPERATOR ABOVE RIGHTWARDS ARROW
2B48	↗ RIGHTWARDS ARROW ABOVE REVERSE ALMOST EQUAL TO
2B49	↖ TILDE OPERATOR ABOVE LEFTWARDS ARROW
2B4A	↖ LEFTWARDS ARROW ABOVE ALMOST EQUAL TO
2B4B	↖ LEFTWARDS ARROW ABOVE REVERSE TILDE OPERATOR • mirror image of "↖" → 2974 ↖ rightwards arrow above tilde operator
2B4C	↗ RIGHTWARDS ARROW ABOVE REVERSE TILDE OPERATOR • mirror image of "↖" → 2973 ↛ leftwards arrow above tilde operator

Miscellaneous arrow

2B4D	↖ DOWNWARDS TRIANGLE-HEADED ZIGZAG ARROW → 21AF ↆ downwards zigzag arrow
------	---

Intonation marks for Lithuanian dialectology

2B4E	↗ SHORT SLANTED NORTH ARROW • slight rise in tone
------	--

2B4F	↘ SHORT BACKSLANTED SOUTH ARROW • slight fall or overall fall in tone when at the end of a word or at the beginning of a phrase, respectively
------	--

Stars

2B50	* WHITE MEDIUM STAR
------	---------------------

2B51	* BLACK SMALL STAR
------	--------------------

2B52	* WHITE SMALL STAR
------	--------------------

Pentagons

2B53	◐ BLACK RIGHT-POINTING PENTAGON
------	---------------------------------

2B54	◓ WHITE RIGHT-POINTING PENTAGON
------	---------------------------------

Traffic sign from ARIB STD B24

2B55	○ HEAVY LARGE CIRCLE = basic symbol for speed limit • forms a gamma tally pair with 274C ✕ → 25EF ○ large circle
------	---

Dictionary and map symbols from ARIB STD B24

2B56	◎ HEAVY OVAL WITH OVAL INSIDE = prefectural office
------	---

2B57	◎ HEAVY CIRCLE WITH CIRCLE INSIDE = municipal office
------	---

2B58	○ HEAVY CIRCLE = town or village office = power off symbol
------	--

2B59	⊗ HEAVY CIRCLED SALTIRE = police station → 2A02 ⊗ n-ary circled times operator
------	--

Intonation marks for Lithuanian dialectology

2B5A	↗ SLANTED NORTH ARROW WITH HOOKED HEAD • increasing tone with falling trend at the end
------	---

2B5B	↖ BACKSLANTED SOUTH ARROW WITH HOOKED TAIL • sharp rise and fall in tone
------	---

2B5C	↙ SLANTED NORTH ARROW WITH HORIZONTAL TAIL • continued rise in tone
------	--

2B5D	↖ BACKSLANTED SOUTH ARROW WITH HORIZONTAL TAIL • continued fall in tone
------	--

2B5E	↙ BENT ARROW POINTING DOWNTOWARDS THEN NORTH EAST • sharp fall in tone with rising trend at the end
------	--

2B5F	↖ SHORT BENT ARROW POINTING DOWNTOWARDS THEN NORTH EAST • slight fall in tone with rising trend at the end
------	---

Triangle-headed arrows

2B60	← LEFTWARDS TRIANGLE-HEADED ARROW → 2190 ← leftwards arrow
------	---

2B61	↑ UPWARDS TRIANGLE-HEADED ARROW → 2191 ↑ upwards arrow
------	---

2B62	→ RIGHTWARDS TRIANGLE-HEADED ARROW → 2192 → rightwards arrow → 279D → triangle-headed rightwards arrow
------	--

IECNORM.CS
Sole view the full PDF & ISO2017

2B63	↓	DOWNTWARDS TRIANGLE-HEADED ARROW → 2193 ↓ downwards arrow
2B64	↔	LEFT RIGHT TRIANGLE-HEADED ARROW → 2194 ↔ left right arrow
2B65	↕	UP DOWN TRIANGLE-HEADED ARROW → 2195 ↕ up down arrow
2B66	↖	NORTH WEST TRIANGLE-HEADED ARROW → 2196 ↖ north west arrow
2B67	↗	NORTH EAST TRIANGLE-HEADED ARROW → 2197 ↗ north east arrow
2B68	↘	SOUTH EAST TRIANGLE-HEADED ARROW → 2198 ↘ south east arrow
2B69	↙	SOUTH WEST TRIANGLE-HEADED ARROW → 2199 ↙ south west arrow
2B6A	↔···	LEFTWARDS TRIANGLE-HEADED DASHED ARROW → 21E0 ↔··· leftwards dashed arrow
2B6B	↑···	UPWARDS TRIANGLE-HEADED DASHED ARROW → 21E1 ↑··· upwards dashed arrow
2B6C	···→	RIGHTWARDS TRIANGLE-HEADED DASHED ARROW → 21E2 ···→ rightwards dashed arrow
2B6D	···↓	DOWNTWARDS TRIANGLE-HEADED DASHED ARROW → 21E3 ···↓ downwards dashed arrow
2B6E	⟳	CLOCKWISE TRIANGLE-HEADED OPEN CIRCLE ARROW → 21BB ⟳ clockwise open circle arrow
2B6F	⟲	ANTICLOCKWISE TRIANGLE-HEADED OPEN CIRCLE ARROW → 21BA ⟲ anticlockwise open circle arrow
2B70	⟵	LEFTWARDS TRIANGLE-HEADED ARROW TO BAR = left tab → 21E4 ⟵ leftwards arrow to bar
2B71	↑ ⟶	UPWARDS TRIANGLE-HEADED ARROW TO BAR = up tab → 2912 ↑ ⟶ upwards arrow to bar
2B72	→ ⟶	RIGHTWARDS TRIANGLE-HEADED ARROW TO BAR = right tab → 21E5 → rightwards arrow to bar
2B73	↓ ⟶	DOWNTWARDS TRIANGLE-HEADED ARROW TO BAR = down tab → 2913 ↓ ⟶ downwards arrow to bar
2B74	☒	<reserved>
2B75	☒	<reserved>
2B76	↖	NORTH WEST TRIANGLE-HEADED ARROW TO BAR = home
2B77	↗	NORTH EAST TRIANGLE-HEADED ARROW TO BAR
2B78	↘	SOUTH EAST TRIANGLE-HEADED ARROW TO BAR = end
2B79	↙	SOUTH WEST TRIANGLE-HEADED ARROW TO BAR
2B7A	↔	LEFTWARDS TRIANGLE-HEADED ARROW WITH DOUBLE HORIZONTAL STROKE ※ LEFTWARDS TRIANGLE-HEADED ARROW WITH DOUBLE VERTICAL STROKE

2B7B	↑	UPWARDS TRIANGLE-HEADED ARROW WITH DOUBLE HORIZONTAL STROKE = page up
2B7C	↗	RIGHTWARDS TRIANGLE-HEADED ARROW WITH DOUBLE HORIZONTAL STROKE ※ RIGHTWARDS TRIANGLE-HEADED ARROW WITH DOUBLE VERTICAL STROKE
2B7D	↓	DOWNTWARDS TRIANGLE-HEADED ARROW WITH DOUBLE HORIZONTAL STROKE = page down

Keyboard symbols

2B7E	↹	HORIZONTAL TAB KEY → 21B9 ⏪ leftwards arrow to bar over rightwards arrow to bar
2B7F	↹	VERTICAL TAB KEY

Paired triangle-headed arrows

2B80	⤒	LEFTWARDS TRIANGLE-HEADED ARROW OVER RIGHTWARDS TRIANGLE-HEADED ARROW → 21C6 ⤒ leftwards arrow over rightwards arrow
2B81	⤑	UPWARDS TRIANGLE-HEADED ARROW LEFTWARDS OF DOWNTWARDS TRIANGLE-HEADED ARROW
2B82	⤓	RIGHTWARDS TRIANGLE-HEADED ARROW OVER LEFTWARDS TRIANGLE-HEADED ARROW
2B83	⤑	DOWNTWARDS TRIANGLE-HEADED ARROW LEFTWARDS OF UPWARDS TRIANGLE-HEADED ARROW → 21F5 ⤑ downwards arrow leftwards of upwards arrow
2B84	⤒⤒	LEFTWARDS TRIANGLE-HEADED PAIRED ARROWS → 21C7 ⤒⤒ leftwards paired arrows
2B85	⤑⤑	UPWARDS TRIANGLE-HEADED PAIRED ARROWS → 21C8 ⤑⤑ upwards paired arrows
2B86	⤓⤓	RIGHTWARDS TRIANGLE-HEADED PAIRED ARROWS → 21C9 ⤓⤓ rightwards paired arrows
2B87	⤒⤒	DOWNTWARDS TRIANGLE-HEADED PAIRED ARROWS → 21CA ⤒⤒ downwards paired arrows

Circled arrows

2B88	◐	LEFTWARDS BLACK CIRCLED WHITE ARROW
2B89	◑	UPWARDS BLACK CIRCLED WHITE ARROW
2B8A	◑	RIGHTWARDS BLACK CIRCLED WHITE ARROW → 27B2 ◑ circled heavy rightwards arrow
2B8B	◑	DOWNTWARDS BLACK CIRCLED WHITE ARROW

Triangle-headed u-shaped arrows

2B8C	↶	ANTICLOCKWISE TRIANGLE-HEADED RIGHT U-SHAPED ARROW
2B8D	↷	ANTICLOCKWISE TRIANGLE-HEADED BOTTOM U-SHAPED ARROW
2B8E	↶	ANTICLOCKWISE TRIANGLE-HEADED LEFT U-SHAPED ARROW
2B8F	↷	ANTICLOCKWISE TRIANGLE-HEADED TOP U-SHAPED ARROW → 21B6 ↷ anticlockwise top semicircle arrow

Keyboard symbols

2B90	↶ ↷	RETURN LEFT → 23CE ↷ return symbol
2B91	↷ ↸	RETURN RIGHT
2B92	↶ ↸	NEWLINE LEFT

2B93 ↵ NEWLINE RIGHT

Miscellaneous arrow symbol2B94 ☐ FOUR CORNER ARROWS CIRCLING ANTICLOCKWISE
= loop**Black arrow**2B95 ➤ RIGHTWARDS BLACK ARROW
→ 27A1 ➡ black rightwards arrow
→ 2B05 ← leftwards black arrow**Arrowheads***These sets of arrowheads are narrower than the dingbats set.*2B98 < THREE-D TOP-LIGHTED LEFTWARDS EQUILATERAL ARROWHEAD
2B99 ▲ THREE-D RIGHT-LIGHTED UPWARDS EQUILATERAL ARROWHEAD
2B9A > THREE-D TOP-LIGHTED RIGHTWARDS EQUILATERAL ARROWHEAD
→ 27A2 ➤ three-d top-lighted rightwards arrowhead
2B9B ▽ THREE-D LEFT-LIGHTED DOWNWARDS EQUILATERAL ARROWHEAD
2B9C < BLACK LEFTWARDS EQUILATERAL ARROWHEAD
2B9D ▲ BLACK UPWARDS EQUILATERAL ARROWHEAD
2B9E > BLACK RIGHTWARDS EQUILATERAL ARROWHEAD
→ 27A4 ➤ black rightwards arrowhead
2B9F ▽ BLACK DOWNWARDS EQUILATERAL ARROWHEAD**Triangle-headed arrows with bent tips**2BA0 ⌂ DOWNWARDS TRIANGLE-HEADED ARROW WITH LONG TIP LEFTWARDS
→ 21B2 ↓ downwards arrow with tip leftwards
2BA1 ⌂ DOWNWARDS TRIANGLE-HEADED ARROW WITH LONG TIP RIGHTWARDS
→ 21B3 ↴ downwards arrow with tip rightwards
2BA2 ⌂ UPWARDS TRIANGLE-HEADED ARROW WITH LONG TIP LEFTWARDS
→ 21B0 ↑ upwards arrow with tip leftwards
2BA3 ⌂ UPWARDS TRIANGLE-HEADED ARROW WITH LONG TIP RIGHTWARDS
→ 21B1 ↑ upwards arrow with tip rightwards
2BA4 ⌂ LEFTWARDS TRIANGLE-HEADED ARROW WITH LONG TIP UPWARDS
→ 2B11 ↙ leftwards arrow with tip upwards
2BA5 ⌂ RIGHTWARDS TRIANGLE-HEADED ARROW WITH LONG TIP UPWARDS
→ 2B0F ↗ rightwards arrow with tip upwards
2BA6 ⌂ LEFTWARDS TRIANGLE-HEADED ARROW WITH LONG TIP DOWNWARDS
→ 2B10 ↜ leftwards arrow with tip downwards
2BA7 ⌂ RIGHTWARDS TRIANGLE-HEADED ARROW WITH LONG TIP DOWNWARDS
→ 2B0E ↘ rightwards arrow with tip downwards**Black curved arrows**2BA8 ⌂ BLACK CURVED DOWNWARDS AND LEFTWARDS ARROW
2BA9 ⌂ BLACK CURVED DOWNWARDS AND RIGHTWARDS ARROW
→ 27A5 ➡ heavy black curved downwards and rightwards arrow

2BAA ⌂ BLACK CURVED UPWARDS AND LEFTWARDS ARROW

2BAB ⌂ BLACK CURVED UPWARDS AND RIGHTWARDS ARROW
→ 27A6 ➡ heavy black curved upwards and rightwards arrow

2BAC ⌂ BLACK CURVED LEFTWARDS AND UPWARDS ARROW

2BAD ⌂ BLACK CURVED RIGHTWARDS AND UPWARDS ARROW

2BAE ⌂ BLACK CURVED LEFTWARDS AND DOWNWARDS ARROW

2BAF ⌂ BLACK CURVED RIGHTWARDS AND DOWNWARDS ARROW

Ribbon arrows

2BB0 ⌂ RIBBON ARROW DOWN LEFT

2BB1 ⌂ RIBBON ARROW DOWN RIGHT

2BB2 ⌂ RIBBON ARROW UP LEFT

2BB3 ⌂ RIBBON ARROW UPRIGHT

2BB4 ⌂ RIBBON ARROW LEFT UP

2BB5 ⌂ RIBBON ARROW RIGHT UP

2BB6 ⌂ RIBBON ARROW LEFT DOWN

2BB7 ⌂ RIBBON ARROW RIGHT DOWN

Keyboard symbols

2BB8 ⌂ UPWARDS WHITE ARROW FROM BAR WITH HORIZONTAL BAR

= caps lock

→ 21EC ⌂ upwards white arrow on pedestal with horizontal bar

2BB9 ⌂ UP ARROWHEAD IN A RECTANGLE BOX

= escape

→ 2353 ⌂ apl functional symbol quad up caret

Symbols used in chess notation

2BBA ⌂ OVERLAPPING WHITE SQUARES

= pair of bishops

→ 29C9 ⌂ two joined squares

2BBC ⌂ OVERLAPPING WHITE AND BLACK SQUARES

= bishops of opposite colour

2BCB ⌂ OVERLAPPING BLACK SQUARES

= bishops of the same colour

Geometric symbols

2BBD ⌂ BALLOT BOX WITH LIGHT X

→ 2612 ⌂ ballot box with x

2BCE ⌂ CIRCLED X

→ 2297 ⌂ circled times

2BFF ⌂ CIRCLED BOLD X

Centred geometric shapes

2BC0 ■ BLACK SQUARE CENTRED

2BC1 ♦ BLACK DIAMOND CENTRED

2BC2 ▽ TURNED BLACK PENTAGON

2BC3 ● HORIZONTAL BLACK OCTAGON

→ 1F6D1 ● octagonal sign

2BC4 ● BLACK OCTAGON

2BC5 ▲ BLACK MEDIUM UP-POINTING TRIANGLE CENTRED

→ 25B2 ▲ black up-pointing triangle

2BC6 ▼ BLACK MEDIUM DOWN-POINTING TRIANGLE CENTRED

→ 25BC ▼ black down-pointing triangle

2BC7 ◀ BLACK MEDIUM LEFT-POINTING TRIANGLE CENTRED

→ 25C0 ◀ black left-pointing triangle

IECNORM.CPANS.COM - THE FULL PDF OF ISO/IEC 10646:2017/Amd.2:2019

2BC8 ► BLACK MEDIUM RIGHT-POINTING TRIANGLE CENTRED
→ 25B6 ► black right-pointing triangle

Astronomical symbol

2BC9 ⚉ NEPTUNE FORM TWO
→ 2646 ⚉ neptune

Half circles

2BCA ⚊ TOP HALF BLACK CIRCLE
2BCB ⚋ BOTTOM HALF BLACK CIRCLE

Cusp shapes

2BCC ♦ LIGHT FOUR POINTED BLACK CUSP
→ 2726 ♦ black four pointed star
2BCD ✪ ROTATED LIGHT FOUR POINTED BLACK CUSP
2BCE ✫ WHITE FOUR POINTED CUSP
→ 2727 ✫ white four pointed star
2BCF ✬ ROTATED WHITE FOUR POINTED CUSP
→ 2311 ✬ square lozenge

Miscellaneous symbols

2BD0 Ⓜ SQUARE POSITION INDICATOR
→ 2316 Ⓜ position indicator
2BD1 Ⓝ UNCERTAINTY SIGN
= query
→ 2370 ⓘ apl functional symbol quad question
→ FFFD ⓘ replacement character
2BD2 ‡ GROUP MARK
• formerly used as a separator character for I/O operations
→ 2021 ‡ double dagger
→ 29E7 ‡ thermodynamic
→ 2E4B ‡ triple dagger

Astrological symbols for Pluto

2BD3 ⓘ PLUTO FORM TWO
→ 2647 ⓘ pluto
2BD4 Ⓛ PLUTO FORM THREE
2BD5 Ⓜ PLUTO FORM FOUR
2BD6 Ⓝ PLUTO FORM FIVE

Miscellaneous astrological symbols

2BD7 Ⓞ TRANSPLUTO
2BD8 ⌈ PROSERPINA
2BD9 ⌉ ASTRAEA
2BDA Ⓠ HYGIEA
2BDB Ⓡ PHOLUS
2BDC Ⓢ NESSUS
2BDD Ⓣ WHITE MOON SELENA
2BDE ♦ BLACK DIAMOND ON CROSS
= true black moon Lilith
2BDF Ⓛ TRUE LIGHT MOON ARTA

Uranian astrological symbols

2BE0 Ⓜ CUPIDO
2BE1 Ⓛ HADES
2BE2 Ⓞ ZEUS
2BE3 Ⓟ KRONOS
2BE4 Ⓠ APOLLON
2BE5 Ⓛ ADMETOS
2BE6 Ⓝ VULCANUS
2BE7 Ⓛ POSEIDON

Half star characters

These are used together with 2605 in systems of ratings.

2BE8 ⚊ LEFT HALF BLACK STAR
→ 2605 ⚊ black star
2BE9 ⚋ RIGHT HALF BLACK STAR
2BEA ⚉ STAR WITH LEFT HALF BLACK
2BEB ⚊ STAR WITH RIGHT HALF BLACK

Two-headed arrow symbols

The following four arrow symbols are the preferred representation for fast cursor direction for ISO 9995-7.

2BEC ⇲ LEFTWARDS TWO-HEADED ARROW WITH TRIANGLE ARROWHEADS
= fast cursor left
→ 219E ⇲ leftwards two headed arrow
2BED ⇢ UPWARDS TWO-HEADED ARROW WITH TRIANGLE ARROWHEADS
= fast cursor up
2BEE ⇣ RIGHTWARDS TWO-HEADED ARROW WITH TRIANGLE ARROWHEADS
= fast cursor right
2BEF ⇤ DOWNWARDS TWO-HEADED ARROW WITH TRIANGLE ARROWHEADS
= fast cursor down

Astrological symbols for Eris and Sedna

2BF0 ⓘ ERIS FORM ONE
2BF1 ♀ ERIS FORM TWO
2BF2 ⓘ SEDNA

Russian astrological aspects

2BF3 ☽ RUSSIAN ASTROLOGICAL SYMBOL VIGINTILE
• the vigintile aspect is usually represented by the letter V
2BF4 ☾ RUSSIAN ASTROLOGICAL SYMBOL NOVILE
• the novile aspect is usually represented by the letter N
2BF5 ☿ RUSSIAN ASTROLOGICAL SYMBOL QUINTILE
• the quintile aspect is usually represented by the letter Q
2BF6 ☻ RUSSIAN ASTROLOGICAL SYMBOL BINOVILE
• the binovile aspect is usually represented by the term N²
2BF7 ☹ RUSSIAN ASTROLOGICAL SYMBOL SENTAGON
• represents a 100-degree aspect
2BF8 ☺ RUSSIAN ASTROLOGICAL SYMBOL TREDECILE
• the tredecile aspect is usually represented by the term D³

Symbols used in chess notation

2BF9 ≈ EQUALS SIGN WITH INFINITY BELOW
= with compensation for the material
2BFA ☠ UNITED SYMBOL
= united pawns
→ 26AE ☠ divorce symbol
2BFB ☠- ☠ SEPARATED SYMBOL
= separated pawns
→ 26AF ☠- ☠ unmarried partnership symbol
→ 29DF ☠- ☠ double-ended multimap
→ 1F73A ☠- ☠ alchemical symbol for arsenic
2BFC ☧ DOUBLED SYMBOL
= doubled pawns
2BFD ☨ PASSED SYMBOL
= passed pawn
→ 2642 ☨ male sign

2BFE \lrcorner REVERSED RIGHT ANGLE
= without
→ 221F \llcorner right angle

Miscellaneous symbol

2BFF  HELLSCHREIBER PAUSE SYMBOL

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

	2E0	2E1	2E2	2E3	2E4	2E5	2E6	2E7
0	؍	ؑ	؎	،	=			
1	؏	ؑ	؎	ؒ	ؔ			
2	ؐ	ؑ	؎	ؓ	ؔؔ			
3	ؑ	ؔ٪	ؑ	ؒ	ؔ			
4	ؑ	ؔؕ	ؑ	ؒ	ؔؕ			
5	ؑ	ؚؔ	ؑ	ؓ	ؚؔ			
6	ؑ	ؘؔ	ؑ	ؓ	ؘؔ			
7	ؑ	ؔؗ	ؑ	ؓ	ؔؗ			
8	ؑ	ؔؖ	ؑ	ؓ	ؔؖ			
9	ؑ	ؔؔ	ؑ	ؓ	ؔؔ			
A	ؑ	ؔؔ	ؑ	ؓ	ؔؔ			
B	ؑ	ؔؔ	ؑ	ؓ	ؔؔ			
C	ؑ	ؔؔ	ؑ	ؓ	ؔؔ			
D	ؑ	ؔؔ	ؑ	ؓ	ؔؔ			
E	ؑ	ؔؔ	ؑ	ؓ	ؔؔ			
F	ؑ	ؔؔ	ؑ	ؓ	ؔؔ			

IECNORM.COM. Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

New Testament editorial symbols

- | | | |
|------|---|---|
| 2E00 | ↖ | RIGHT ANGLE SUBSTITUTION MARKER
→ 231C ↖ top left corner |
| 2E01 | ↖ | RIGHT ANGLE DOTTED SUBSTITUTION MARKER |
| 2E02 | ↖ | LEFT SUBSTITUTION BRACKET |
| 2E03 | ↗ | RIGHT SUBSTITUTION BRACKET |
| 2E04 | ↖ | LEFT DOTTED SUBSTITUTION BRACKET |
| 2E05 | ↗ | RIGHT DOTTED SUBSTITUTION BRACKET |
| 2E06 | ᵀ | RAISED INTERPOLATION MARKER
→ 22A4 T down tack |
| 2E07 | ᵀ | RAISED DOTTED INTERPOLATION MARKER |
| 2E08 | ⤵ | DOTTED TRANSPOSITION MARKER |
| 2E09 | ⤵ | LEFT TRANSPOSITION BRACKET |
| 2E0A | ⤷ | RIGHT TRANSPOSITION BRACKET |
| 2E0B | □ | RAISED SQUARE |
| | | • used as an opening raised omission bracket |
| 2E0C | ⤸ | LEFT RAISED OMISSION BRACKET |
| | | • used as an opening or closing raised omission bracket |
| 2E0D | ⤹ | RIGHT RAISED OMISSION BRACKET |
| | | • used as a closing or opening raised omission bracket |

Ancient Greek textual symbols

- | | | |
|------|--|---|
| 2E0E | | EDITORIAL CORONIS
→ 1FBD' greek koronis |
| 2EOF | | PARAGRAPHOS |
| 2E10 | | FORKED PARAGRAPHOS |
| 2E11 | | REVERSED FORKED PARAGRAPHOS |
| 2E12 | | HYPODIASTOLE
= ypodastioli |
| 2E13 | | DOTTED OBELOS
• glyph variants may look like '÷' or '·-'
→ 2052 % commercial minus sign |
| 2E14 | | DOWNTWARDS ANCORA
• contrary to its formal name this symbol points upwards |
| 2E15 | | UPWARDS ANCORA
• contrary to its formal name this symbol points downwards |
| 2E16 | | DOTTED RIGHT-POINTING ANGLE
= diple periestigmene |

Ancient Near-Eastern linguistic symbol

- 2E17 ➤ DOUBLE OBLIQUE HYPHEN

 - used in ancient Near-Eastern linguistics
 - hyphen in Fraktur text uses 002D- or 2010-, but with a '‑' glyph in Fraktur fonts
 - 002D- = hyphen-minus
 - 003D = equals sign
 - 2010- = hyphen
 - 2E40 = double hyphen

General punctuation

- 2E18 ⚡ INVERTED INTERROBANG
= gnaborretni
→ 203D? interrobang

2E19 🌴 PALM BRANCH
• used as a separator

Dictionary punctuation

These punctuation marks are used mostly in German dictionaries, to indicate umlaut or case changes with abbreviated stems.

- 2E1A** :- **HYPHEN WITH DIAERESIS**
• indicates umlaut of the stem vowel of a plural form

2E1B :- **TILDE WITH RING ABOVE**
• indicates change in case for derived form . Ø

Brackets

- 2E1C / LEFT LOW PARAPHRASE BRACKET
2E1D \ RIGHT LOW PARAPHRASE BRACKET
• used in N'Ko

Dictionary punctuation

- 2E1E** ~ **TILDE WITH DOT ABOVE**
• indicates derived form changes to uppercase
2E1F ~ **TILDE WITH DOT BELOW**
• indicates derived form changes to lowercase

Brackets

- 2E20 | LEFT VERTICAL BAR WITH QUILL
→ 2045 [left square bracket with quill
2E21 | RIGHT VERTICAL BAR WITH QUILL

~~Half brackets~~

These form a set of four corner brackets and are used editorially. They are distinguished from mathematical floor and ceiling characters. Occasionally quine corners are substituted for half brackets.

- ↙ E222 ↗ TOP LEFT HALF BRACKET
 → 2308 ↗ left ceiling
 → 231C ↗ top left corner
 → 300C ↗ left corner bracket
 ↗ E223 ↗ TOP RIGHT HALF BRACKET
 ↗ E224 ↗ BOTTOM LEFT HALF BRACKET
 ↗ E225 ↗ BOTTOM RIGHT HALF BRACKET

Brackets

- | | | |
|------|----------------|---|
| 2E26 | \subset | LEFT SIDEWAYS U BRACKET
→ 2282 \subset subset of |
| 2E27 | \supset | RIGHT SIDEWAYS U BRACKET
→ 2283 \supset superset of |
| 2E28 | $(\mkern-1mu($ | LEFT DOUBLE PARENTHESIS
→ 2985 $(\mkern-1mu($ left white parenthesis
→ FF5F $(\mkern-1mu($ fullwidth left white parenthesis |
| 2E29 | $)\mkern-1mu)$ | RIGHT DOUBLE PARENTHESIS |

Historic punctuation

See also historic punctuation with multiple dots in the range 2058-205E.

- | | | |
|------|----|---|
| 2E2A | :: | TWO DOTS OVER ONE DOT PUNCTUATION |
| 2E2B | .. | ONE DOT OVER TWO DOTS PUNCTUATION |
| 2E2C | :: | SQUARED FOUR DOT PUNCTUATION |
| 2E2D | ⊕ | FIVE DOT MARK |
| 2E2E | ? | REVERSED QUESTION MARK
= punctus percontativus
→ 003F ? question mark
→ 00BF ؟ inverted question mark
→ 061F ؟ arabic question mark |
| 2E2F | ' | VERTICAL TILDE
• used for Cyrillic yerik
→ 033E ´ combining vertical tilde
→ A67F ` cyrillic paverok |

- 2E30 ◦ RING POINT
 • used in Avestan
 → 2218 ◦ ring operator
 → 25E6 ◦ white bullet
- 2E31 · WORD SEPARATOR MIDDLE DOT
 • used in Avestan, Samaritan, ...
 → 00B7 · middle dot

Palaotype transliteration symbol

- 2E32 ‘ TURNED COMMA
 • indicates nasalization
 → 060C ‘ arabic comma

Historic punctuation

- 2E33 · RAISED DOT
 • glyph position intermediate between 002E .
 and 00B7 ·
 → 002E · full stop
 → 00B7 · middle dot
- 2E34 , RAISED COMMA
 → 002C , comma

Palaotype transliteration symbols

- 2E35 : TURNED SEMICOLON
 • indicates sudden glottal closure
 → 061B : arabic semicolon
- 2E36 † DAGGER WITH LEFT GUARD
 • indicates retracted pronunciation
- 2E37 ‡ DAGGER WITH RIGHT GUARD
 • indicates advanced pronunciation
- 2E38 ․ TURNED DAGGER
 • indicates retroflex pronunciation
 → 2020 ․ dagger
- 2E39 § TOP HALF SECTION SIGN
 • indicates pronunciation on one side of the
 mouth only
 → 00A7 § section sign

Dashes

- 2E3A ☐ TWO-EM DASH
 = omission dash
 → 2014 — em dash
- 2E3B ☑ THREE-EM DASH

Alternate forms of punctuation

- 2E3C . STENOGRAPHIC FULL STOP
 • used in shorthands and stenographies
 → 002E . full stop
- 2E3D . VERTICAL SIX DOTS
 → 205E . vertical four dots
 → 2999 . dotted fence
- 2E3E , WIGGLY VERTICAL LINE
 → 2307 , wavy line
 → 299A , vertical zigzag line

Historic punctuation

- 2E3F ¶ CAPITULUM
 • ancestor of the pilcrow sign
 → 00B6 ¶ pilcrow sign

Double hyphen

The double hyphen is used in transcription of old German manuscripts, and occasionally as a non-standard punctuation mark. It is not intended for the representation of normal hyphens, whose doubled forms in Fraktur text are considered glyptic variants.

- 2E40 = DOUBLE HYPHEN
 → 003D = equals sign
 → 2010 - hyphen
 → 2E17 = double oblique hyphen
 → 30A0 = katakana-hiragana double hyphen
 → A78A = modifier letter short equals sign

Reversed punctuation

- 2E41 ‘ REVERSED COMMA
 • also used in Sindhi
 → 002C ‘ comma
 → 060C ‘ arabic comma
- 2E42 „ DOUBLE LOW-REVERSED-9 QUOTATION MARK
 → 201E „ double low-9 quotation mark

Miscellaneous punctuation

- 2E43 — DASH WITH LEFT UPTURN
 • functions as a paragraphos in some Slavonic texts
 → 2E0F — paragraphos
- 2E44 : DOUBLE SUSPENSION MARK
 • indicates omission of letters in a word on some Byzantine Greek seals and coins
 → 0374 : greek numeral sign

Typicon punctuation

- 2E45 ^ INVERTED LOW KAVYKA
- 2E46 ~ INVERTED LOW KAVYKA WITH KAVYKA ABOVE
 → 2A46 ^ union above intersection
 → AB5B ~ modifier breve with inverted breve
- 2E47 ° LOW KAVYKA
 → A67E ° cyrillic kavyka
- 2E48 ° LOW KAVYKA WITH DOT
- 2E49 ; DOUBLE STACKED COMMA

Historic punctuation

- 2E4A † DOTTED SOLIDUS
 = virgula suspensiva
 • indicates a medial disjunction more than solidus but less than punctus elevatus
- 2E4B ‡ TRIPLE DAGGER
 → 2020 ․ dagger
 → 2021 ‡ double dagger
- 2E4C ? MEDIEVAL COMMA
 • indicates a minor medial pause or disjunction of sense
- 2E4D ¶ PARAGRAPHUS MARK
 • indicates the beginning of a paragraph, section, stanza, or proposition
 → 00B6 ¶ pilcrow sign
 → 204B ¶ reversed pilcrow sign
 → 2E0F ¶ paragraphos
 → 2E3F ¶ capitulum
- 2E4E : PUNCTUS ELEVATUS MARK
 • indicates a major medial pause where the sense is complete but the meaning is not
- 2E4F ≈ CORNISH VERSE DIVIDER

HEX	C	J	K	V
9FE0 禾 115.16	穉			UTC-01189
9FE1 网 122.28	羅			UTC-01192
9FE2 耳 128.8	聰			UTC-01195
9FE3 耳 128.9	聰			UTC-01182
9FE4 耳 128.12	聰			UTC-01180
9FE5 艮 138.17	郎			UTC-01185
9FE6 艸 140.18	莢			UTC-01179
9FE7 阜 170.23	隆			UTC-01193
9FE8 雨 173.19	垂			UTC-01188
9FE9 魚 195.18	魚			UTC-01194
9FEA 火 86.13	遜			K3-2446
9FEB 气 84.13	氮			T5-7C54
9FEC 石 112.5	硈			T4-6E5D
9FED 钅 167.5	鎔			GCE-113
9FEE 广 63.10	廩			UTC-01119
9FEF 米 119.10	粢			JMJ-057449
				JMJ-060040

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

A72	A73	A74	A75	A76	A77	A78	A79	A7A	A7B	A7C	A7D	A7E	A7F
ؚ	F	K	P	W	ؙ	T	N	G	K				
A720	A730	A740	A750	A760	A770	A780	A790	A7A0	A7B0				
ؚ	S	ػ	p	ػ	ؔ	I	ػ	g	L				
A721	A731	A741	A751	A761	A771	A781	A791	A7A1	A7B1				
ڦ	AA	K	P	ڢ	ڙ	ڻ	ڦ	K	J	V			
A722	A732	A742	A752	A762	A772	A782	A792	A7A2	A7B2	A7C2			
ڦ	aa	k	p	ڢ	m	ڻ	ڦ	k	X	V			
A723	A733	A743	A753	A763	A773	A783	A793	A7A3	A7B3	A7C3			
ڦ	AO	K	P	ڦ	n	r	ڦ	N	B	C			
A724	A734	A744	A754	A764	A774	A784	A794	A7A4	A7B4	A7C4			
ڦ	ao	ػ	پ	ٻ	ڻ	r	ڦ	ڦ	ڦ	S			
A725	A735	A745	A755	A765	A775	A785	A795	A7A5	A7B5	A7C5			
ڦ	AJ	L	Q	P	R	C	B	R	CO	Z			
A726	A736	A746	A756	A766	A776	A786	A796	A7A6	A7B6	A7C6			
ڦ	ا	ا	ا	ا	ا	ا	ا	ا	ا	ا			
A727	A737	A747	A757	A767	A777	A787	A797	A7A7	A7B7				
ڦ	A	L	Q	V	ڦ	F	S	U					
A728	A738	A748	A758	A768	A778	A788	A798	A7A8	A7B8				
ڦ	a	t	ڦ	V	ڦ	f	s	u					
A729	A739	A749	A759	A769	A779	A789	A799	A7A9	A7B9				
ڦ	A	A	O	ڦ	ڦ	=	E	H	'A				
A72A	A73A	A74A	A75A	A76A	A77A	A78A	A79A	A7AA	A7BA				
ڦ	a	a	o	ڦ	ڦ	=	e	h	'a				
A72B	A73B	A74B	A75B	A76B	A77B	A78B	A79B	A7AB	A7BB				
ڦ	A	A	O	ڦ	F	I	E	Z	â				
A72C	A73C	A74C	A75C	A76C	A77C	A78C	A79C	A7AC	A7BC				
ڦ	a	a	o	ڦ	f	i	e	z	â				
A72D	A73D	A74D	A75D	A76D	A77D	A78D	A79D	A7AD	A7BD				
ڦ	ا	ا	و	ڦ	ڦ	ڦ	ڦ	ڦ	ڦ				
A72E	A73E	A74E	A75E	A76E	A77E	A78E	A79E	A7AE	A7BE				
ڦ	ا	ا	و	ڦ	ڦ	ڦ	ڦ	ڦ	ڦ				
A72F	A73F	A74F	A75F	A76F	A77F	A78F	A79F	A7AF	A7BF				

Additions for UPA

A720 ጀ MODIFIER LETTER STRESS AND HIGH TONE
 A721 ጀ MODIFIER LETTER STRESS AND LOW TONE

Egyptological additions

A722 ȝ LATIN CAPITAL LETTER EGYPTOLOGICAL ALEF
 A723 ȝ LATIN SMALL LETTER EGYPTOLOGICAL ALEF
 A724 ȝ LATIN CAPITAL LETTER EGYPTOLOGICAL AIN
 A725 ȝ LATIN SMALL LETTER EGYPTOLOGICAL AIN
 • this is a case pair
 → 1D25 ȝ latin letter ain
 → 1D5C ȝ modifier letter small ain
 → A7BD i latin small letter glottal i

Mayanist additions

A726 ጀ LATIN CAPITAL LETTER HENG
 A727 ጀ LATIN SMALL LETTER HENG
 A728 ጀ LATIN CAPITAL LETTER TZ
 A729 ጀ LATIN SMALL LETTER TZ
 A72A ጀ LATIN CAPITAL LETTER TRESILLO
 A72B ጀ LATIN SMALL LETTER TRESILLO
 → 218B ጀ turned digit three
 A72C ጀ LATIN CAPITAL LETTER CUATRILLO
 A72D ጀ LATIN SMALL LETTER CUATRILLO
 A72E ጀ LATIN CAPITAL LETTER CUATRILLO WITH COMMA
 A72F ጀ LATIN SMALL LETTER CUATRILLO WITH COMMA

Medievalist additions

A730 ጀ LATIN LETTER SMALL CAPITAL F
 A731 ጀ LATIN LETTER SMALL CAPITAL S
 A732 ጀ LATIN CAPITAL LETTER AA
 A733 ጀ LATIN SMALL LETTER AA
 A734 ጀ LATIN CAPITAL LETTER AO
 A735 ጀ LATIN SMALL LETTER AO
 A736 ጀ LATIN CAPITAL LETTER AU
 A737 ጀ LATIN SMALL LETTER AU
 A738 ጀ LATIN CAPITAL LETTER AV
 A739 ጀ LATIN SMALL LETTER AV
 A73A ጀ LATIN CAPITAL LETTER AV WITH HORIZONTAL BAR
 A73B ጀ LATIN SMALL LETTER AV WITH HORIZONTAL BAR
 A73C ጀ LATIN CAPITAL LETTER AY
 A73D ጀ LATIN SMALL LETTER AY
 A73E ጀ LATIN CAPITAL LETTER REVERSED C WITH DOT
 A73F ጀ LATIN SMALL LETTER REVERSED C WITH DOT
 A740 ጀ LATIN CAPITAL LETTER K WITH STROKE
 A741 ጀ LATIN SMALL LETTER K WITH STROKE
 A742 ጀ LATIN CAPITAL LETTER K WITH DIAGONAL STROKE
 A743 ጀ LATIN SMALL LETTER K WITH DIAGONAL STROKE
 A744 ጀ LATIN CAPITAL LETTER K WITH STROKE AND DIAGONAL STROKE
 A745 ጀ LATIN SMALL LETTER K WITH STROKE AND DIAGONAL STROKE
 A746 ጀ LATIN CAPITAL LETTER BROKEN L
 A747 ጀ LATIN SMALL LETTER BROKEN L
 A748 ጀ LATIN CAPITAL LETTER L WITH HIGH STROKE
 A749 ጀ LATIN SMALL LETTER L WITH HIGH STROKE
 A74A ጀ LATIN CAPITAL LETTER O WITH LONG STROKE OVERLAY

A74B ጀ LATIN SMALL LETTER O WITH LONG STROKE OVERLAY

A74C ጀ LATIN CAPITAL LETTER O WITH LOOP

A74D ጀ LATIN SMALL LETTER O WITH LOOP

A74E ጀ LATIN CAPITAL LETTER OO

A74F ጀ LATIN SMALL LETTER OO

A750 ጀ LATIN CAPITAL LETTER P WITH STROKE THROUGH DESCENDER

A751 ጀ LATIN SMALL LETTER P WITH STROKE THROUGH DESCENDER

A752 ጀ LATIN CAPITAL LETTER P WITH FLOURISH

A753 ጀ LATIN SMALL LETTER P WITH FLOURISH

A754 ጀ LATIN CAPITAL LETTER P WITH SQUIRREL TAIL

A755 ጀ LATIN SMALL LETTER P WITH SQUIRREL TAIL

A756 ጀ LATIN CAPITAL LETTER Q WITH STROKE THROUGH DESCENDER

A757 ጀ LATIN SMALL LETTER Q WITH STROKE THROUGH DESCENDER

A758 ጀ LATIN CAPITAL LETTER Q WITH DIAGONAL STROKE

A759 ጀ LATIN SMALL LETTER Q WITH DIAGONAL STROKE

A75A ጀ LATIN CAPITAL LETTER R ROTUNDA

A75B ጀ LATIN SMALL LETTER R ROTUNDA

A75C ጀ LATIN CAPITAL LETTER RUM ROTUNDA

A75D ጀ LATIN SMALL LETTER RUM ROTUNDA

A75E ጀ LATIN CAPITAL LETTER V WITH DIAGONAL STROKE

A75F ጀ LATIN SMALL LETTER V WITH DIAGONAL STROKE

A760 ጀ LATIN CAPITAL LETTER VY

A761 ጀ LATIN SMALL LETTER VY

A762 ጀ LATIN CAPITAL LETTER VISIGOTHIC Z

A763 ጀ LATIN SMALL LETTER VISIGOTHIC Z

A764 ጀ LATIN CAPITAL LETTER THORN WITH STROKE

A765 ጀ LATIN SMALL LETTER THORN WITH STROKE

- Old Norse, Old English

- representative glyph is preferred in Old Norse text

- Old English fonts show a more diagonal stroke

A766 ጀ LATIN CAPITAL LETTER THORN WITH STROKE THROUGH DESCENDER

A767 ጀ LATIN SMALL LETTER THORN WITH STROKE THROUGH DESCENDER

A768 ጀ LATIN CAPITAL LETTER VEND

A769 ጀ LATIN SMALL LETTER VEND

A76A ጀ LATIN CAPITAL LETTER ET

A76B ጀ LATIN SMALL LETTER ET

A76C ጀ LATIN CAPITAL LETTER IS

A76D ጀ LATIN SMALL LETTER IS

A76E ጀ LATIN CAPITAL LETTER CON

A76F ጀ LATIN SMALL LETTER CON

A770 ጀ MODIFIER LETTER US

$\approx \text{<super>} A76F 9$

A771 ጀ LATIN SMALL LETTER DUM

A772 ጀ LATIN SMALL LETTER LUM

A773 ጀ LATIN SMALL LETTER MUM

A774 ጀ LATIN SMALL LETTER NUM

A775 ጀ LATIN SMALL LETTER RUM

A776 ጀ LATIN LETTER SMALL CAPITAL RUM

A777 ጀ LATIN SMALL LETTER TUM

A778 ጀ LATIN SMALL LETTER UM

IECNGRIM.COM Click to view the full PDF of ISO/IEC 10646:2019

Insular and Celtsist letters

A779	ꝑ	LATIN CAPITAL LETTER INSULAR D
A77A	ꝑ	LATIN SMALL LETTER INSULAR D
A77B	ꝑ	LATIN CAPITAL LETTER INSULAR F
A77C	ꝑ	LATIN SMALL LETTER INSULAR F
A77D	ꝑ	LATIN CAPITAL LETTER INSULAR G
		• lowercase is 1D79 ȝ
A77E	ꝑ	LATIN CAPITAL LETTER TURNED INSULAR G
A77F	ꝑ	LATIN SMALL LETTER TURNED INSULAR G
A780	ꝑ	LATIN CAPITAL LETTER TURNED L
A781	ꝑ	LATIN SMALL LETTER TURNED L
A782	ꝑ	LATIN CAPITAL LETTER INSULAR R
A783	ꝑ	LATIN SMALL LETTER INSULAR R
A784	ꝑ	LATIN CAPITAL LETTER INSULAR S
A785	ꝑ	LATIN SMALL LETTER INSULAR S
A786	ꝑ	LATIN CAPITAL LETTER INSULAR T
A787	ꝑ	LATIN SMALL LETTER INSULAR T

Modifier letters

A788	᷂	MODIFIER LETTER LOW CIRCUMFLEX ACCENT → 02C6 ᷂ modifier letter circumflex accent → 2038 ᷂ caret
A789	᷃	MODIFIER LETTER COLON • used as a tone letter in some orthographies • Budu (Congo), Sabaot (Kenya), and several Papua New Guinea languages → 003A : colon
A78A	᷄	MODIFIER LETTER SHORT EQUALS SIGN • used as a tone letter in some orthographies • Budu (Congo) → 003D = equals sign

Orthographic letters for glottals

A78B	᷅	LATIN CAPITAL LETTER SALTILO • Me'phaa (Mexico)
A78C	᷆	LATIN SMALL LETTER SALTILO • saltillos are used as a casing pair for glottal stop in some orthographies • the lowercase is widely used in many languages in Mexico and other regions, including Izere in Nigeria → 0027 ' apostrophe → 0242 ꝗ latin small letter glottal stop → 0294 Ꝙ latin letter glottal stop → 02BC ' modifier letter apostrophe → 02C0 Ꝙ modifier letter glottal stop

Additional letter

A78D	᷈	LATIN CAPITAL LETTER TURNED H • used in the Dan/Gio orthography in Liberia • lowercase is 0265 ꝉ
------	---	--

Phonetic symbol

A78E	᷉	LATIN SMALL LETTER L WITH RETROFLEX HOOK AND BELT • voiceless lateral retroflex fricative • used to transcribe Toda
------	---	---

Transliteration letter

A78F	᷊	LATIN LETTER SINOLOGICAL DOT • used in transliteration of Phags-Pa and in phonetic transcription of Tangut → 00B7 · middle dot
------	---	--

Additional letters

A790	᷋	LATIN CAPITAL LETTER N WITH DESCENDER
------	---	---------------------------------------

A791	᷌	LATIN SMALL LETTER N WITH DESCENDER
------	---	-------------------------------------

- Janalif

A792	᷍	LATIN CAPITAL LETTER C WITH BAR
------	---	---------------------------------

= Cambrian symbol

A793	᷎	LATIN SMALL LETTER C WITH BAR
------	---	-------------------------------

- Nanai

Additions for Lithuanian dialectology

A794	᷏	LATIN SMALL LETTER C WITH PALATAL HOOK
------	---	--

- uppercase is A7C4 ᷐

A795	᷒	LATIN SMALL LETTER H WITH PALATAL HOOK
------	---	--

→ A727 ᷒ latin small letter heng

Letters for Middle Vietnamese

A796	ᷔ	LATIN CAPITAL LETTER B WITH FLOURISH
------	---	--------------------------------------

A797	ᷕ	LATIN SMALL LETTER B WITH FLOURISH
------	---	------------------------------------

Archaic letters for Ewe

A798	ᷖ	LATIN CAPITAL LETTER F WITH STROKE
------	---	------------------------------------

→ 0191 ᷖ latin capital letter f with hook

A799	ᷗ	LATIN SMALL LETTER F WITH STROKE
------	---	----------------------------------

- old Ewe orthography
- also used in German dialectology

Archaic letters for Volapük

A79A	᷈	LATIN CAPITAL LETTER VOLAPUK AE
------	---	---------------------------------

A79B	᷉	LATIN SMALL LETTER VOLAPUK AE
------	---	-------------------------------

A79C	᷊	LATIN CAPITAL LETTER VOLAPUK OE
------	---	---------------------------------

A79D	᷋	LATIN SMALL LETTER VOLAPUK OE
------	---	-------------------------------

A79E	᷌	LATIN CAPITAL LETTER VOLAPUK UE
------	---	---------------------------------

A79F	᷍	LATIN SMALL LETTER VOLAPUK UE
------	---	-------------------------------

Letters for pre-1921 Latvian orthography

A7A0	᷎	LATIN CAPITAL LETTER G WITH OBLIQUE STROKE
------	---	--

A7A1	᷏	LATIN SMALL LETTER G WITH OBLIQUE STROKE
------	---	--

A7A2	᷐	LATIN CAPITAL LETTER K WITH OBLIQUE STROKE
------	---	--

A7A3	᷑	LATIN SMALL LETTER K WITH OBLIQUE STROKE
------	---	--

A7A4	᷒	LATIN CAPITAL LETTER N WITH OBLIQUE STROKE
------	---	--

A7A5	ᷓ	LATIN SMALL LETTER N WITH OBLIQUE STROKE
------	---	--

A7A6	ᷔ	LATIN CAPITAL LETTER R WITH OBLIQUE STROKE
------	---	--

A7A7	ᷕ	LATIN SMALL LETTER R WITH OBLIQUE STROKE
------	---	--

A7A8	ᷖ	LATIN CAPITAL LETTER S WITH OBLIQUE STROKE
------	---	--

A7A9	ᷗ	LATIN SMALL LETTER S WITH OBLIQUE STROKE
------	---	--

- also used in pre-1950 Lower Sorbian orthography

→ 1E9C ᷗ latin small letter long s with diagonal stroke

Additional letters

A7AA	ᷘ	LATIN CAPITAL LETTER H WITH HOOK
------	---	----------------------------------

- lowercase is 0266 ᷘ

• used in Chad

A7AB	ᷙ	LATIN CAPITAL LETTER REVERSED OPEN E
------	---	--------------------------------------

- lowercase is 025C ᷙ

A7AC	ᷚ	LATIN CAPITAL LETTER SCRIPT G
------	---	-------------------------------

- lowercase is 0261 ᷚ

A7AD	ᷛ	LATIN CAPITAL LETTER L WITH BELT
------	---	----------------------------------

- lowercase is 026C ᷛ

	AB3	AB4	AB5	AB6
0	Ѐ	Ӯ	ӻ	Ӽ
1	ӹ	Ӱ	ӻ	Ӵ
2	ӷ	Ӱ	ӻ	Ӹ
3	Ӹ	Ӱ	ӻ	ӹ
4	ӹ	Ӱ	ӻ	ӵ
5	Ӷ	ӷ	ӻ	ӷ
6	ӷ	Ӯ	ӻ	ӷ
7	ӹ	ӷ	ӻ	ӷ
8	ӹ	ӷ	ӻ	
9	ӹ	ӷ	ӻ	
A	ӻ	ӷ	ӻ	
B	ӻ	ӷ	ӻ	
C	ӻ	ӷ	ӻ	
D	ӻ	ӷ	ӻ	
E	ӻ	ӷ	ӻ	
F	ӻ	ӷ	ӻ	

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

AB30

Latin Extended-E

AB67

Letters for German dialectology

- | | | |
|------|---|--|
| AB30 | Ѐ | LATIN SMALL LETTER BARRED ALPHA |
| AB31 | ӂ | LATIN SMALL LETTER A REVERSED-SCHWA |
| AB32 | Ӄ | LATIN SMALL LETTER BLACKLETTER E |
| AB33 | ӄ | LATIN SMALL LETTER BARRED E |
| AB34 | Ӆ | LATIN SMALL LETTER E WITH FLOURISH |
| AB35 | ӆ | LATIN SMALL LETTER LENIS F
→ 0066 f latin small letter f |
| AB36 | Ӈ | LATIN SMALL LETTER SCRIPT G WITH
CROSSED-TAIL |
| AB37 | ӈ | LATIN SMALL LETTER L WITH INVERTED LAZY S |
| AB38 | Ӊ | LATIN SMALL LETTER L WITH DOUBLE MIDDLE
TILDE |
| AB39 | ӊ | LATIN SMALL LETTER L WITH MIDDLE RING |
| AB3A | Ӌ | LATIN SMALL LETTER M WITH CROSSED-TAIL |
| AB3B | ӌ | LATIN SMALL LETTER N WITH CROSSED-TAIL |
| AB3C | Ӎ | LATIN SMALL LETTER ENG WITH CROSSED-TAIL |
| AB3D | ӎ | LATIN SMALL LETTER BLACKLETTER O |
| AB3E | ӏ | LATIN SMALL LETTER BLACKLETTER O WITH
STROKE |
| AB3F | Ӑ | LATIN SMALL LETTER OPEN O WITH STROKE |
| AB40 | ӑ | LATIN SMALL LETTER INVERTED OE
= latin small letter o reversed-schwa |
| AB41 | Ӓ | LATIN SMALL LETTER TURNED OE WITH
STROKE |
| AB42 | ӓ | LATIN SMALL LETTER TURNED OE WITH
HORIZONTAL STROKE |
| AB43 | Ӕ | LATIN SMALL LETTER TURNED O OPEN-O |
| AB44 | ӕ | LATIN SMALL LETTER TURNED O OPEN-O WITH
STROKE |
| AB45 | Ӗ | LATIN SMALL LETTER STIRRUP R |
| AB46 | ӗ | LATIN LETTER SMALL CAPITAL R WITH RIGHT
LEG |
| AB47 | Ә | LATIN SMALL LETTER R WITHOUT HANDLE |
| AB48 | ә | LATIN SMALL LETTER DOUBLE R |
| AB49 | Ӛ | LATIN SMALL LETTER R WITH CROSSED-TAIL |
| AB4A | ӛ | LATIN SMALL LETTER DOUBLER R WITH
CROSSED-TAIL |
| AB4B | Ӝ | LATIN SMALL LETTER SCRIPT R |
| AB4C | ӝ | LATIN SMALL LETTER SCRIPT R WITH RING |
| AB4D | Ӟ | LATIN SMALL LETTER BASELINE ESH |
| AB4E | ӟ | LATIN SMALL LETTER U WITH SHORT RIGHT
LEG |
| AB4F | ӟ | LATIN SMALL LETTER U BAR WITH SHORT
RIGHT LEG |
| AB50 | Ӫ | LATIN SMALL LETTER UI |
| AB51 | Ӥ | LATIN SMALL LETTER TURNED UI |
| AB52 | ӥ | LATIN SMALL LETTER U WITH LEFT HOOK |
| AB53 | Ӧ | LATIN SMALL LETTER CHI
• uppercase is A7B3 X
→ 03C7 χ greek small letter chi |
| AB54 | ӧ | LATIN SMALL LETTER CHI WITH LOW RIGHT
RING |
| AB55 | Ө | LATIN SMALL LETTER CHI WITH LOW LEFT
SERIF |
| AB56 | ө | LATIN SMALL LETTER X WITH LOW RIGHT RING |
| AB57 | Ӫ | LATIN SMALL LETTER X WITH LONG LEFT LEG |
| AB58 | Ӯ | LATIN SMALL LETTER X WITH LONG LEFT LEG
AND LOW RIGHT RING |
| AB59 | ө | LATIN SMALL LETTER X WITH LONG LEFT LEG
WITH SERIF |
| AB5A | ӯ | LATIN SMALL LETTER Y WITH SHORT RIGHT
LEG |

Modifier letters for German dialectology

- | | | |
|------|---|--|
| AB5B | x | MODIFIER BREVE WITH INVERTED BREVE
→ 02D8 ˘ breve
→ 2050 ߂ close up
→ 23D1 ߁ metrical breve
→ 2E46 ߃ inverted low kavyka with kavyka above |
| AB5C | ܄ | MODIFIER LETTER SMALL HENG |
| | | ≈ <super> A727 ܄ |
| AB5D | ܅ | MODIFIER LETTER SMALL L WITH INVERTED LAZY S
≈ <super> AB37 ܅ |
| AB5E | ܆ | MODIFIER LETTER SMALL L WITH MIDDLE TILDE
≈ <super> 026B ܆ |
| AB5F | ܇ | MODIFIER LETTER SMALL U WITH LEFT HOOK
≈ <super> AB52 ܇ |

Historic letters for Sakha (Yakut)

These letters were used from 1917 to 1927 in the official IPA-based Latin orthography of c.i.a.

- | | | |
|------|----|---|
| AB60 | іь | LATIN SMALL LETTER SAKHA YAT
→ 0463 Ь cyrillic small letter yat |
| AB61 | іе | LATIN SMALL LETTER IOTIFIED E
→ 0465 ІЄ cyrillic small letter iotified e |
| AB62 | œ | LATIN SMALL LETTER OPEN OE
→ 0254 œ latin small letter open o |
| AB63 | ѡ | LATIN SMALL LETTER UO |

Letters for Americanist orthographies

- | | | Latin Small Letter Inverted Alpha | Greek Letter Small Capital Omega |
|------|---|--|--|
| AB64 | ᾳ | → 0252 ḩ latin small letter turned alpha | |
| AB65 | Ω | | • obsolete for mid back rounded vowel
→ 0277 ω latin small letter closed omega
→ 03C9 ω greek small letter omega |

Letters for Sinological transcription

These letters are used in Sinological and Tibetanist systems of phonetic transcription.

- | | | |
|------|--|---|
| AB66 | dz | LATIN SMALL LETTER DZ DIGRAPH WITH RETROFLEX HOOK |
| | | <ul style="list-style-type: none"> • voiced retroflex affricate |
| | → 0290 z _ç latin small letter z with retroflex hook | |
| | → 02A3 dz latin small letter dz digraph | |
| AB67 | ts | LATIN SMALL LETTER TS DIGRAPH WITH RETROFLEX HOOK |
| | | <ul style="list-style-type: none"> • voiceless retroflex affricate |
| | → 0282 § latin small letter s with hook | |
| | → 02A6 ts latin small letter ts digraph | |

IECNORM.COM. Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

	10FE	10FF
0	 10FE0	 10FF0
1	 10FE1	 10FF1
2	 10FE2	 10FF2
3	 10FE3	 10FF3
4	 10FE4	 10FF4
5	 10FE5	 10FF5
6	 10FE6	 10FF6
7	 10FE7	
8	 10FE8	
9	'	
A	 10FEA	
B	 10FEB	
C	 10FEC	
D	 10FED	
E	 10FEE	
F	 10FEF	

Letters

10FE0		ELYMAIC LETTER ALEPH
10FE1		ELYMAIC LETTER BETH
10FE2		ELYMAIC LETTER GIMEL
10FE3		ELYMAIC LETTER DALETH
10FE4		ELYMAIC LETTER HE
10FE5		ELYMAIC LETTER WAW
10FE6		ELYMAIC LETTER ZAYIN
10FE7		ELYMAIC LETTER HETH
10FE8		ELYMAIC LETTER TETH
10FE9		ELYMAIC LETTER YODH
10FEA		ELYMAIC LETTER KAPH
10FEB		ELYMAIC LETTER LAMEDH
10FEC		ELYMAIC LETTER MEM
10FED		ELYMAIC LETTER NUN
10FEE		ELYMAIC LETTER SAMEKH
10FEF		ELYMAIC LETTER AYIN
10FF0		ELYMAIC LETTER PE
10FF1		ELYMAIC LETTER SADHE
10FF2		ELYMAIC LETTER QOPH
10FF3		ELYMAIC LETTER RESH
10FF4		ELYMAIC LETTER SHIN
10FF5		ELYMAIC LETTER TAW

Ligature

10FF6		ELYMAIC LIGATURE ZAYIN-YODH
• used for the Aramaic heterogram zy		

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

	1100	1101	1102	1103	1104	1105	1106	1107
0	○	Δ	፩	፪	○		፪	
1	●	፪	፫	፬	○		፳	
2	○:	፪	፯	፭	○	—	፩	
3	☒	+	○	፭	☒	=	⊕	
4	☒	፪	፭	፮	○	≡	፩	
5	፩	፧	፪	፩	○	+	፲	
6	፩	፯	፪	፭	○	፩	•	
7	..	□	፪	፩		፩	፳	
8	·	፪	፭	○		፩	፲	
9	፩	፩	□	○	-	፩	፩	
A	፩	፩	፩	○	=	፩	፩	
B	፩	፩	፩	○	—	፩	፩	
C	፩	፩	፩	○	⊕	፩	፩	
D	፩	፩	{	○	፩	፩	፩	
E	፩	○	፩	○		፩	፩	
F	፩	፩	○	○		፩	፩	BNJ

Various signs

11000	○	BRAHMI SIGN CANDRABINDU
11001	○	BRAHMI SIGN ANUSVARA
11002	○:	BRAHMI SIGN VISARGA
11003	☒	BRAHMI SIGN JIHVAMULIYA
11004	⊗	BRAHMI SIGN UPADHMANIYA

Independent vowels

11005	H	BRAHMI LETTER A
11006	H+	BRAHMI LETTER AA
11007	..	BRAHMI LETTER I
11008	..+	BRAHMI LETTER II
11009	L	BRAHMI LETTER U
1100A	L+	BRAHMI LETTER UU
1100B	X	BRAHMI LETTER VOCALIC R
1100C	X	BRAHMI LETTER VOCALIC RR
1100D	~	BRAHMI LETTER VOCALIC L
1100E	~	BRAHMI LETTER VOCALIC LL
1100F	Δ	BRAHMI LETTER E
11010	Δ	BRAHMI LETTER AI
11011	Ł	BRAHMI LETTER O
11012	Ł	BRAHMI LETTER AU

Consonants

11013	+	BRAHMI LETTER KA
11014	┐	BRAHMI LETTER KHA
11015	∧	BRAHMI LETTER GA
11016	↳	BRAHMI LETTER GHA
11017	└	BRAHMI LETTER NGA
11018	↳	BRAHMI LETTER CA
11019	ɸ	BRAHMI LETTER CHA
1101A	ᴱ	BRAHMI LETTER JA
1101B	ᴶ	BRAHMI LETTER JHA
1101C	՚	BRAHMI LETTER NYA
1101D	Ҫ	BRAHMI LETTER TTA
1101E	Ѻ	BRAHMI LETTER TTAA
1101F	ڸ	BRAHMI LETTER DDA
11020	ڰ	BRAHMI LETTER DDHA
11021	ڶ	BRAHMI LETTER NNA
11022	ڻ	BRAHMI LETTER TA
11023	ڦ	BRAHMI LETTER THA
11024	ڻ	BRAHMI LETTER DA
11025	ڻ	BRAHMI LETTER DHA
11026	ڻ	BRAHMI LETTER NA
11027	ڻ	BRAHMI LETTER PA
11028	ڻ	BRAHMI LETTER PHA
11029	ڻ	BRAHMI LETTER BA
1102A	ڻ	BRAHMI LETTER BHA
1102B	ڻ	BRAHMI LETTER MA
1102C	ڻ	BRAHMI LETTER YA
1102D	ڻ	BRAHMI LETTER RA
1102E	ڻ	BRAHMI LETTER LA
1102F	ڻ	BRAHMI LETTER VA
11030	ڻ	BRAHMI LETTER SHA
11031	ڻ	BRAHMI LETTER SSA
11032	ڻ	BRAHMI LETTER SA
11033	ڻ	BRAHMI LETTER HA
11034	ڻ	BRAHMI LETTER LLA
11035	ڻ	BRAHMI LETTER OLD TAMIL LLLA
11036	ڻ	BRAHMI LETTER OLD TAMIL RRA
11037	ڻ	BRAHMI LETTER OLD TAMIL NNNA

Dependent vowel signs

11038	ጀ	BRAHMI VOWEL SIGN AA
11039	ጀ	BRAHMI VOWEL SIGN BHATTIPROLU AA
1103A	ጀ	BRAHMI VOWEL SIGN I
1103B	ጀ	BRAHMI VOWEL SIGN II
1103C	ጀ	BRAHMI VOWEL SIGN U
1103D	ጀ	BRAHMI VOWEL SIGN UU
1103E	ጀ	BRAHMI VOWEL SIGN VOCALIC R
1103F	ጀ	BRAHMI VOWEL SIGN VOCALIC RR
11040	ጀ	BRAHMI VOWEL SIGN VOCALIC L
11041	ጀ	BRAHMI VOWEL SIGN VOCALIC LL
11042	ጀ	BRAHMI VOWEL SIGN E
11043	ጀ	BRAHMI VOWEL SIGN AI
11044	ጀ	BRAHMI VOWEL SIGN O
11045	ጀ	BRAHMI VOWEL SIGN AU

Virama

11046	ጀ	BRAHMI VIRAMA
-------	---	---------------

Punctuation

11047		BRAHMI DANDA
11048		BRAHMI DOUBLE DANDA
11049	-	BRAHMI PUNCTUATION DOT
1104A	=	BRAHMI PUNCTUATION DOUBLE DOT
1104B	—	BRAHMI PUNCTUATION LINE
1104C	Θ	BRAHMI PUNCTUATION CRESCENT BAR
1104D	⊛	BRAHMI PUNCTUATION LOTUS

Numbers

11052	—	BRAHMI NUMBER ONE
11053	=	BRAHMI NUMBER TWO
11054	≡	BRAHMI NUMBER THREE
11055	+	BRAHMI NUMBER FOUR
11056	↳	BRAHMI NUMBER FIVE
11057	ᴱ	BRAHMI NUMBER SIX
11058	՞	BRAHMI NUMBER SEVEN
11059	՚	BRAHMI NUMBER EIGHT
1105A	՞	BRAHMI NUMBER NINE
1105B	♾	BRAHMI NUMBER TEN
1105C	Θ	BRAHMI NUMBER TWENTY
1105D	~	BRAHMI NUMBER THIRTY
1105E	X	BRAHMI NUMBER FORTY
1105F	Ԍ	BRAHMI NUMBER FIFTY
11060	՚	BRAHMI NUMBER SIXTY
11061	>X	BRAHMI NUMBER SEVENTY
11062	Փ	BRAHMI NUMBER EIGHTY
11063	⊕	BRAHMI NUMBER NINETY
11064	Ҥ	BRAHMI NUMBER ONE HUNDRED
11065	፩	BRAHMI NUMBER ONE THOUSAND

Digits

11066	·	BRAHMI DIGIT ZERO
11067	՚	BRAHMI DIGIT ONE
11068	՞	BRAHMI DIGIT TWO
11069	՞	BRAHMI DIGIT THREE
1106A	՞	BRAHMI DIGIT FOUR
1106B	՞	BRAHMI DIGIT FIVE
1106C	՞	BRAHMI DIGIT SIX
1106D	՞	BRAHMI DIGIT SEVEN
1106E	՞	BRAHMI DIGIT EIGHT
1106F	՞	BRAHMI DIGIT NINE

Number joiner1107F  BRAHMI NUMBER JOINER

- a virama used to form ligatures between Brahmi numbers signifying multiplication

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

	1140	1141	1142	1143	1144	1145	1146	1147
0	ଅ	ଗ	ଥ	ବ	ୟୀ	୦		
1	ଆ	ଘ	ଦ	ଶ	ୟୀ	୧		
2	ୟୁ	ଦ	ବ	ଷ	ୟୁ	୨		
3	ୟୁ	ଙ୍କ	ନ	ସ	ୟୁ	୩		
4	ତ	ବ	ଙ୍କ	ହ	୦	୪		
5	ଙ୍କ	କୁ	ଯ	ା	୦୪	ଗ		
6	ମୁ	ଜ	ରୁ	ି	୦୦	୫		
7	ମୁ	ମ	ବ	ୟୀ	୦୦	୭		
8	ଚ	ଙ୍ଗ	ର	ୟୀ	୦୦	୮		
9	ନ୍ତି	ଙ୍କ	ମ	ୟୁ	୦୦	୯		
A	ଏ	ଟ	ଙ୍କ	ୟୁ	୧			
B	ନ୍ତି	୦	ୟ	ୟୁ	।	୨		
C	ା	ତ	ନ	ୟୁ	॥			
D	ୟୀ	ଟ	ଙ୍କ	ୟୁ	୯			
E	କ	ବ	ଲ	ୟୁ	୯	୩		
F	ଖ	ଗ	ଙ୍କ	ୟୁ	୦	୩		

11400

Newa

11454

This script is also known as Nepaalalipi, Nepalakshar, Newah Akhah, Pachumol, Prachalit, and other names.

Independent vowels

Some of the vowels are only used for Sanskrit, and are not needed for Nepal Bhasa.

11400	අ	NEWA LETTER A
11401	඄	NEWA LETTER AA
11402	ඇ	NEWA LETTER I
11403	ඈ	NEWA LETTER II
11404	ඉ	NEWA LETTER U
11405	ඊ	NEWA LETTER UU
11406	උ	NEWA LETTER VOCALIC R
11407	ඌ	NEWA LETTER VOCALIC RR
11408	ඍ	NEWA LETTER VOCALIC L
11409	ඎ	NEWA LETTER VOCALIC LL
1140A	ඏ	NEWA LETTER E
1140B	ඐ	NEWA LETTER AI
1140C	එ	NEWA LETTER O
1140D	ඒ	NEWA LETTER AU

Consonants

Six consonant letters involving ha are encoded for the representation of murmured resonants in Nepal Bhasa, a Tibeto-Burman language. Those letters are not used for the representation of Sanskrit in the Newa script.

1140E	ං	NEWA LETTER KA
1140F	ඃ	NEWA LETTER KHA
11410	අ	NEWA LETTER GA
11411	ආ	NEWA LETTER GHA
11412	ඇ	NEWA LETTER NGA
11413	ඈ	NEWA LETTER NGHA
		• murmured nasal for Nepal Bhasa language
11414	ඉ	NEWA LETTER CA
11415	ඊ	NEWA LETTER CHA
11416	උ	NEWA LETTER JA
11417	ඌ	NEWA LETTER JHA
11418	ඎ	NEWA LETTER NYA
11419	ඒ	NEWA LETTER NYHA
		• murmured nasal for Nepal Bhasa language
1141A	ඔ	NEWA LETTER TTA
1141B	ඕ	NEWA LETTER TTHA
1141C	ඖ	NEWA LETTER DDA
1141D	඗	NEWA LETTER DDHA
1141E	඘	NEWA LETTER NNA
1141F	඙	NEWA LETTER TA
11420	ක	NEWA LETTER THA
11421	ඛ	NEWA LETTER DA
11422	ග	NEWA LETTER DHA
11423	ඝ	NEWA LETTER NA
11424	ඝ	NEWA LETTER NHA
		• murmured nasal for Nepal Bhasa language
11425	ඟ	NEWA LETTER PA
11426	ච	NEWA LETTER PHA
11427	ඡ	NEWA LETTER BA
11428	ජ	NEWA LETTER BHA
11429	ඣ	NEWA LETTER MA
1142A	ඤ	NEWA LETTER MHA
		• murmured nasal for Nepal Bhasa language
1142B	ඥ	NEWA LETTER YA
1142C	ඦ	NEWA LETTER RA
1142D	ට	NEWA LETTER RHA
		• murmured tap for Nepal Bhasa language

1142E	ඩ	NEWA LETTER LA
1142F	ඪ	NEWA LETTER LHA
		• murmured lateral for Nepal Bhasa language
11430	ඵ	NEWA LETTER WA
11431	බ	NEWA LETTER SHA
11432	භ	NEWA LETTER SSA
11433	ම	NEWA LETTER SA
11434	ඹ	NEWA LETTER HA

Dependent vowel signs

Some of the vowel signs are only used for Sanskrit, and are not needed for Nepal Bhasa.

11435	ං	NEWA VOWEL SIGN AA
11436	ඃ	NEWA VOWEL SIGN I
11437	ඇ	NEWA VOWEL SIGN II
11438	ඉ	NEWA VOWEL SIGN UU
11439	ඊ	NEWA VOWEL SIGN UU
1143A	උ	NEWA VOWEL SIGN VOCALIC R
1143B	ඌ	NEWA VOWEL SIGN VOCALIC RR
1143C	ඍ	NEWA VOWEL SIGN VOCALIC L
1143D	ඎ	NEWA VOWEL SIGN VOCALIC LL
1143E	ඏ	NEWA VOWEL SIGN E
1143F	ඐ	NEWA VOWEL SIGN AI
11440	එ	NEWA VOWEL SIGN O
11441	ඒ	NEWA VOWEL SIGN AU

Various signs

11442	ං	NEWA SIGN VIRAMA = tutisaalaa
11443	ඃ	NEWA SIGN CANDRABINDU = milaphuti
11444	ඇ	NEWA SIGN ANUSVARA = sinhaphuti
11445	ඉ	NEWA SIGN VISARGA = liphati
11446	ඊ	NEWA SIGN NUKTA
11447	ඊ	NEWA SIGN AVAGRAHA = sulaa
11448	ඊ	NEWA SIGN FINAL ANUSVARA = baadipu

Invocation signs

11449	ං	NEWA OM
1144A	ඓ	NEWA SIDDHI

Punctuation

1144B	।	NEWA DANDA = dipu
1144C	॥	NEWA DOUBLE DANDA
1144D	、	NEWA COMMA = jhaasu
1144E	ঁ	NEWA GAP FILLER = thaayjaayekaa
1144F	ং	NEWA ABBREVIATION SIGN

Digits

11450	০	NEWA DIGIT ZERO = guli
11451	১	NEWA DIGIT ONE = chi
11452	২	NEWA DIGIT TWO = nasi
11453	৩	NEWA DIGIT THREE = swa
11454	৪	NEWA DIGIT FOUR = pi

IECN GRAMMAREADER © To view the full PDF of ISO/IEC 10646:2017/Amd.2:2019, please purchase it from IECN.

11455 ᳟ NEWA DIGIT FIVE
= njaa

11456 ᳠ NEWA DIGIT SIX
= khu

11457 ᳡ NEWA DIGIT SEVEN
= nhasa

11458 ᳢ NEWA DIGIT EIGHT
= cyaa

11459 ᳣ NEWA DIGIT NINE
= gu

Various signs

1145B ᳤ NEWA PLACEHOLDER MARK
= jaayekaa

1145C ᳥ <reserved>

1145D ᳦ NEWA INSERTION SIGN
= tansaa

1145E ᳧ NEWA SANDHI MARK
• indicates external sandhi in Sanskrit documents
→ 09FE ᳧ bengali sandhi mark

1145F ᳨ NEWA LETTER VEDIC ANUSVARA

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

	1168	1169	116A	116B	116C
0	ଡ 11680	ଢ 11690	କ 116A0	ୟ 116B0	୦ 116C0
1	ଠ 11681	ଙ 11691	ତ 116A1	ୱ 116B1	ର 116C1
2	ବ 11682	ବ 11692	ନ 116A2	୮ 116B2	ଶ 116C2
3	ବ 11683	ନ୍ତା 11693	ଯ 116A3	୩ 116B3	ଳ 116C3
4	ବ 11684	ହ 11694	ଧ 116A4	୪ 116B4	ଷ 116C4
5	ତ୍ର 11685	ତ୍ର 11695	ଳ୍ଲ 116A5	୫ 116B5	ଣ 116C5
6	ଶ 11686	ଶ 11696	ଥ 116A6	୬ 116B6	ନ୍ତା 116C6
7	ଶ୍ଵ 11687	ଶ୍ଵ 11697	ର୍ମ 116A7	୭ 116B7	ନ୍ତା 116C7
8	ଦ୍ଵାରା 11688	ଦ୍ଵାରା 11698	ର୍ମ 116A8	୮ 116B8	ସ 116C8
9	ଦ୍ଵାରା 11689	ଦ୍ଵାରା 11699	ର୍ମ 116A9		୬ 116C9
A	ର୍ମ 1168A	ର୍ମ 1169A			
B	ମୁ 1168B	ମୁ 1169B	ଁ 116AB		
C	ମୁ 1168C	ମୁ 1169C	ଁ: 116AC		
D	ମୁ 1168D	ମୁ 1169D	ଁ' 116AD		
E	ମୁ 1168E	ମୁ 1169E	ମୁ 116AE		
F	ମୁ 1168F	ମୁ 1169F	ମୁ 116AF		

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

	119A	119B	119C	119D	119E	119F
0	ଙୀ	ଗ	ଣ	ଡ	ଙ୍କ	
1	ଝୀ	ଘ	ନ	ଠୀ	ଶ	
2	ତ୍ରୀ	ଞ୍ଚୋ	ପ	ଚ୍ଛୀ	ହୀ	
3	ଶ୍ରୀ	ର୍ମ	ଫ୍ରୀ	ବ୍ରୀ	-	
4	କୁ	କ୍ର	ବ୍ରୀ	ଚ୍ଛୀ	ର୍ମୀ	
5	ଖୁ	ଖ୍ରୀ	ଲ୍ଲ	ଚ୍ଛୀ		
6	ଖୀ	ଖ୍ରୀ	ଲ୍ଲ	ଚ୍ଛୀ		
7	ଖୁ	ଖ୍ରୀ	ଲ୍ଲ	ଚ୍ଛୀ		
8		ଖୁ	ଲ୍ଲ			
9		ଖୁ	ଲ୍ଲ			
A	ଦ୍ଵା	ଢ୍ରୀ	ବ୍ରୀ	ଚ୍ଛୀ		
B	ଦ୍ଵା	ଢ୍ରୀ	ର୍ମ	ଚ୍ଛୀ		
C	ଶୁ	ମ୍ରୀ	ବ୍ରୀ	ଚ୍ଛୀ		
D	ଶୁ	ମ୍ରୀ	ସ୍ରୀ	ଚ୍ଛୀ		
E	କୁ	ବ୍ରୀ	ର୍ମ	ଚ୍ଛୀ		
F	ର୍ମ	ବ୍ରୀ	ଲ୍ଲ	ଚ୍ଛୀ		

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

Independent vowels

119A0	ા	NANDINAGARI LETTER A
119A1	ાા	NANDINAGARI LETTER AA
119A2	િ	NANDINAGARI LETTER I
119A3	િિ	NANDINAGARI LETTER II
119A4	ઉ	NANDINAGARI LETTER U
119A5	ઉઉ	NANDINAGARI LETTER UU
119A6	ૃ	NANDINAGARI LETTER VOCALIC R
119A7	ૃૃ	NANDINAGARI LETTER VOCALIC RR
119A8	૰	<reserved>
119A9	૱	<reserved>
119AA	ં	NANDINAGARI LETTER E
119AB	ંં	NANDINAGARI LETTER AI
119AC	ંઽ	NANDINAGARI LETTER O
119AD	ંા	NANDINAGARI LETTER AU

Consonants

119AE	ક	NANDINAGARI LETTER KA
119AF	ખ	NANDINAGARI LETTER KHA
119B0	ગ	NANDINAGARI LETTER GA
119B1	ઘ	NANDINAGARI LETTER GHA
119B2	ઝ	NANDINAGARI LETTER NGA
119B3	ચ	NANDINAGARI LETTER CA
119B4	છ	NANDINAGARI LETTER CHA
119B5	જ	NANDINAGARI LETTER JA
119B6	ઝ	NANDINAGARI LETTER JHA
119B7	ઝ્	NANDINAGARI LETTER NYA
119B8	ત	NANDINAGARI LETTER TTA
119B9	ઠ	NANDINAGARI LETTER TTHA
119BA	ઢ	NANDINAGARI LETTER DDA
119BB	ધ	NANDINAGARI LETTER DDHA
119BC	ન	NANDINAGARI LETTER NNA
119BD	ન	NANDINAGARI LETTER TA
119BE	થ	NANDINAGARI LETTER THA
119BF	દ	NANDINAGARI LETTER DA
119C0	ધ	NANDINAGARI LETTER DHA
119C1	ન	NANDINAGARI LETTER NA
119C2	પ	NANDINAGARI LETTER PA
119C3	ફ	NANDINAGARI LETTER PHA
119C4	બ	NANDINAGARI LETTER BA
119C5	ભ	NANDINAGARI LETTER BHA
119C6	મ	NANDINAGARI LETTER MA
119C7	ય	NANDINAGARI LETTER YA
119C8	ર	NANDINAGARI LETTER RA
119C9	લ	NANDINAGARI LETTER LA
119CA	વ	NANDINAGARI LETTER VA
119CB	શ	NANDINAGARI LETTER SHA
119CC	સ	NANDINAGARI LETTER SSA
119CD	સા	NANDINAGARI LETTER SA
119CE	હ	NANDINAGARI LETTER HA
119CF	લા	NANDINAGARI LETTER LLA
119D0	ર્ર	NANDINAGARI LETTER RRA

Dependent vowel signs

119D1	ી	NANDINAGARI VOWEL SIGN AA
119D2	ો	NANDINAGARI VOWEL SIGN I
119D3	ીિ	NANDINAGARI VOWEL SIGN II
119D4	ો	NANDINAGARI VOWEL SIGN U
119D5	ો	NANDINAGARI VOWEL SIGN UU
119D6	ુ	NANDINAGARI VOWEL SIGN VOCALIC R
119D7	ુુ	NANDINAGARI VOWEL SIGN VOCALIC RR
119D8	૰	<reserved>

119D9  <reserved>

119DA	૦	NANDINAGARI VOWEL SIGN E
119DB	ો	NANDINAGARI VOWEL SIGN AI
119DC	ો	NANDINAGARI VOWEL SIGN O
119DD	ો	NANDINAGARI VOWEL SIGN AU

Various signs

119DE	૦૦	NANDINAGARI SIGN ANUSVARA
119DF	૦૧	NANDINAGARI SIGN VISARGA
119E0	૦૩	NANDINAGARI SIGN VIRAMA
119E1	૪	NANDINAGARI SIGN AVAGRAHA
119E2	૪૪	NANDINAGARI SIGN SIDDHAM

Punctuation

119E3	—	NANDINAGARI HEADSTROKE
	•	used as a spacing or filler mark

Dependent vowel sign

119E4	૦૮	NANDINAGARI VOWEL SIGN PRISHTHAMATRA E
-------	----	--

	11A5	11A6	11A7	11A8	11A9	11AA
0	ଓ	ଓ	ଓ	ଓ	ଓ	ଓ
1	ଓ	ଓ	ଓ	ଓ	ଓ	ଓ
2	ଓ	ଓ	ଓ	ଓ	ଓ	ଓ
3	ଓ	ଓ	ଓ	ଓ	ଓ	
4	ଓ	ଓ	ଓ	ଓ	ଓ	
5	ଓ	ଓ	ଓ	ଓ	ଓ	
6	ଓ	ଓ	ଓ	ଓ	ଓ	
7	ଓ	ଓ	ଓ	ଓ	ଓ	
8	ଓ	ଓ	ଓ	ଓ	ଓ	
9	ଓ	ଓ	ଓ	ଓ	ଓ	
A	ଓ	ଓ	ଓ	ଓ	ଓ	
B	ଓ	ଓ	ଓ	ଓ	ଓ	
C	ଓ	ଓ	ଓ	ଓ	ଓ	
D	ଓ	ଓ	ଓ	ଓ	ଓ	
E	ଓ	ଓ	ଓ	ଓ	ଓ	
F	ଓ	ଓ	ଓ	ଓ	ଓ	

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

Vowel letter

- 11A50 SOYOMBO LETTER A
 • used for representing independent vowels in combination with vowel signs

Vowel signs

- 11A51 SOYOMBO VOWEL SIGN I
 11A52 SOYOMBO VOWEL SIGN UE
 11A53 SOYOMBO VOWEL SIGN U
 11A54 SOYOMBO VOWEL SIGN E
 11A55 SOYOMBO VOWEL SIGN O
 11A56 SOYOMBO VOWEL SIGN OE
 11A57 SOYOMBO VOWEL SIGN AI
 11A58 SOYOMBO VOWEL SIGN AU
 11A59 SOYOMBO VOWEL SIGN VOCALIC R
 11A60 SOYOMBO VOWEL SIGN VOCALIC L

Vowel length mark

- 11A5B SOYOMBO VOWEL LENGTH MARK

Consonants

- 11A5C SOYOMBO LETTER KA
 11A5D SOYOMBO LETTER KHA
 11A5E SOYOMBO LETTER GA
 11A5F SOYOMBO LETTER GHA
 11A60 SOYOMBO LETTER NGA
 11A61 SOYOMBO LETTER CA
 11A62 SOYOMBO LETTER CHA
 11A63 SOYOMBO LETTER JA
 11A64 SOYOMBO LETTER JHA
 11A65 SOYOMBO LETTER NYA
 11A66 SOYOMBO LETTER TTA
 11A67 SOYOMBO LETTER TTSA
 11A68 SOYOMBO LETTER DDA
 11A69 SOYOMBO LETTER DDHA
 11A6A SOYOMBO LETTER NNA
 11A6B SOYOMBO LETTER TA
 11A6C SOYOMBO LETTER THA
 11A6D SOYOMBO LETTER DA
 11A6E SOYOMBO LETTER DHA
 11A6F SOYOMBO LETTER NA
 11A70 SOYOMBO LETTER PA
 11A71 SOYOMBO LETTER PHA
 11A72 SOYOMBO LETTER BA
 11A73 SOYOMBO LETTER BHA
 11A74 SOYOMBO LETTER MA
 11A75 SOYOMBO LETTER TSA
 11A76 SOYOMBO LETTER TSHA
 11A77 SOYOMBO LETTER DZA
 11A78 SOYOMBO LETTER ZHA
 11A79 SOYOMBO LETTER ZA
 11A7A SOYOMBO LETTER -A
 11A7B SOYOMBO LETTER YA
 11A7C SOYOMBO LETTER RA
 11A7D SOYOMBO LETTER LA
 11A7E SOYOMBO LETTER VA
 11A7F SOYOMBO LETTER SHA
 11A80 SOYOMBO LETTER SSA
 11A81 SOYOMBO LETTER SA
 11A82 SOYOMBO LETTER HA
 11A83 SOYOMBO LETTER KSSA

Alternate visarga signs

- 11A84 SOYOMBO SIGN JIHVAMULIYA
 → 1CF5 vedic sign jihvamuliya
 11A85 SOYOMBO SIGN UPADHMANIYA
 → 1CF6 vedic sign upadhamaniya

Cluster-initial letters

- 11A86 SOYOMBO CLUSTER-INITIAL LETTER RA
 11A87 SOYOMBO CLUSTER-INITIAL LETTER LA
 11A88 SOYOMBO CLUSTER-INITIAL LETTER SHA
 11A89 SOYOMBO CLUSTER-INITIAL LETTER SA

Final consonant signs

- 11A8A SOYOMBO FINAL CONSONANT SIGN G
 11A8B SOYOMBO FINAL CONSONANT SIGN K
 11A8C SOYOMBO FINAL CONSONANT SIGN NG
 11A8D SOYOMBO FINAL CONSONANT SIGN D
 11A8E SOYOMBO FINAL CONSONANT SIGN N
 11A8F SOYOMBO FINAL CONSONANT SIGN B
 11A90 SOYOMBO FINAL CONSONANT SIGN M
 11A91 SOYOMBO FINAL CONSONANT SIGN R
 11A92 SOYOMBO FINAL CONSONANT SIGN L
 11A93 SOYOMBO FINAL CONSONANT SIGN SH
 11A94 SOYOMBO FINAL CONSONANT SIGN S
 11A95 SOYOMBO FINAL CONSONANT SIGN -A
 • Mongolian aang
 • Tibetan a-chung
 → 0F60 tibetan letter -a

Various signs

- 11A96 SOYOMBO SIGN ANUSVARA
 11A97 SOYOMBO SIGN VISARGA

Gemination mark

- 11A98 SOYOMBO GEMINATION MARK

Subjoiner

- 11A99 SOYOMBO SUBJOINER
 • used for producing consonant conjuncts

Punctuation

- 11A9A SOYOMBO MARK TSHEG
 11A9B SOYOMBO MARK SHAD
 11A9C SOYOMBO MARK DOUBLE SHAD

Elongation mark

- 11A9D SOYOMBO MARK PLUTA
 • indicates vowel elongation

Head marks

- 11A9E SOYOMBO HEAD MARK WITH MOON AND SUN AND TRIPLE FLAME
 • national symbol of Mongolia
 11A9F SOYOMBO HEAD MARK WITH MOON AND SUN AND FLAME
 11AA0 SOYOMBO HEAD MARK WITH MOON AND SUN

Terminal marks

- 11AA1 SOYOMBO TERMINAL MARK-1
 11AA2 SOYOMBO TERMINAL MARK-2
 = cintamani, candamani

	11FC	11FD	11FE	11FF
0	ஹ் 11FC0	பு 11FD0	இை 11FE0	(ஃ) 11FF0
1	ற 11FC1	இ ¹ 11FD1	பும் 11FE1	வுல் 11FF1
2	ங் 11FC2	ஓ ² 11FD2	கு ² 11FE2	
3	உ ³ 11FC3	ஞு 11FD3	லீ ³ 11FE3	
4	சு ⁴ 11FC4	கீ ⁴ 11FD4	ர்ஜு 11FE4	
5	கூ ⁵ 11FC5	எ ⁵ 11FD5	பு ⁵ 11FE5	
6	ஙோ ⁶ 11FC6	ஊ ⁶ 11FD6	ரு ⁶ 11FE6	
7	கூ ⁷ 11FC7	ஏ ⁷ 11FD7	ஆ ⁷ 11FE7	
8	பு ⁸ 11FC8	து ⁸ 11FD8	வு ⁸ 11FE8	
9	சு ⁹ 11FC9	நது ⁹ 11FD9	ரூ ⁹ 11FE9	
A	ஃ ^A 11FCA	கு ^A 11FDA	ர்ஜு ^A 11FEA	
B	ஃ ^B 11FCB	ஒ ^B 11FDB	சீ ^B 11FEB	
C	ஹு ^C 11FCC	ால ^C 11FDC	பீ ^C 11FEC	
D	ற ^D 11FCD	கூ ^D 11FDD	ஆ ^D 11FED	
E	ஙு ^E 11FCE	ஏ ^E 11FDE	வு ^E 11FEE	
F	கூ ^F 11FCF	ஏ ^F 11FDF	மு ^F 11FEF	ளை ^F 11FFF

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

Fractions

11FC0	ஓ	TAMIL FRACTION ONE THREE-HUNDRED-AND-TWENTIETH = munthiri
11FC1	ஓ	TAMIL FRACTION ONE ONE-HUNDRED-AND-SIXTIETH = araiikaani
11FC2	ஓ	TAMIL FRACTION ONE EIGHTIETH = kaani
11FC3	ஓ	TAMIL FRACTION ONE SIXTY-FOURTH = kaal viisam
11FC4	ஓ	TAMIL FRACTION ONE FORTIETH = arai maa
11FC5	ஓ	TAMIL FRACTION ONE THIRTY-SECOND = arai viisam
11FC6	ஓ	TAMIL FRACTION THREE EIGHTIETHS = mukkaani
11FC7	ஓ	TAMIL FRACTION THREE SIXTY-FOURTHS = mukkaal viisam
11FC8	ஓ	TAMIL FRACTION ONE TWENTIETH = maa → 0BAA உ tamil letter pa
11FC9	ஓ	TAMIL FRACTION ONE SIXTEENTH-1 = viisam/maakaani
11FCA	ஓ	TAMIL FRACTION ONE SIXTEENTH-2 = viisam/maakaani • alternate representation
11FCB	ஓ	TAMIL FRACTION ONE TENTH = irumaa
11FCC	ஓ	TAMIL FRACTION ONE EIGHTH = araikaal
11FCD	ஓ	TAMIL FRACTION THREE TWENTIETHS = mummaa
11FCE	ஓ	TAMIL FRACTION THREE SIXTEENTHS = muuviisam/mummaamukkaani
11FCF	ஓ	TAMIL FRACTION ONE FIFTH = naangu maa
11FD0	ஓ	TAMIL FRACTION ONE QUARTER = kaal → 0BB5 வ tamil letter va
11FD1	ஓ	TAMIL FRACTION ONE HALF-1 = arai
11FD2	ஓ	TAMIL FRACTION ONE HALF-2 = arai • alternate representation
11FD3	ஓ	TAMIL FRACTION THREE QUARTERS = mukkaal
11FD4	ஓ	TAMIL FRACTION DOWNSCALING FACTOR KIIZH • when prefixed to a fraction, reduces its value by a factor of 1/320

Measures of grain

11FD5	ஓ	TAMIL SIGN NEL • one grain of paddy
11FD6	ஓ	TAMIL SIGN CEVITU • equals 360 nel
11FD7	ஓ	TAMIL SIGN AAZHAAKKU • equals 5 cevitu
11FD8	ஓ	TAMIL SIGN UZHAKKU • equals 2 aazhaakku • for the measure uri which equals 2 uzhakku, use the sequence 0B89 உ 0BB0 ர 0BBF ஏ

11FD9 ஓ TAMIL SIGN MUUVUZHAKKU

- equals 3 uzhakku
- for the measure naazhi/padi which equals 2 uri, use 0BF3 ஏ → 0BF3 எ tamil day sign

11FDA எ TAMIL SIGN KURUNI

- = marakkal
- equals 8 naazhi/padi
- 0B99 எ tamil letter nga

11FDB ஒ TAMIL SIGN PATHAKKU

- equals 2 kuruni/marakkal
- for the measure thuuni which equals 2 pathakku, use 0BA4 த
- 0BA4 த tamil letter ta
- for the measure kalam which equals 3 thuuni, use 0BB3 ன
- 0BB3 ன tamil letter lla

Old currency symbols**11FDD** ர TAMIL SIGN KAACU

- small currency unit

11FDE ம TAMIL SIGN PANAM

- gold coin

11FDF ப TAMIL SIGN PON

- gold coin bearing boar insignia

11FE0 வ TAMIL SIGN VARAAKAN

- gold coin bearing boar insignia

Symbols of weight, length, and area**11FE1** பா TAMIL SIGN PAARAM

- approximately equals 500 pounds (227 kg)

11FE2 கு TAMIL SIGN KUZHI

- equals 1 square kol, where 1 kol is approximately 11 feet (3.35 m)

11FE3 வீ TAMIL SIGN VELI

- equals 2000 kuzhi

Agricultural symbols**11FE4** நி TAMIL WET CULTIVATION SIGN

- = nansey

11FE5 நூ TAMIL DRY CULTIVATION SIGN

- = punsey

11FE6 நி TAMIL LAND SIGN

- = nilam
- distinct from the rupee sign
→ 0BF9 ரூ tamil rupee sign

11FE7 நி TAMIL SALT PAN SIGN

- = uppalam

Clerical symbols**11FE8** வீ TAMIL TRADITIONAL CREDIT SIGN

- = varavu

→ 0BF7 எ எ tamil credit sign

11FE9 எ TAMIL TRADITIONAL NUMBER SIGN

- = enn

→ 0BFA ரூ tamil number sign

11FEA ரூ TAMIL CURRENT SIGN

- = naalathu

11FEB ரூ TAMIL AND ODD SIGN

- = silvaanam/sillarai

11FEC போ TAMIL SPENT SIGN

- = pogā

11FED அகா TAMIL TOTAL SIGN

- = aaga

Other symbols and abbreviations

11FEE	ଓ	TAMIL IN POSSESSION SIGN = vasam
11FEF	ଓ	TAMIL STARTING FROM SIGN = muthal
11FF0	ଓ	TAMIL SIGN MUTHALIYA = et cetera • indicates items in a series
11FF1	ଓ	TAMIL SIGN VAKAIYARAA = et cetera • indicates items of a family or kind

Punctuation

11FFF	ସଂ	TAMIL PUNCTUATION END OF TEXT → ODF4 සଂ සinhala punctuation kunddaliya
-------	----	---

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

	1343	
0	 13430	<i>These format controls are used to render Egyptian hieroglyphic quadrats.</i>
1	 13431	Joiners 13430  EGYPTIAN HIEROGLYPH VERTICAL JOINER = sign separator: subordination (Manuel de Codage) 13431  EGYPTIAN HIEROGLYPH HORIZONTAL JOINER = sign separator: juxtaposition (Manuel de Codage)
2	 13432	Sign insertion controls 13432  EGYPTIAN HIEROGLYPH INSERT AT TOP START 13433  EGYPTIAN HIEROGLYPH INSERT AT BOTTOM START 13434  EGYPTIAN HIEROGLYPH INSERT AT TOP END 13435  EGYPTIAN HIEROGLYPH INSERT AT BOTTOM END
3	 13433	Sign stacking control 13436  EGYPTIAN HIEROGLYPH OVERLAY MIDDLE
4	 13434	Segment scoping delimiters 13437  EGYPTIAN HIEROGLYPH BEGIN SEGMENT 13438  EGYPTIAN HIEROGLYPH END SEGMENT
5	 13435	
6	 13436	
7	 13437	
8	 13438	
9		
A		
B		
C		
D		
E		
F		

	16F0	16F1	16F2	16F3	16F4	16F5	16F6	16F7	16F8	16F9
0	𠂇	𠂈	𠂉	𠂊	𠂋	𠂌	𠂄	𠂅	𠂆	𠂈
1	𠂁	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉
2	𠂇	𠂈	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉
3	𠂁	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉
4	𠂁	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉
5	𠂁	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉
6	𠂁	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉
7	𠂁	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉
8	𠂁	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉
9	𠂁	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉
A	𠂁	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉
B	𠂁	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉
C	𠂁	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉
D	𠂁	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉
E	𠂁	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉
F	𠂁	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉	𠂉

16F00

Miao

16F52

Consonant onsets

16F00	˩	MIAO LETTER PA	• used for ba in Gan Yi
16F01	˨	MIAO LETTER BA	
16F02	˧	MIAO LETTER YI PA	• used for pa in Gan Yi
16F03	˨˩	MIAO LETTER PLA	• used in Sichuan Hmong
16F04	˨˨	MIAO LETTER MA	
16F05	˨˧	MIAO LETTER MHA	
16F06	˨˦	MIAO LETTER ARCHAIC MA	• used in Pollard's early orthography
16F07	˥	MIAO LETTER FA	
16F08	˥˧	MIAO LETTER VA	
16F09	˥˧˧	MIAO LETTER VFA	• used in Hei Yi
16F0A	˥˧˧˧	MIAO LETTER TA	• used for da in Gan Yi
16F0B	˥˧˧˧˧	MIAO LETTER DA	
16F0C	˥˧˧˧˧˧	MIAO LETTER YI TTA	• used in Hei Yi
16F0D	˥˧˧˧˧˧˧	MIAO LETTER YI TA	• used for ta in Gan Yi
16F0E	˥˧˧˧˧˧˧˧	MIAO LETTER TTA	
16F0F	˥˧˧˧˧˧˧˧˧	MIAO LETTER DDA	
16F10	˥˧˧˧˧˧˧˧˧˧	MIAO LETTER NA	
16F11	˥˧˧˧˧˧˧˧˧˧˧	MIAO LETTER NHA	
16F12	˥˧˧˧˧˧˧˧˧˧˧˧	MIAO LETTER YI NNA	• used in Hei Yi
16F13	˥˧˧˧˧˧˧˧˧˧˧˧˧	MIAO LETTER ARCHAIC NA	• used in Pollard's early orthography
16F14	˥˧˧˧˧˧˧˧˧˧˧˧˧˧	MIAO LETTER NNA	
16F15	˥˧˧˧˧˧˧˧˧˧˧˧˧˧˧	MIAO LETTER NNHA	
16F16	˥˧˧˧˧˧˧˧˧˧˧˧˧˧˧	MIAO LETTER LA	
16F17	˥˧˧˧˧˧˧˧˧˧˧˧˧˧˧	MIAO LETTER LYA	• used in Hei Yi
16F18	˥˧˧˧˧˧˧˧˧˧˧˧˧˧	MIAO LETTER LHA	
16F19	˥˧˧˧˧˧˧˧˧˧˧˧˧˧	MIAO LETTER LYHA	• used in Hei Yi
16F1A	˥˧˧˧˧˧˧˧˧˧˧˧˧˧	MIAO LETTER TLHA	
16F1B	˥˧˧˧˧˧˧˧˧˧˧˧˧˧	MIAO LETTER DLHA	
16F1C	˥˧˧˧˧˧˧˧˧˧˧˧˧	MIAO LETTER TLHYA	
16F1D	˥˧˧˧˧˧˧˧˧˧˧˧	MIAO LETTER DLHYA	
16F1E	˥˧˧˧˧˧˧˧˧˧˧	MIAO LETTER KA	• used for ga in Gan Yi
16F1F	˥˧˧˧˧˧˧˧˧	MIAO LETTER GA	
16F20	˥˧˧˧˧˧˧˧	MIAO LETTER YI KA	• used for ka in Gan Yi
16F21	˥˧˧˧˧˧˧	MIAO LETTER QA	
16F22	˥˧˧˧˧˧	MIAO LETTER QGA	
16F23	˥˧˧˧˧	MIAO LETTER NGA	
16F24	˥˧˧˧˧	MIAO LETTER NGHA	
16F25	˥˧˧˧˧	MIAO LETTER ARCHAIC NGA	• used in Pollard's early orthography
16F26	˥˧˧˧˧	MIAO LETTER HA	
16F27	˥˧˧˧˧	MIAO LETTER XA	• archaic character used in a post-1949 reformed orthography
16F28	˥˧˧˧˧	MIAO LETTER GHA	
16F29	˥˧˧˧˧	MIAO LETTER GHHA	
16F2A	˥˧˧˧˧	MIAO LETTER TSSA	
16F2B	˥˧˧˧˧	MIAO LETTER DZZA	

16F2C	Ⓔ	MIAO LETTER NYA	
16F2D	Ⓔ	MIAO LETTER NYHA	• used in Bai Yi
16F2E	Ⓛ	MIAO LETTER TSHA	
16F2F	Ⓛ	MIAO LETTER DZHA	
16F30	Ⓛ	MIAO LETTER YI TSHA	• used for tsha in Gan Yi
16F31	Ⓛ	MIAO LETTER YI DZHA	• used in Hei Yi
16F32	Ⓣ	MIAO LETTER REFORMED TSHA	• archaic character used before 1949 reformed orthography
16F33	ᴶ	MIAO LETTER SHA	
16F34	ᴶ	MIAO LETTER SSA	
16F35	ᴿ	MIAO LETTER ZHA	• used in Hei Yi
16F36	ᴿ	MIAO LETTER ZSHA	• used in Hei Yi
16F37	建档立	MIAO LETTER TSA	• used for dza in Gan Yi
16F38	建档立	MIAO LETTER DZA	
16F39	建档立	MIAO LETTER YI TSA	• used for tsai in Gan Yi
16F3A	Ⓢ	MIAO LETTER SSA	
16F3B	Ӡ	MIAO LETTER ZA	
16F3C	Ӡ	MIAO LETTER ZSA	• used in Hei Yi
16F3D	Ԇ	MIAO LETTER ZZA	
16F3E	Ԇ	MIAO LETTER ZZSA	• used in Hei Yi
16F3F	>>	MIAO LETTER ARCHAIC ZZA	• used in Pollard's early orthography
16F40	Ӑ	MIAO LETTER ZZYA	• used in Hei Yi
16F41	Ӑ	MIAO LETTER ZZSYA	• used in Hei Yi
16F42	Ӧ	MIAO LETTER WA	
16F43	Ӧ	MIAO LETTER AH	• glottal stop
16F44	Ӧ	MIAO LETTER HHA	• used in Hei Yi
16F45	Ԇ	MIAO LETTER BRI	• used in Xiaohua Miao
16F46	ڶ	MIAO LETTER SYI	• used in Xiaohua Miao
16F47	Ԇ	MIAO LETTER DZYI	• used in Xiaohua Miao
16F48	ߕ	MIAO LETTER TE	• used in Bai Yi
16F49	ߕ	MIAO LETTER TSE	• used in Bai Yi
16F4A	ߕ	MIAO LETTER RTE	• used in Bai Yi

Modifiers

16F4F	○	MIAO SIGN CONSONANT MODIFIER BAR	
		• used in Gan Yi	
		• functions similarly to Indic nuktas	
16F50	Ҫ	MIAO LETTER NASALIZATION	
16F51	˯	MIAO SIGN ASPIRATION	
16F52	˯'	MIAO SIGN REFORMED VOICING	• archaic character used in a post-1949 reformed orthography

16F53

Miao

16F9F

16F53	○ _o	MIAO SIGN REFORMED ASPIRATION	• archaic character used in a post-1949 reformed orthography
Vowels and finals			
16F54	○ _l	MIAO VOWEL SIGN A	
16F55	○ _u	MIAO VOWEL SIGN AA	• used in Eastern Lisu
16F56	○ _e	MIAO VOWEL SIGN AHH	• used in Gan Yi
16F57	○ _z	MIAO VOWEL SIGN AN	
16F58	○ _o	MIAO VOWEL SIGN ANG	• also used for aw
16F59	○ _o	MIAO VOWEL SIGN O	
16F5A	○ _o	MIAO VOWEL SIGN OO	
16F5B	○ _o	MIAO VOWEL SIGN WO	• used in Hei Yi
16F5C	○ _b	MIAO VOWEL SIGN W	
16F5D	○ _c	MIAO VOWEL SIGN E	
16F5E	○ _e	MIAO VOWEL SIGN EN	
16F5F	○ _e	MIAO VOWEL SIGN ENG	
16F60	○ _q	MIAO VOWEL SIGN OEY	
16F61	○ _n	MIAO VOWEL SIGN I	
16F62	○ _n	MIAO VOWEL SIGN IA	
16F63	○ _n	MIAO VOWEL SIGN IAN	
16F64	○ _n	MIAO VOWEL SIGN IANG	• also used for iaw
16F65	○ _o	MIAO VOWEL SIGN IO	
16F66	○ _z	MIAO VOWEL SIGN IE	
16F67	○ _m	MIAO VOWEL SIGN II	• used in Eastern Lisu
16F68	○ _n	MIAO VOWEL SIGN IU	
16F69	○ _n	MIAO VOWEL SIGN ING	• also used for in
16F6A	○ _u	MIAO VOWEL SIGN U	
16F6B	○ _u	MIAO VOWEL SIGN UA	
16F6C	○ _u	MIAO VOWEL SIGN UAN	
16F6D	○ _u	MIAO VOWEL SIGN UANG	• also used for uaw
16F6E	○ _w	MIAO VOWEL SIGN UU	• used in Eastern Lisu
16F6F	○ _u	MIAO VOWEL SIGN UEI	
16F70	○ _u	MIAO VOWEL SIGN UNG	
16F71	○ _o	MIAO VOWEL SIGN Y	
16F72	○ _o	MIAO VOWEL SIGN YI	
16F73	○ _p	MIAO VOWEL SIGN AE	
16F74	○ _d	MIAO VOWEL SIGN AEE	• used in Eastern Lisu
16F75	○ _i	MIAO VOWEL SIGN ERR	
16F76	○ _i	MIAO VOWEL SIGN ROUNDED ERR	• used in Eastern Lisu
16F77	○ _r	MIAO VOWEL SIGN ER	
16F78	○ _r	MIAO VOWEL SIGN ROUNDED ER	• used in Eastern Lisu
16F79	○ _i	MIAO VOWEL SIGN AI	
16F7A	○ _u	MIAO VOWEL SIGN EI	
16F7B	○ _{ii}	MIAO VOWEL SIGN AU	
16F7C	○ _q	MIAO VOWEL SIGN OU	
16F7D	○ _o	MIAO VOWEL SIGN N	
16F7E	○ _o	MIAO VOWEL SIGN NG	
16F7F	○ _p	MIAO VOWEL SIGN UOG	• used in Hei Yi

16F80	○ _u	MIAO VOWEL SIGN YUI	• used in Hei Yi
16F81	○ _e	MIAO VOWEL SIGN OG	• used in Gan Yi and Bai Yi
16F82	○ _L	MIAO VOWEL SIGN OER	• used in Gan Yi and Xiaohua Miao
16F83	○ _v	MIAO VOWEL SIGN VW	• used in Xiaohua Miao and Bai Yi
16F84	○ _A	MIAO VOWEL SIGN IG	• used in Bai Yi
16F85	○ _b	MIAO VOWEL SIGN EA	• used in Bai Yi
16F86	○ _q	MIAO VOWEL SIGN IONG	• used in Bai Yi
16F87	○ _u	MIAO VOWEL SIGN UI	• used in Bai Yi

Positioning tone marks

These are used to position the vowel off of the baseline position to indicate a changed tone.

16F8F	○ _t	MIAO TONE RIGHT
16F90	○ _{TR}	MIAO TONE TOP RIGHT
16F91	○ _A	MIAO TONE ABOVE
16F92	○ _B	MIAO TONE BELOW

Baseline tone marks

These are used in Chuxiong Ahmao instead of the positioning tone marks.

16F93	τ	MIAO LETTER TONE-2
16F94	ɜ	MIAO LETTER TONE-3
16F95	₮	MIAO LETTER TONE-4
16F96	ᵣ	MIAO LETTER TONE-5
16F97	ₛ	MIAO LETTER TONE-6
16F98	₷	MIAO LETTER TONE-7
16F99	₸	MIAO LETTER TONE-8

Archaic baseline tone marks

These are archaic characters used in a post-1949 reformed orthography.

16F9A	~	MIAO LETTER REFORMED TONE-1
16F9B	₯	MIAO LETTER REFORMED TONE-2
16F9C	₯	MIAO LETTER REFORMED TONE-4
16F9D	ₑ	MIAO LETTER REFORMED TONE-5
16F9E	ᵩ	MIAO LETTER REFORMED TONE-6
16F9F	₯	MIAO LETTER REFORMED TONE-8

IECNORM.COM To view the full PDF of ISO/IEC 10646:2017/Amd.2:2019

	16FE	16FF
0		
1		
2		
3		
4		
5		
6		
7		
8		
9		
A		
B		
C		
D		
E		
F		

Tangut mark

16FE0 ↗ TANGUT ITERATION MARK
→ 3005 ↗ ideographic iteration mark

Nushu mark

16FE1 ↗ NUSHU ITERATION MARK

Marks used in ancient Chinese texts

16FE2 ↙ OLD CHINESE HOOK MARK
• indicates a pause or break in the text
16FE3 = OLD CHINESE ITERATION MARK
→ 3005 ↗ ideographic iteration mark
→ 303B ↖ vertical ideographic iteration mark

IECNORM.COM Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

1712C

Tangut

1718F

1712C 𩫑 17.7 L2008-1965	17140 𩫑 17.8 L2008-3491	17154 𩫑 17.10 L2008-1943	17168 𩫑 17.10 L2008-2376	1717C 𩫑 17.11 L2008-3492
1712D 𩫑 17.7 L2008-1941	17141 𩫑 17.8 L2008-2983	17155 𩫑 17.10 L2008-1949	17169 𩫑 17.10 L2008-2952	1717D 𩫑 17.11 L2008-2817
1712E 𩫑 17.7 L2008-1985	17142 𩫑 17.8 L2008-2708	17156 𩫑 17.10 L2008-1944	1716A 𩫑 17.10 L2008-2929	1717E 𩫑 17.11 L2008-2915
1712F 𩫑 17.7 L2008-2701	17143 𩫑 17.8 L2008-2709	17157 𩫑 17.10 L2008-2960	1716B 𩫑 17.10 L2008-2369	1717F 𩫑 17.11 L2008-3494
17130 𩫑 17.7 L2008-2981	17144 𩫑 17.8 L2008-2700	17158 𩫑 17.10 L2008-1914	1716C 𩫑 17.11 L2008-1969	17180 𩫑 17.11 L2008-1915
17131 𩫑 17.7 L2008-2354	17145 𩫑 17.8 L2008-2938	17159 𩫑 17.10 L2008-2363	1716D 𩫑 17.11 L2008-3505	17181 𩫑 17.11 L2008-2355
17132 𩫑 17.7 H2004-B-0284	17146 𩫑 17.9 L2008-2833	1715A 𩫑 17.10 L2008-1950	1716E 𩫑 17.11 L2008-2830	17182 𩫑 17.11 L2008-2827
17133 𩫑 17.7 L2008-3762	17147 𩫑 17.9 L2008-1962	1715B 𩫑 17.10 L2008-2826	1716F 𩫑 17.11 L2008-2377	17183 𩫑 17.11 L2008-2374
17134 𩫑 17.7 L2008-3488-3489	17148 𩫑 17.9 L2008-0016	1715C 𩫑 17.10 L2008-2353	17170 𩫑 17.11 L2008-3463	17184 𩫑 17.11 L2008-2984
17135 𩫑 17.7 L2008-3477	17149 𩫑 17.9 L2008-1906	1715D 𩫑 17.10 L2008-2914	17171 𩫑 17.11 L2008-1904	17185 𩫑 17.12 L2008-1911
17136 𩫑 17.7 L2008-3474	1714A 𩫑 17.9 L2008-1963	1715E 𩫑 17.10 L2008-1964	17172 𩫑 17.11 L2008-1910	17186 𩫑 17.12 L2008-2903
17137 𩫑 17.7 L2008-2823	1714B 𩫑 17.9 L2008-1918	1715F 𩫑 17.10 L2008-3767	17173 𩫑 17.11 L2008-2933	17187 𩫑 17.12 L2008-2825
17138 𩫑 17.8 L2008-1942	1714C 𩫑 17.9 L2008-3498	17160 𩫑 17.10 L2008-1909	17174 𩫑 17.11 L2008-2932	17188 𩫑 17.12 L2008-2357
17139 𩫑 17.8 L2008-1947	1714D 𩫑 17.9 L2008-2702	17161 𩫑 17.10 L2008-1981-3517	17175 𩫑 17.11 L2008-2370	17189 𩫑 17.12 L2008-3459
1713A 𩫑 17.8 L2008-2362	1714E 𩫑 17.9 L2008-3490	17162 𩫑 17.10 L2008-2364	17176 𩫑 17.11 L2008-2565	1718A 𩫑 17.12 L2008-3458
1713B 𩫑 17.8 L2008-2699	1714F 𩫑 17.9 L2008-2913	17163 𩫑 17.10 L2008-3493	17177 𩫑 17.11 L2008-2962	1718B 𩫑 17.12 L2008-2902
1713C 𩫑 17.8 L2008-3456	17150 𩫑 17.9 L2008-2909	17164 𩫑 17.10 L2008-3475	17178 𩫑 17.11 L2008-1967	1718C 𩫑 17.12 L2008-2837
1713D 𩫑 17.8 L2008-3763	17151 𩫑 17.9 L2008-2911	17165 𩫑 17.10 L2008-1899	17179 𩫑 17.11 L2008-2375	1718D 𩫑 17.12 L2008-2368
1713E 𩫑 17.8 L2008-2931	17152 𩫑 17.9 L2008-2982	17166 𩫑 17.10 L2008-2707	1717A 𩫑 17.11 L2008-2367	1718E 𩫑 17.12 L2008-3454
1713F 𩫑 17.8 L2008-3497	17153 𩫑 17.10 L2008-2917	17167 𩫑 17.10 L2008-1907	1717B 𩫑 17.11 L2008-2910	1718F 𩫑 17.12 L2008-3768

IECNORM.CN · Click to view the full PDF · ISO/IEC 10646-2019(E) · 2019-06-29

17320 𠂔 36.15 L2008-3566	17334 𢃥 41.5 L2008-1230	17348 𢃥 41.11 L2008-1201	1735C 𢃥 41.14 L2008-1272	17370 𢃥 46.12 L2008-4039
17321 𢃥 36.15 L2008-2014	17335 𢃥 41.7 L2008-1306	17349 𢃥 41.11 L2008-0599	1735D 𢃥 41.14 L2008-0371	17371 𢃥 46.14 L2008-4024
17322 𢃥 36.15 L2008-3002	17336 𢃥 41.8 L2008-0784	1734A 𢃥 41.11 L2008-0290	1735E 𢃥 41.15 L2008-0885	17372 𢃥 46.14 L2008-4026
17323 𢃥 36.15 L2008-3524	17337 𢃥 41.8 L2008-1869	1734B 𢃥 41.11 L2008-0269	1735F 𢃥 41.15 L2008-1769	17373 𢃥 46.15 L2008-4028
17324 𢃥 36.15 L2008-3034	17338 𢃥 41.8 L2008-1732	1734C 𢃥 41.12 L2008-0280	17360 𢃥 41.15 L2008-1685	17374 𢃥 46.17 L2008-4055
17325 𢃥 36.15 L2008-2998	17339 𢃥 41.9 L2008-0558	1734D 𢃥 41.12 L2008-0281	17361 𢃥 41.16 L2008-0309	17375 𢃥 47.5 L2008-1026
17326 𢃥 36.15 L2008-1998	1733A 𢃥 41.9 L2008-1748	1734E 𢃥 41.12 L2008-0537	17362 𢃥 41.19 L2008-175	17376 𢃥 47.9 L2008-1630
17327 𢃥 36.15 L2008-2006	1733B 𢃥 41.9 L2008-1346	1734F 𢃥 41.12 L2008-0586	17363 𢃥 42.9 L2008-4459	17377 𢃥 47.9 L2008-0760
17328 𢃥 36.16 L2008-2050	1733C 𢃥 41.9 L2008-0338	17350 𢃥 41.12 L2008-0326	17364 𢃥 43.7 L2008-0620	17378 𢃥 47.9 L2008-0486
17329 𢃥 36.16 L2008-3557	1733D 𢃥 41.9 L2008-0804	17351 𢃥 41.12 L2008-0823	17365 𢃥 44.14 L2008-0015	17379 𢃥 47.10 L2008-0219
1732A 𢃥 36.16 L2008-3082	1733E 𢃥 41.9 L2008-1269	17352 𢃥 41.12 L2008-1307	17366 𢃥 44.15 L2008-0028	1737A 𢃥 47.10 L2008-0752
1732B 𢃥 36.16 L2008-6038	1733F 𢃥 41.9 L2008-0687	17353 𢃥 41.12 L2008-0313	17367 𢃥 44.16 L2008-0112	1737B 𢃥 47.10 L2008-1641
1732C 𢃥 36.17 L2008-3066	17340 𢃥 41.9 L2008-0789	17354 𢃥 41.13 L2008-0325	17368 𢃥 45.10 L2008-0450	1737C 𢃥 47.10 L2008-0753
1732D 𢃥 37.9 L2008-1542	17341 𢃥 41.10 L2008-0289	17355 𢃥 41.13 L2008-0266	17369 𢃥 45.11 L2008-0409	1737D 𢃥 47.10 L2008-1651
1732E 𢃥 37.10 L2008-1543	17342 𢃥 41.10 L2008-0377	17356 𢃥 41.13 L2008-0291	1736A 𢃥 46.8 L2008-4029	1737E 𢃥 47.11 L2008-0745
1732F 𢃥 40.9 L2008-1628	17343 𢃥 41.10 L2008-0805	17357 𢃥 41.13 L2008-1768	1736B 𢃥 46.9 L2008-4027	1737F 𢃥 47.12 L2008-1003
17330 𢃥 40.10 L2008-1633	17344 𢃥 41.10 L2008-0806	17358 𢃥 41.13 L2008-0538	1736C 𢃥 46.9 L2008-4048	17380 𢃥 47.12 L2008-0503
17331 𢃥 40.10 L2008-1664	17345 𢃥 41.11 L2008-0270	17359 𢃥 41.13 L2008-1381	1736D 𢃥 46.10 L2008-4088	17381 𢃥 47.12 L2008-1082
17332 𢃥 40.12 L2008-1063	17346 𢃥 41.11 L2008-0358	1735A 𢃥 41.13 L2008-1193	1736E 𢃥 46.11 L2008-4087	17382 𢃥 47.13 L2008-1588
17333 𢃥 40.13 L2008-1096	17347 𢃥 41.11 L2008-1706	1735B 𢃥 41.14 L2008-1412	1736F 𢃥 46.12 L2008-4086	17383 𢃥 50.7 L2008-4041

17384 手 50.7 L2008-4078	𢃔	17398 𢃔 52.5 L2008-0785	𢃕	173AC 𢃕 54.12 L2008-1938	𢃖	173C0 𢃖 65.9 L2008-2723	𢃗	173D4 𢃗 68.10 L2008-3350
17385 手 50.7 L2008-4081	𢃔	17399 𢃔 52.7 L2008-0335	𢃕	173AD 𢃕 54.12 L2008-1892	𢃖	173C1 𢃖 65.10 L2008-1999	𢃗	173D5 𢃗 68.10 L2008-2774
17386 手 50.8 L2008-4091	𢃔	1739A 𢃔 52.7 L2008-0708	𢃕	173AE 𢃕 54.12 L2008-2820	𢃖	173C2 𢃖 65.11 L2008-1995	𢃗	173D6 𢃗 68.10 L2008-2796
17387 手 50.8 L2008-4079	𢃔	1739B 𢃔 52.8 L2008-0328	𢃕	173AF 𢃕 54.14 L2008-2835	𢃖	173C3 𢃖 65.11 L2008-2722	𢃗	173D7 𢃗 68.10 L2008-3104
17388 手 50.9 L2008-4053	𢃔	1739C 𢃔 52.9 L2008-0566	𢃕	173B0 𢃕 54.15 L2008-1891	𢃖	173C4 𢃖 65.12 L2008-2000	𢃗	173D8 𢃗 68.10 L2008-3273
17389 手 50.9 L2008-4042	𢃔	1739D 𢃔 52.9 L2008-1753	𢃕	173B1 𢃕 54.15 L2008-2836	𢃖	173C5 𢃖 65.12 L2008-3546	𢃗	173D9 𢃗 68.10 L2008-3340
1738A 手 50.9 L2008-4082	𢃔	1739E 𢃔 52.9 L2008-1754	𢃕	173B2 𢃕 54.16 L2008-2821	𢃖	173C6 𢃖 65.12 L2008-2052	𢃗	173DA 𢃗 68.10 L2008-3233
1738B 手 50.9 L2008-4080	𢃔	1739F 𢃔 52.9 L2008-1350	𢃕	173B3 𢃕 54.17 L2008-2841	𢃖	173C7 𢃖 67.11 L2008-2403	𢃗	173DB 𢃗 68.11 L2008-2072
1738C 手 50.9 L2008-4089	𢃔	173A0 𢃔 52.10 L2008-1407	𢃕	173B4 𢃕 55.9 L2008-3450	𢃖	173C8 𢃖 67.15 L2008-3535	𢃗	173DC 𢃗 68.11 L2008-2081
1738D 手 50.9 L2008-4092	𢃔	173A1 𢃔 52.11 L2008-0798	𢃕	173B5 𢃕 61.9 L2008-4025	𢃖	173C9 𢃖 68.8 L2008-2283	𢃗	173DD 𢃗 68.11 L2008-3325
1738E 手 50.10 L2008-4090	𢃔	173A2 𢃔 52.11 L2008-1755	𢃕	173B6 𢃕 61.9 L2008-4023	𢃖	173CA 𢃖 68.8 L2008-3225	𢃗	173DE 𢃗 68.11 L2008-3112
1738F 手 50.10 L2008-4077	𢃔	173A3 𢃔 52.11 L2008-1376	𢃕	173B7 𢃕 61.9 L2008-4085	𢃖	173CB 𢃖 68.8 L2008-3363	𢃗	173DF 𢃗 68.11 L2008-3573
17390 手 50.10 L2008-4043	𢃔	173A4 𢃔 52.14 L2008-0367	𢃕	173B8 𢃕 61.10 L2008-4054	𢃖	173CC 𢃖 68.8 S1968-5596	𢃗	173E0 𢃗 68.11 L2008-3303
17391 手 50.11 L2008-4032	𢃔	173A5 𢃔 54.8 L2008-2360	𢃕	173B9 𢃕 61.10 L2008-4060	𢃖	173CD 𢃖 68.8 N1966-202-051	𢃗	173E1 𢃗 68.11 L2008-2503
17392 手 50.11 L2008-4052	𢃔	173A6 𢃔 54.9 L2008-1937	𢃕	173BA 𢃕 61.12 L2008-4038	𢃖	173CE 𢃖 68.9 L2008-2471	𢃗	173E2 𢃗 68.11 L2008-3720
17393 手 50.11 L2008-4051	𢃔	173A7 𢃔 54.9 L2008-2359	𢃕	173BB 𢃕 62.9 L2008-2080	𢃖	173CF 𢃖 68.9 L2008-2441	𢃗	173E3 𢃗 68.11 L2008-3349
17394 手 50.13 L2008-4033	𢃔	173A8 𢃔 54.10 L2008-2926	𢃕	173BC 𢃕 65.7 L2008-2028	𢃖	173D0 𢃖 68.9 L2008-3790	𢃗	173E4 𢃗 68.11 L2008-2171
17395 手 50.14 L2008-6047	𢃔	173A9 𢃔 54.10 L2008-3516	𢃕	173BD 𢃕 65.8 L2008-2586	𢃖	173D1 𢃖 68.9 L2008-2442	𢃗	173E5 𢃗 68.12 L2008-2488
17396 手 50.15 L2008-4046	𢃔	173AA 𢃔 54.11 H2004-A-5829	𢃕	173BE 𢃕 65.9 L2008-2411	𢃖	173D2 𢃖 68.9 L2008-2744	𢃗	173E6 𢃗 68.12 L2008-2863
17397 手 50.19 L2008-4034	𢃔	173AB 𢃔 54.11 L2008-2698	𢃕	173BF 𢃕 65.9 L2008-3771	𢃖	173D3 𢃖 68.9 L2008-3655	𢃗	173E7 𢃗 68.12 S1968-5574

173E8 # 68.12	 L2008-2681	173FC # 68.15	 L2008-2143	17410 # 70.10	 L2008-3423	17424 # 73.12	 L2008-3813	17438 # 75.9	 L2008-4804
173E9 # 68.12	 L2008-2671	173FD # 68.15	 L2008-2223	17411 # 70.10	 L2008-3398	17425 # 73.12	 L2008-3829	17439 # 75.9	 L2008-4760
173EA # 68.12	 L2008-2608	173FE # 68.16	 L2008-2659	17412 # 70.10	 L2008-3005	17426 # 73.13	 L2008-3824	1743A # 75.9	 L2008-4794
173EB # 68.12	 L2008-2273	173FF # 68.16	 L2008-3377	17413 # 70.11	 L2008-3038	17427 # 73.15	 L2008-3817	1743B # 75.9	 L2008-4857
173EC # 68.12	 L2008-2287	17400 # 68.17	 L2008-3707	17414 # 70.12	 L2008-3083	17428 # 74.12	 L2008-3893	1743C # 75.9	 L2008-4858
173ED # 68.12	 L2008-2648	17401 # 68.18	 L2008-3156	17415 # 70.12	 L2008-3448	17429 # 74.14	 L2008-3938	1743D # 75.9	 L2008-5034
173EE # 68.12	 L2008-3314	17402 # 68.18	 L2008-3271	17416 # 70.12	 L2008-3392	1742A # 75.6	 L2008-4775	1743E # 75.9	 L2008-4921
173EF # 68.12	 L2008-3658	17403 # 68.20	 L2008-3253	17417 # 70.13	 L2008-3015	1742B # 75.7	 L2008-4795	1743F # 75.9	 L2008-4939
173F0 # 68.12	 L2008-3155	17404 # 69.7	 L2008-2061	17418 # 70.14	 L2008-3043	1742C # 75.7	 L2008-4933	17440 # 75.9	 L2008-4931
173F1 # 68.12	 L2008-3313	17405 # 69.9	 L2008-2434	17419 # 70.14	 L2008-3016	1742D # 75.8	 L2008-4761	17441 # 75.10	 L2008-4744
173F2 # 68.12	 L2008-2489	17406 # 69.10	 L2008-3089	1741A # 70.14	 L2008-3188	1742E # 75.8	 L2008-4676	17442 # 75.10	 L2008-5038
173F3 # 68.12	 L2008-2220	17407 # 69.10	 L2008-3090	1741B # 70.16	 L2008-2994	1742F # 75.8	 L2008-4719	17443 # 75.10	 L2008-5055
173F4 # 68.13	 L2008-2149	17408 # 69.10	 L2008-3088	1741C # 70.17	 L2008-3008	17430 # 75.8	 L2008-4842	17444 # 75.10	 L2008-5054
173F5 # 68.13	 L2008-3369	17409 # 69.12	 L2008-2600	1741D # 73.8	 L2008-3822	17431 # 75.8	 L2008-4884	17445 # 75.10	 L2008-4728
173F6 # 68.13	 L2008-2769	1740A # 69.12	 L2008-3558	1741E # 73.9	 L2008-3825	17432 # 75.8	 L2008-5042	17446 # 75.10	 L2008-4819
173F7 # 68.14	 L2008-3352	1740B # 70.7	 L2008-3401	1741F # 73.10	 L2008-3816	17433 # 75.9	 L2008-4865	17447 # 75.10	 L2008-4820
173F8 # 68.14	 L2008-3718	1740C # 70.8	 L2008-3432	17420 # 73.10	 L2008-3828	17434 # 75.9	 L2008-4681	17448 # 75.10	 L2008-4750
173F9 # 68.14	 L2008-2513	1740D # 70.8	 L2008-3018	17421 # 73.10	 L2008-3820	17435 # 75.9	 L2008-4803	17449 # 75.10	 L2008-4684
173FA # 68.14	 L2008-3706	1740E # 70.8	 L2008-3391	17422 # 73.10	 L2008-3814	17436 # 75.9	 L2008-4720	1744A # 75.10	 L2008-4759
173FB # 68.15	 L2008-2274	1740F # 70.9	 L2008-3036	17423 # 73.11	 L2008-3821	17437 # 75.9	 L2008-4843	1744B # 75.10	 L2008-4721

ISO/IEC Click to view full size

17514 𠂇 75.16 L2008-4726	𢃥 17528 𠂇 75.17 L2008-4896	𢃥 1753C 𠂇 75.22 L2008-4916	𢃥 17550 𠂇 79.9 L2008-1252	𢃥 17564 𠂇 79.13 L2008-1268
17515 𠂇 75.16 L2008-4783	𢃥 17529 𠂇 75.17 L2008-4900	𢃥 1753D 𠂇 76.8 L2008-5153	𢃥 17551 𠂇 79.10 L2008-0966	𢃥 17565 𠂇 79.13 L2008-1339
17516 𠂇 75.16 L2008-4711	𢃥 1752A 𠂇 75.17 L2008-4892	𢃥 1753E 𠂇 76.8 L2008-4852	𢃥 17552 𠂇 79.10 L2008-1089	𢃥 17566 𠂇 79.13 L2008-1400
17517 𠂇 75.16 L2008-4830	𢃥 1752B 𠂇 75.17 L2008-4700	𢃥 1753F 𠂇 76.8 L2008-5412	𢃥 17553 𠂇 79.10 L2008-1244	𢃥 17567 𠂇 79.13 L2008-0920
17518 𠂇 75.16 L2008-4894	𢃥 1752C 𠂇 75.17 L2008-4962	𢃥 17540 𠂇 76.8 L2008-5294	𢃥 17554 𠂇 79.11 L2008-0959	𢃥 17568 𠂇 79.13 L2008-1373
17519 𠂇 75.16 L2008-4952	𢃥 1752D 𠂇 75.17 L2008-4703	𢃥 17541 𠂇 76.12 L2008-5068	𢃥 17555 𠂇 79.11 L2008-0974	𢃥 17569 𠂇 79.13 L2008-1127
1751A 𠂇 75.16 L2008-4833	𢃥 1752E 𠂇 75.17 L2008-4958	𢃥 17542 𠂇 76.13 L2008-5501	𢃥 17556 𠂇 79.11 L2008-1150	𢃥 1756A 𠂇 79.14 L2008-0960
1751B 𠂇 75.16 L2008-4906	𢃥 1752F 𠂇 75.17 L2008-4829	𢃥 17543 𠂇 78.7 L2008-5813	𢃥 17557 𠂇 79.11 L2008-1182	𢃥 1756B 𠂇 79.14 L2008-1190
1751C 𠂇 75.16 L2008-4821	𢃥 17530 𠂇 75.17 L2008-4834	𢃥 17544 𠂇 78.11 L2008-5811	𢃥 17558 𠂇 79.11 L2008-1247	𢃥 1756C 𠂇 79.14 L2008-1418
1751D 𠂇 75.16 L2008-5020	𢃥 17531 𠂇 75.18 L2008-5022	𢃥 17545 𠂇 78.13 L2008-5812	𢃥 17559 𠂇 79.11 L2008-1246	𢃥 1756D 𠂇 79.14 L2008-0946
1751E 𠂇 75.16 L2008-4918	𢃥 17532 𠂇 75.18 L2008-4984	𢃥 17546 𠂇 78.13 L2008-5809	𢃥 1755A 𠂇 79.12 L2008-1216	1756E 𠂇 79.14 L2008-1361
1751F 𠂇 75.16 L2008-4701	𢃥 17533 𠂇 75.18 L2008-4702	𢃥 17547 𠂇 78.13 L2008-5808	𢃥 1755B 𠂇 79.12 L2008-1413	1756F 𠂇 79.14 L2008-0903
17520 𠂇 75.16 L2008-4732	𢃥 17534 𠂇 75.18 L2008-4712	𢃥 17548 𠂇 78.14 L2008-5804	𢃥 1755C 𠂇 79.12 L2008-1360	17570 𠂇 79.15 L2008-0921
17521 𠂇 75.16 L2008-4915	𢃥 17535 𠂇 75.19 L2008-4963	𢃥 17549 𠂇 78.16 L2008-5816	𢃥 1755D 𠂇 79.12 L2008-1194	17571 𠂇 79.15 L2008-1378
17522 𠂇 75.16 L2008-4907	𢃥 17536 𠂇 75.19 L2008-4998	𢃥 1754A 𠂇 78.16 S1968-2868	𢃥 1755E 𠂇 79.12 L2008-1198	17572 𠂇 79.15 L2008-1090
17523 𠂇 75.16 L2008-4698	𢃥 17537 𠂇 75.19 L2008-4994	𢃥 1754B 𠂇 79.7 L2008-4994	𢃥 1755F 𠂇 79.13 L2008-1436	17573 𠂇 79.15 L2008-1191
17524 𠂇 75.17 L2008-4899	𢃥 17538 𠂇 75.19 L2008-4699	𢃥 1754C 𠂇 79.7 L2008-1148	𢃥 17560 𠂇 79.13 L2008-0967	17574 𠂇 79.15 L2008-1362
17525 𠂇 75.17 L2008-4697	𢃥 17539 𠂇 75.20 L2008-4835	𢃥 1754D 𠂇 79.9 L2008-0912	𢃥 17561 𠂇 79.13 L2008-1337	17575 𠂇 79.17 L2008-1291
17526 𠂇 75.17 L2008-4904	𢃥 1753A 𠂇 75.20 L2008-4991	𢃥 1754E 𠂇 79.9 L2008-1444	𢃥 17562 𠂇 79.13 L2008-1062	17576 𠂇 83.5 L2008-1504
17527 𠂇 75.17 L2008-4840	𢃥 1753B 𠂇 75.21 L2008-4883	𢃥 1754F 𠂇 79.9 L2008-1359	𢃥 17563 𠂇 79.13 L2008-0945	17577 𠂇 83.6 L2008-1492

176A4 刻 106.11 L2008-4162	𢃔	176B8 刻 106.11 L2008-4412	𢃔	176CC 刻 106.12 L2008-4280	𢃔	176E0 刻 106.13 L2008-4235	𢃔	176F4 刻 106.13 L2008-4301
176A5 刻 106.11 L2008-4157	𢃔	176B9 刻 106.11 L2008-4180	𢃔	176CD 刻 106.12 L2008-4376	𢃔	176E1 刻 106.13 L2008-4188	𢃔	176F5 刻 106.13 L2008-4312
176A6 刻 106.11 L2008-4176	𢃔	176BA 刻 106.11 L2008-4155	𢃔	176CE 刻 106.12 L2008-4357	𢃔	176E2 刻 106.13 L2008-4332	𢃔	176F6 刻 106.13 L2008-4218
176A7 刻 106.11 L2008-4205	𢃔	176BB 刻 106.12 L2008-4100	𢃔	176CF 刻 106.12 L2008-4307	𢃔	176E3 刻 106.13 L2008-4341	𢃔	176F7 刻 106.13 L2008-4374
176A8 刻 106.11 L2008-4215	𢃔	176BC 刻 106.12 L2008-4310	𢃔	176D0 刻 106.12 L2008-4156	𢃔	176E4 刻 106.13 L2008-4110	𢃔	176F8 刻 106.13 L2008-4311
176A9 刻 106.11 L2008-4343	𢃔	176BD 刻 106.12 L2008-4171	𢃔	176D1 刻 106.12 L2008-4152	𢃔	176E5 刻 106.13 L2008-4170	𢃔	176F9 刻 106.13 L2008-4169
176AA 刻 106.11 L2008-4302	𢃔	176BE 刻 106.12 L2008-4199	𢃔	176D2 刻 106.12 L2008-4400	𢃔	176E6 刻 106.13 L2008-4416	𢃔	176FA 刻 106.13 L2008-4291
176AB 刻 106.11 L2008-4165	𢃔	176BF 刻 106.12 L2008-4153	𢃔	176D3 刻 106.12 L2008-4414	𢃔	176E7 刻 106.13 L2008-4161	𢃔	176FB 刻 106.13 L2008-4316
176AC 刻 106.11 L2008-4164	𢃔	176C0 刻 106.12 L2008-4160	𢃔	176D4 刻 106.12 L2008-4351	𢃔	176E8 刻 106.13 L2008-4123	𢃔	176FC 刻 106.13 L2008-4405
176AD 刻 106.11 L2008-4142	𢃔	176C1 刻 106.12 L2008-4334	𢃔	176D5 刻 106.12 L2008-4211	𢃔	176E9 刻 106.13 L2008-4136	𢃔	176FD 刻 106.13 N1966-017-10D
176AE 刻 106.11 L2008-4409	𢃔	176C2 刻 106.12 L2008-4333	𢃔	176D6 刻 106.12 L2008-4406	𢃔	176EA 刻 106.13 L2008-4124	𢃔	176FE 刻 106.13 L2008-4256
176AF 刻 106.11 L2008-4384	𢃔	176C3 刻 106.12 L2008-4106	𢃔	176D7 刻 106.12 L2008-4138	𢃔	176EB 刻 106.13 L2008-4404	𢃔	176FF 刻 106.13 L2008-4282
176B0 刻 106.11 L2008-4224	𢃔	176C4 刻 106.12 L2008-4122	𢃔	176D8 刻 106.12 L2008-4181	𢃔	176EC 刻 106.13 L2008-4373	𢃔	17700 刻 106.13 L2008-4324
176B1 刻 106.11 L2008-4229	𢃔	176C5 刻 106.12 L2008-4177	𢃔	176D9 刻 106.12 L2008-4167	𢃔	176ED 刻 106.13 L2008-4345	𢃔	17701 刻 106.13 L2008-4178
176B2 刻 106.11 L2008-4426	𢃔	176C6 刻 106.12 L2008-4109	𢃔	176DA 刻 106.12 L2008-4179	𢃔	176EE 刻 106.13 L2008-4279	𢃔	17702 刻 106.13 L2008-4102
176B3 刻 106.11 L2008-4219	𢃔	176C7 刻 106.12 L2008-4159	𢃔	176DB 刻 106.12 L2008-4204	𢃔	176EF 刻 106.13 L2008-4217	𢃔	17703 刻 106.13 L2008-4372
176B4 刻 106.11 L2008-4208	𢃔	176C8 刻 106.12 L2008-4216	𢃔	176DC 刻 106.12 L2008-4103	𢃔	176F0 刻 106.13 L2008-4344	𢃔	17704 刻 106.13 L2008-4210
176B5 刻 106.11 L2008-4252	𢃔	176C9 刻 106.12 L2008-4213	𢃔	176DD 刻 106.13 L2008-4246	𢃔	176F1 刻 106.13 L2008-4424	𢃔	17705 刻 106.13 L2008-4227
176B6 刻 106.11 L2008-4296	𢃔	176CA 刻 106.12 L2008-4318	𢃔	176DE 刻 106.13 L2008-4245	𢃔	176F2 刻 106.13 L2008-4319	𢃔	17706 刻 106.13 L2008-4154
176B7 刻 106.11 L2008-4361	𢃔	176CB 刻 106.12 L2008-4212	𢃔	176DF 刻 106.13 L2008-4234	𢃔	176F3 刻 106.13 N1966-017-09K	𢃔	17707 刻 106.13 L2008-4242

17834 𠂔 112.11 L2008-4623	反𢚤 112.13 L2008-4521	17848 𠂔 112.14 L2008-4535	反𢚥 112.14 L2008-4540	1785C 𢚤 112.18 L2008-4637	反𢚦 112.18 L2008-4620	17870 𢚧 114.9 L2008-0357	反𢚨 114.9 L2008-1871	17884 𦵃 126.8 L2008-4609
17835 𠂔 112.11 L2008-4532	反𢚩 112.14 L2008-4535	17849 𢚩 112.14 L2008-0359	反𢚪 112.14 L2008-0359	1785D 𢚩 113.9 L2008-0534	反𢚪 113.9 L2008-0534	17871 𢚪 114.9 L2008-0272	𢚪 114.9 L1997-5996	17885 𦵃 126.9 L2008-4525
17836 𢚤 112.12 L2008-4638	反𢚤 112.14 L2008-4540	1784A 反𢚤 112.14 L2008-4540	反𢚤 112.14 L2008-4540	1785E 𢚤 113.9 L2008-0359	𢚤 113.9 L2008-0359	17872 𢚤 114.9 L2008-1316	𢚤 114.9 L2008-1316	17886 𦵃 126.10 L2008-2840-4591
17837 反𢚤 112.12 L2008-4592	反𢚤 112.14 L2008-4593	1784B 𢚤 112.14 L2008-4593	𢚤 112.14 L2008-4593	1785F 𢚤 113.9 L2008-0534	𢚤 113.9 L2008-0534	17873 𢚤 114.10 L2008-0807	𢚤 114.10 L2008-0807	17887 𦵃 131.8 L2008-4594
17838 反𢚤 112.12 L2008-4612	反𢚤 112.14 L2008-4612	1784C 𢚤 112.14 N1966-255-107	𢚤 112.14 N1966-255-107	17860 𢚤 113.9 L2008-0271	𢚤 113.9 L2008-0271	17874 𢚤 114.10 L2008-0272	𢚤 114.10 L2008-0272	17888 𢚤 132.8 L2008-4037
17839 𢚤 112.12 L2008-4584	𢚤 112.14 L2008-4622	1784D 𢚤 112.14 L2008-4622	𢚤 112.14 L2008-4622	17861 𢚤 113.10 L2008-0320	𢚤 113.10 L2008-0320	17875 𢚤 114.12 L2008-1316	𢚤 114.12 L2008-1316	17889 𢚤 132.9 L2008-4084
1783A 反𢚤 112.12 L2008-4605	反𢚤 112.14 L2008-4518	1784E 𢚤 112.14 L2008-0535	𢚤 112.14 L2008-0535	17862 𢚤 113.10 L2008-0702	𢚤 113.10 L2008-0702	17876 𢚤 114.12 L2008-1214	𢚤 114.12 L2008-1214	1788A 𢚤 134.9 L2008-4044
1783B 反𢚤 112.12 L2008-4597	反𢚤 112.14 L2008-4576	1784F 𢚤 112.14 L2008-4576	𢚤 112.14 L2008-4576	17863 𢚤 113.11 L2008-0293	𢚤 113.11 L2008-0293	17877 𢚤 114.14 L2008-0243	𢚤 114.14 L2008-0243	1788B 𢚤 134.11 L2008-4057
1783C 反𢚤 112.12 L2008-4616	反𢚤 112.15 L2008-4616	17850 𢚤 112.15 L2008-4512	𢚤 112.15 L2008-4512	17864 𢚤 113.11 L2008-1780	𢚤 113.11 L2008-1780	17878 𢚤 114.15 L2008-1392	𢚤 114.15 L2008-1392	1788C 𢚤 134.13 L2008-4019
1783D 反𢚤 112.12 L2008-4613	反𢚤 112.15 L2008-4577	17851 𢚤 112.15 L2008-4577	𢚤 112.15 L2008-4577	17865 𢚤 113.11 L2008-1877	𢚤 113.11 L2008-1877	17879 𢚤 114.16 L2008-1392	𢚤 114.16 L2008-1392	1788D 𢚤 134.14 L2008-4020
1783E 𢚤 112.13 L2008-4615	𢚤 112.15 L2008-4598	17852 𢚤 112.15 L2008-4598	𢚤 112.15 L2008-4598	17866 𢚤 113.12 L2008-0592	𢚤 113.12 L2008-0592	1787A 𢚤 118.7 L2008-2928	𢚤 118.7 L2008-2928	1788E 𢚤 138.8 L2008-3029
1783F 𢚤 112.13 L2008-4564	𢚤 112.16 L2008-4566	17853 𢚤 112.16 L2008-4566	𢚤 112.16 L2008-4566	17867 𢚤 113.12 L2008-0703	𢚤 113.12 L2008-0703	1787B 𢚤 118.11 L2008-3499	𢚤 118.11 L2008-3499	1788F 𢚤 138.8 L2008-3072
17840 𢚤 112.13 L2008-4553	𢚤 112.16 L2008-4600	17854 𢚤 112.16 L2008-4600	𢚤 112.16 L2008-4600	17868 𢚤 113.12 L2008-0561	𢚤 113.12 L2008-0561	1787C 𢚤 118.12 L2008-2705	𢚤 118.12 L2008-2705	17890 𢚤 138.9 L2008-3044
17841 𢚤 112.13 L2008-4619	𢚤 112.16 L2008-4614	17855 𢚤 112.16 L2008-4614	𢚤 112.16 L2008-4614	17869 𢚤 113.13 L2008-1353	𢚤 113.13 L2008-1353	1787D 𢚤 118.13 L2008-3495	𢚤 118.13 L2008-3495	17891 𢚤 138.9 L2008-2844
17842 𢚤 112.13 L2008-4618	𢚤 112.16 L2008-4599	17856 𢚤 112.16 L2008-4599	𢚤 112.16 L2008-4599	17876A 𢚤 113.13 L2008-1290	𢚤 113.13 L2008-1290	1787E 𢚤 118.16 L2008-2963	𢚤 118.16 L2008-2963	17892 𢚤 138.9 L2008-3076
17843 𢚤 112.13 L2008-4523	𢚤 112.16 L2008-4546	17857 𢚤 112.16 L2008-4546	𢚤 112.16 L2008-4546	1786B 𢚤 114.6 L2008-0778	𢚤 114.6 L2008-0778	1787F 𢚤 120.9 L2008-4021	𢚤 120.9 L2008-4021	17893 𢚤 138.10 L2008-2026
17844 𢚤 112.13 L2008-4513	𢚤 112.17 L2008-4639	17858 𢚤 112.17 L2008-4639	𢚤 112.17 L2008-4639	1786C 𢚤 114.8 L2008-0340	𢚤 114.8 L2008-0340	17880 𢚤 120.9 L2008-4045	𢚤 120.9 L2008-4045	17894 𢚤 138.10 L2008-2051
17845 𢚤 112.13 L2008-4517	𢚤 112.18 L2008-4531	17859 𢚤 112.18 L2008-4531	𢚤 112.18 L2008-4531	1786D 𢚤 114.8 L2008-0347	𢚤 114.8 L2008-0347	17881 𢚤 121.10 L2008-3453	𢚤 121.10 L2008-3453	17895 𢚤 138.10 L2008-3545
17846 𢚤 112.13 L2008-4652	𢚤 112.18 L2008-4569	1785A 𢚤 112.18 L2008-4569	𢚤 112.18 L2008-4569	1786E 𢚤 114.8 L2008-0541	𢚤 114.8 L2008-0541	17882 𢚤 121.11 L2008-2824	𢚤 121.11 L2008-2824	17896 𢚤 138.10 L2008-2721
17847 𢚤 112.13 L2008-4610	𢚤 112.18 L2008-4647	1785B 𢚤 112.18 L2008-4647	𢚤 112.18 L2008-4647	1786F 𢚤 114.9 L2008-0302	𢚤 114.9 L2008-0302	17883 𢚤 121.11 L2008-2961	𢚤 121.11 L2008-2961	17897 𢚤 138.11 L2008-2420

17AF0 𠂇 141.21 L2008-6041	17B04 𠂇 142.10 L2008-3097	17B18 𠂇 147.8 L2008-3189	17B2C 𠂇 149.11 L2008-2316	17B40 𠂇 152.10 L2008-4749
17AF1 𠂇 142.7 L2008-3091	17B05 𠂇 142.11 L2008-3562	17B19 𠂇 147.9 L2008-2172	17B2D 𠂇 149.11 L2008-3745	17B41 𠂇 152.11 L2008-4747
17AF2 𠂇 142.8 L2008-3094	17B06 𠂇 142.12 L2008-2439	17B1A 𠂇 147.10 L2008-3226	17B2E 𠂇 149.12 L2008-3741	17B42 𠂇 152.12 L2008-4782
17AF3 𠂇 142.8 L2008-2435	17B07 𠂇 142.12 L2008-3102	17B1B 𠂇 147.10 L2008-2457	17B2F 𠂇 149.12 L2008-2317	17B43 𠂇 152.13 L2008-4774
17AF4 𠂇 142.8 L2008-2436	17B08 𠂇 142.12 L2008-3103	17B1C 𠂇 147.11 L2008-3675	17B30 𠂇 149.12 L2008-3746	17B44 𠂇 152.13 L2008-4757
17AF5 𠂇 142.8 L2008-2601	17B09 𠂇 142.13 L2008-3563	17B1D 𠂇 147.11 L2008-3786	17B31 𠂇 149.12 L2008-2318	17B45 𠂇 152.15 L2008-4742
17AF6 𠂇 142.8 L2008-3092	17B0A 𠂇 142.14 L2008-3564	17B1E 𠂇 147.13 L2008-3227	17B32 𠂇 149.13 L2008-2897	17B46 𠂇 155.7 L2008-3842
17AF7 𠂇 142.8 L2008-3093	17B0B 𠂇 142.15 L2008-2062	17B1F 𠂇 147.13 L2008-2745	17B33 𠂇 149.14 L2008-2312	17B47 𠂇 155.9 L2008-3861
17AF8 𠂇 142.8 L2008-3101	17B0C 𠂇 143.8 L2008-1883	17B20 𠂇 147.13 L2008-2126	17B34 𠂇 149.14 L2008-3421	17B48 𠂇 155.9 L2008-3845
17AF9 𠂇 142.8 L2008-3559	17B0D 𠂇 143.11 L2008-1889	17B21 𠂇 147.14 L2008-3364	17B35 𠂇 149.16 L2008-2329	17B49 𠂇 155.9 L2008-4012
17AFA 𠂇 142.8 L2008-3560	17B0E 𠂇 144.8 L2008-2459	17B22 𠂇 147.15 L2008-2472	17B36 𠂇 151.15 L2008-2307	17B4A 𠂇 155.9 L2008-3989
17AFB 𠂇 142.8 L2008-3099	17B0F 𠂇 144.9 L2008-2465	17B23 𠂇 149.8 L2008-2306	17B37 𠂇 152.7 L2008-4770	17B4B 𠂇 155.9 L2008-3963
17 AFC 𠂇 142.9 L2008-2438	17B10 𠂇 144.9 L2008-2460	17B24 𠂇 149.8 L2008-2315	17B38 𠂇 152.9 L2008-4765	17B4C 𠂇 155.10 L2008-3843
17AFD 𠂇 142.9 L2008-2437	17B11 𠂇 144.9 L2008-3664	17B25 𠂇 149.8 L2008-2532	17B39 𠂇 152.9 L2008-4756	17B4D 𠂇 155.10 L2008-3844
17AFE 𠂇 142.9 L2008-3779	17B12 𠂇 144.10 L2008-2646	17B26 𠂇 149.9 L2008-2308	17B3A 𠂇 152.10 L2008-4793	17B4E 𠂇 155.10 L2008-4013
17AFF 𠂇 142.9 L2008-3096	17B13 𠂇 144.10 L2008-3642	17B27 𠂇 149.9 L2008-3405	17B3B 𠂇 152.10 L2008-4748	17B4F 𠂇 155.10 L2008-3857
17B00 𠂇 142.9 L2008-3095	17B14 𠂇 144.12 L2008-3665	17B28 𠂇 149.9 L2008-3403	17B3C 𠂇 152.10 L2008-4772	17B50 𠂇 155.10 L2008-3908
17B01 𠂇 142.10 L2008-3098	17B15 𠂇 144.14 L2008-3597	17B29 𠂇 149.10 L2008-3740	17B3D 𠂇 152.10 L2008-6006	17B51 𠂇 155.10 L2008-4010
17B02 𠂇 142.10 L2008-3561	17B16 𠂇 145.12 L2008-2425	17B2A 𠂇 149.11 L2008-2328	17B3E 𠂇 152.10 L2008-4773	17B52 𠂇 155.10 L2008-3990
17B03 𠂇 142.10 L2008-3100	17B17 𠂇 145.15 L2008-2039	17B2B 𠂇 149.11 L2008-2533	17B3F 𠂇 152.10 L2008-4771	17B53 𠂇 155.11 L2008-3860

17B54

Tangut

17BB7

17B54 𠂇 155.11 L2008-3945	𢃥	17B68 𢃥 158.6 L2008-3931	𢃥	17B7C 𢃥 165.8 L2008-5120	𢃥	17B90 𢃥 165.13 L2008-5150A	𢃥	17BA4 𢃥 167.9 L2008-5268
17B55 𢃥 155.11 L2008-3944	𢃥	17B69 𢃥 158.8 L2008-3979	𢃥	17B7D 𢃥 165.8 L2008-5283	𢃥	17B91 𢃥 165.13 L2008-5150B	𢃥	17BA5 𢃥 167.9 L2008-5358
17B56 𢃥 155.11 L2008-3994	𢃥	17B6A 𢃥 158.9 L2008-3916	𢃥	17B7E 𢃥 165.8 L2008-524	𢃥	17B92 𢃥 165.13 L2008-5077	𢃥	17BA6 𢃥 167.9 L2008-5357
17B57 𢃥 155.11 L2008-3959	𢃥	17B6B 𢃥 158.10 L2008-3870	𢃥	17B7F 𢃥 165.9 L2008-5112	𢃥	17B93 𢃥 165.13 L2008-5291	𢃥	17BA7 𢃥 167.9 L2008-5780
17B58 𢃥 155.11 L2008-3964	𢃥	17B6C 𢃥 158.10 L2008-3896	𢃥	17B80 𢃥 165.9 L2008-5415	𢃥	17B94 𢃥 165.14 L2008-5692	𢃥	17BA8 𢃥 167.10 L2008-5101
17B59 𢃥 155.12 L2008-3863	𢃥	17B6D 𢃥 160.10 L2008-3988	𢃥	17B81 𢃥 165.9 L2008-5532	𢃥	17B95 𢃥 165.15 L2008-5078	𢃥	17BA9 𢃥 167.10 L2008-5104
17B5A 𢃥 155.14 L2008-3862	𢃥	17B6E 𢃥 162.10 L2008-5413	𢃥	17B82 𢃥 165.10 L2008-5421	𢃥	17B96 𢃥 166.6 L2008-5529	𢃥	17BAA 𢃥 167.10 L2008-5360
17B5B 𢃥 155.14 L2008-3924	𢃥	17B6F 𢃥 162.10 L2008-5471	𢃥	17B83 𢃥 165.10 L2008-5084	𢃥	17B97 𢃥 166.8 L2008-5496	𢃥	17BAB 𢃥 167.10 L2008-5272
17B5C 𢃥 155.14 L2008-3886	𢃥	17B70 𢃥 162.11 L1997-6000	𢃥	17B84 𢃥 165.10 L2008-5066	𢃥	17B98 𢃥 166.9 L2008-5546	𢃥	17BAC 𢃥 167.10 L2008-5269
17B5D 𢃥 155.14 L2008-3943	𢃥	17B71 𢃥 162.11 L2008-5557	𢃥	17B85 𢃥 165.10 L2008-5414	𢃥	17B99 𢃥 166.13 L2008-5530	𢃥	17BAD 𢃥 167.10 L2008-5781
17B5E 𢃥 155.15 L2008-3912	𢃥	17B72 𢃥 162.12 L2008-5295	𢃥	17B86 𢃥 165.10 L2008-5710	𢃥	17B9A 𢃥 167.5 L2008-5509	𢃥	17BAE 𢃥 167.10 L2008-5700
17B5F 𢃥 155.15 L2008-3885	𢃥	17B73 𢃥 162.12 L2008-5716	𢃥	17B87 𢃥 165.10 L2008-5115	𢃥	17B9B 𢃥 167.6 L2008-5511	𢃥	17BAF 𢃥 167.10 L2008-5701
17B60 𢃥 155.16 L2008-3991	𢃥	17B74 𢃥 162.12 L2008-5087	𢃥	17B88 𢃥 165.11 L2008-5547	𢃥	17B9C 𢃥 167.7 L2008-5431	𢃥	17BB0 𢃥 167.10 L2008-5273
17B61 𢃥 155.16 L2008-3848	𢃥	17B75 𢃥 162.13 L2008-5133	𢃥	17B89 𢃥 165.11 L2008-5293	𢃥	17B9D 𢃥 167.7 L2008-5359	𢃥	17BB1 𢃥 167.10 L2008-5704
17B62 𢃥 155.16 L2008-3922	𢃥	17B76 𢃥 162.13 L2008-5256	𢃥	17B8A 𢃥 165.12 L2008-5706	𢃥	17B9E 𢃥 167.8 L2008-5099	𢃥	17BB2 𢃥 167.11 L2008-5103
17B63 𢃥 155.21 L2008-3961	𢃥	17B77 𢃥 162.15 L2008-5095	𢃥	17B8B 𢃥 165.12 L2008-5114	𢃥	17B9F 𢃥 167.8 L2008-5100	𢃥	17BB3 𢃥 167.11 L2008-5102
17B64 𢃥 156.8 L2008-3856	𢃥	17B78 𢃥 164.10 L2008-5805	𢃥	17B8C 𢃥 165.12 L2008-5075	𢃥	17BA0 𢃥 167.8 L2008-5271	𢃥	17BB4 𢃥 167.11 L2008-5702
17B65 𢃥 156.9 L2008-3855	𢃥	17B79 𢃥 165.6 L2008-5528	𢃥	17B8D 𢃥 165.12 L2008-5260	𢃥	17BA1 𢃥 167.8 L2008-5510	𢃥	17BB5 𢃥 167.11 L2008-5513
17B66 𢃥 156.16 L2008-3930	𢃥	17B7A 𢃥 165.7 L2008-5119	𢃥	17B8E 𢃥 165.12 L2008-5076	𢃥	17BA2 𢃥 167.8 L2008-5519	𢃥	17BB6 𢃥 167.11 L2008-5515
17B67 𢃥 157.10 L2008-4009	𢃥	17B7B 𢃥 165.7 L2008-5522	𢃥	17B8F 𢃥 165.12 L2008-5351	𢃥	17BA3 𢃥 167.9 L2008-5432	𢃥	17BB7 𢃥 167.11 L2008-5512

17CE4 𢃥 193.9 L2008-1356	17CF8 𢃥 194.10 L2008-1792	17D0C 𢃥 198.9 L2008-4443	17D20 𢃥 200.12 L2008-2528	17D34 𢃥 206.11 L2008-0140
17CE5 𢃥 193.9 L2008-1324	17CF9 𢃥 194.11 L2008-1797	17D0D 𢃥 199.5 L2008-1513	17D21 𢃥 200.12 L2008-3399	17D35 𢃥 206.12 L2008-0124
17CE6 𢃥 193.9 L2008-1737	17CFA 𢃥 194.11 L2008-0396	17D0E 𢃥 199.9 L2008-1533	17D22 𢃥 200.12 L2008-3419	17D36 𢃥 206.13 N1966-018-083
17CE7 𢃥 193.9 L2008-1710	17CFB 𢃥 194.12 L2008-0402	17D0F 𢃥 200.6 L2008-3408	17D23 𢃥 200.13 L2008-2899	17D37 𢃥 206.13 L2008-0004
17CE8 𢃥 193.10 L2008-0562	17CFC 𢃥 194.13 L2008-0397	17D10 𢃥 200.8 L2008-2320	17D24 𢃥 200.16 L2008-3747	17D38 𢃥 206.13 L2008-0054
17CE9 𢃥 193.10 L2008-1668	17CFD 𢃥 195.8 L2008-0636	17D11 𢃥 200.8 L2008-3400	17D25 𢃥 204.9 L2008-3412	17D39 𢃥 206.13 L2008-0127
17CEA 𢃥 193.10 L2008-0793	17CFE 𢃥 195.8 L2008-1552	17D12 𢃥 200.8 L2008-2539	17D26 𢃥 204.9 L2008-1528	17D3A 𢃥 206.13 L2008-0092
17CEB 𢃥 193.10 L2008-1738	17CFF 𢃥 195.8 L2008-1575	17D13 𢃥 200.8 L2008-3426	17D27 𢃥 204.9 L2008-1498	17D3B 𢃥 206.13 L2008-0110
17CEC 𢃥 193.10 L2008-1416	17D00 𢃥 195.9 L2008-0464	17D14 𢃥 200.8 L2008-3417	17D28 𢃥 204.9 L2008-1493	17D3C 𢃥 206.13 L2008-0006
17CED 𢃥 193.11 L2008-1857	17D01 𢃥 195.9 L2008-1560	17D15 𢃥 200.9 L2008-2531	17D29 𢃥 204.9 L2008-1505	17D3D 𢃥 206.13 L2008-0011
17CEE 𢃥 193.13 L2008-0378	17D02 𢃥 195.9 L2008-1572	17D16 𢃥 200.9 L2008-2694	17D2A 𢃥 204.11 L2008-3396	17D3E 𢃥 206.13 L2008-0040
17CEF 𢃥 193.14 L2008-1776	17D03 𢃥 195.10 L2008-0468	17D17 𢃥 200.10 L2008-2330	17D2B 𢃥 204.12 L2008-3006	17D3F 𢃥 206.13 L2008-0105
17CF0 𢃥 193.17 S1968-5397	17D04 𢃥 195.10 L2008-1571	17D18 𢃥 200.10 L2008-3418	17D2C 𢃥 204.14 L2008-3272	17D40 𢃥 206.13 L2008-0072
17CF1 𢃥 194.8 L2008-0388	17D05 𢃥 195.10 L2008-1838	17D19 𢃥 200.10 L2008-3742	17D2D 𢃥 204.14 L2008-2999	17D41 𢃥 206.13 L2008-0153
17CF2 𢃥 194.9 L2008-0392	17D06 𢃥 195.11 L2008-1556	17D1A 𢃥 200.10 L2008-3427	17D2E 𢃥 204.17 L2008-3017	17D42 𢃥 206.14 L2008-0111
17CF3 𢃥 194.9 L2008-0612	17D07 𢃥 195.14 L2008-1832	17D1B 𢃥 200.11 L2008-2331	17D2F 𢃥 206.8 L2008-5999	17D43 𢃥 206.14 L2008-0083
17CF4 𢃥 194.10 L2008-0411	17D08 𢃥 196.10 L2008-1099	17D1C 𢃥 200.11 L2008-3743	17D30 𢃥 206.8 L2008-0037	17D44 𢃥 206.14 L2008-0103
17CF5 𢃥 194.10 L2008-1430	17D09 𢃥 196.10 L2008-1088	17D1D 𢃥 200.12 L2008-2901	17D31 𢃥 206.9 L2008-0062	17D45 𢃥 206.14 L2008-0047
17CF6 𢃥 194.10 L2008-1456	17D0A 𢃥 196.11 L2008-0759	17D1E 𢃥 200.12 L2008-2540	17D32 𢃥 206.10 L2008-0071	17D46 𢃥 206.14 L2008-0113
17CF7 𢃥 194.10 L2008-1796	17D0B 𢃥 198.6 L2008-4448	17D1F 𢃥 200.12 L2008-3425	17D33 𢃥 206.11 L2008-0059	17D47 𢃥 206.14 L2008-0033

17F3C 𠂔 263.10	𠂔 L2008-2605	17F50 𠂔 263.12	𠂔 L2008-2199	17F64 𠂔 263.14	𠂔 L2008-2153	17F78 𠂔 263.17	𠂔 L2008-3321	17F8C 𠂔 267.9	𠂔 L2008-3645
17F3D 𠂔 263.10	𠂔 L2008-3799	17F51 𠂔 263.12	𠂔 L2008-3309	17F65 𠂔 263.14	𠂔 L2008-2121	17F79 𠂔 263.18	𠂔 L2008-2450	17F8D 𠂔 267.9	𠂔 L2008-3204
17F3E 𠂔 263.10	𠂔 L2008-3382	17F52 𠂔 263.12	𠂔 L2008-2137	17F66 𠂔 263.14	𠂔 L2008-2482	17F7A 𠂔 263.18	𠂔 L2008-3177	17F8E 𠂔 267.9	𠂔 L2008-3243
17F3F 𠂔 263.10	𠂔 L2008-3206	17F53 𠂔 263.12	𠂔 L2008-2154	17F67 𠂔 263.14	𠂔 L2008-2758	17F7B 𠂔 263.18	𠂔 L2008-2673	17F8F 𠂔 267.9	𠂔 L2008-3109
17F40 𠂔 263.10	𠂔 L2008-3264	17F54 𠂔 263.12	𠂔 L2008-3721	17F68 𠂔 263.14	𠂔 L2008-3203	17F7C 𠂔 263.19	𠂔 L2008-3584	17F90 𠂔 267.10	𠂔 L2008-2238
17F41 𠂔 263.11	𠂔 L2008-2871	17F55 𠂔 263.12	𠂔 L2008-2780	17F69 𠂔 263.14	𠂔 L2008-3108	17F7D 𠂔 264.11	𠂔 L2008-2598	17F91 𠂔 267.10	𠂔 L2008-2254
17F42 𠂔 263.11	𠂔 L2008-2285	17F56 𠂔 263.12	𠂔 L2008-3291	17F6A 𠂔 263.14	𠂔 L2008-2122	17F7E 𠂔 264.11	𠂔 L2008-2585	17F92 𠂔 267.10	𠂔 L2008-2070
17F43 𠂔 263.11	𠂔 L2008-2654	17F57 𠂔 263.12	𠂔 L2008-3290	17F6B 𠂔 263.14	𠂔 L2008-2765	17F7F 𠂔 264.12	𠂔 L2008-2632	17F93 𠂔 267.10	𠂔 L2008-2079
17F44 𠂔 263.11	𠂔 L2008-2461	17F58 𠂔 263.12	𠂔 L2008-3387	17F6C 𠂔 263.15	𠂔 L2008-2861	17F80 𠂔 264.13	𠂔 L2008-2576	17F94 𠂔 267.10	𠂔 L2008-2449
17F45 𠂔 263.11	𠂔 L2008-2685	17F59 𠂔 263.12	𠂔 L2008-2741	17F6D 𠂔 263.15	𠂔 L2008-3601	17F81 𠂔 264.14	𠂔 L2008-6035	17F95 𠂔 267.10	𠂔 L2008-3295
17F46 𠂔 263.11	𠂔 L2008-3792	17F5A 𠂔 263.13	𠂔 L2008-2773	17F6E 𠂔 263.15	𠂔 L2008-3669	17F82 𠂔 264.14	𠂔 L2008-2599	17F96 𠂔 267.10	𠂔 L2008-2628
17F47 𠂔 263.11	𠂔 L2008-3667	17F5B 𠂔 263.13	𠂔 L2008-3136	17F6F 𠂔 263.15	𠂔 L2008-2483	17F83 𠂔 264.14	𠂔 L2008-2692	17F97 𠂔 267.10	𠂔 L2008-3670
17F48 𠂔 263.11	𠂔 L2008-3668	17F5C 𠂔 263.13	𠂔 L2008-3293	17F70 𠂔 263.15	𠂔 L2008-2138	17F84 𠂔 264.15	𠂔 L2008-2658	17F98 𠂔 267.10	𠂔 L2008-3625
17F49 𠂔 263.11	𠂔 L2008-3185	17F5D 𠂔 263.13	𠂔 L2008-3632	17F71 𠂔 263.15	𠂔 L2008-3390	17F85 𠂔 264.16	𠂔 L2008-2593	17F99 𠂔 267.10	𠂔 L2008-3800
17F4A 𠂔 263.11	𠂔 L2008-2889	17F5E 𠂔 263.13	𠂔 L2008-3666	17F72 𠂔 263.15	𠂔 L2008-2181	17F86 𠂔 267.5	𠂔 L2008-3087	17F9A 𠂔 267.10	𠂔 L2008-3671
17F4B 𠂔 263.11	𠂔 L2008-3223	17F5F 𠂔 263.13	𠂔 L2008-3169	17F73 𠂔 263.16	𠂔 L2008-2887	17F87 𠂔 267.7	𠂔 L2008-3242	17F9B 𠂔 267.10	𠂔 L2008-2855
17F4C 𠂔 263.11	𠂔 L2008-3122	17F60 𠂔 263.14	𠂔 L2008-3689	17F74 𠂔 263.16	𠂔 L2008-3292	17F88 𠂔 267.8	𠂔 L2008-3294	17F9C 𠂔 267.11	𠂔 L2008-2186
17F4D 𠂔 263.12	𠂔 L2008-2799A	17F61 𠂔 263.14	𠂔 L2008-2674	17F75 𠂔 263.16	𠂔 L2008-3138	17F89 𠂔 267.8	𠂔 L2008-3186	17F9D 𠂔 267.11	𠂔 L2008-2086
17F4E 𠂔 263.12	𠂔 L2008-2799B	17F62 𠂔 263.14	𠂔 L2008-3137	17F76 𠂔 263.16	𠂔 L2008-3358	17F8A 𠂔 267.9	𠂔 L2008-2252-2253	17F9E 𠂔 267.11	𠂔 L2008-2440
17F4F 𠂔 263.12	𠂔 L2008-2237	17F63 𠂔 263.14	𠂔 L2008-3328	17F77 𠂔 263.16	𠂔 L2008-2085	17F8B 𠂔 267.9	𠂔 L2008-2742	17F9F 𠂔 267.11	𠂔 L2008-3310

17FA0 𠂇 267.11 L2008-2470	𠂇 267.12 L2008-3224	𠂇 267.13 L2008-3626	𠂇 267.14 L2008-3170	𠂇 267.15 L2008-3359
17FA1 𠂇 267.11 L2008-2462	𠂇 267.12 L2008-2615	𠂇 267.13 L2008-3673	𠂇 267.14 L2008-2669	𠂇 267.16 L2008-2266
17FA2 𠂇 267.11 L2008-2675	𠂇 267.12 L2008-3808	𠂇 267.13 L2008-3322	𠂇 267.14 L2008-3312	𠂇 267.16 L2008-2115
17FA3 𠂇 267.11 L2008-2655	𠂇 267.12 L2008-3110	𠂇 267.13 L2008-2165	𠂇 267.15 L2008-2255	𠂇 267.16 L2008-3589
17FA4 𠂇 267.11 L2008-3600	𠂇 267.12 L2008-2868	𠂇 267.13 L2008-3297	𠂇 267.15 L2008-2242	𠂇 267.16 L2008-3608
17FA5 𠂇 267.11 L2008-3683-3684	𠂇 267.13 L2008-2175	𠂇 267.13 L2008-3698	𠂇 267.15 L2008-2873	𠂇 267.16 L2008-2767
17FA6 𠂇 267.11 L2008-2759	𠂇 267.13 L2008-3690	𠂇 267.13 L2008-2761	𠂇 267.15 L2008-2806	𠂇 267.16 L2008-2114
17FA7 𠂇 267.11 L2008-3296	𠂇 267.13 L2008-2146	𠂇 267.14 L2008-3251	𠂇 267.15 L2008-3111	𠂇 267.17 L2008-3126
17FA8 𠂇 267.11 L2008-2890	𠂇 267.13 L2008-6032	𠂇 267.14 L2008-2241	𠂇 267.15 L2008-2260	𠂇 267.18 L2008-3703
17FA9 𠂇 267.11 L2008-2800	𠂇 267.13 L2008-2451	𠂇 267.14 L2008-3571	𠂇 267.15 L2008-2140	𠂇 267.18 L2008-2261
17FAA 𠂇 267.11 L2008-2519	𠂇 267.13 L2008-2499	𠂇 267.14 L2008-2893	𠂇 267.15 L2008-3334	𠂇 267.18 L2008-2288
17FAB 𠂇 267.12 L2008-2621	𠂇 267.13 L2008-3160	𠂇 267.14 L2008-2240	𠂇 267.15 L2008-3612	𠂇 267.19 L2008-2267
17FAC 𠂇 267.12 L2008-2208	𠂇 267.13 L2008-2107	𠂇 267.14 L2008-2139	𠂇 267.15 L2008-3647	𠂇 267.19 L2008-2262
17FAD 𠂇 267.12 L2008-2239	𠂇 267.13 L2008-2454	𠂇 267.14 L2008-3635	𠂇 267.15 L2008-3324	𠂇 267.19 L2008-2270
17FAE 𠂇 267.12 L2008-2087	𠂇 267.13 L2008-3579	𠂇 267.14 L2008-3323	𠂇 267.15 L2008-2762	𠂇 267.20 L2008-2268
17FAF 𠂇 267.12 L2008-2657	𠂇 267.13 L2008-3633	𠂇 267.14 L2008-2656	𠂇 267.15 L2008-3709	𠂇 268.10 L2008-2463
17FB0 𠂇 267.12 N1966-211-078	𠂇 267.13 L2008-2791	𠂇 267.14 L2008-3127	𠂇 267.15 L2008-3694	𠂇 269.11 L2008-2906
17FB1 𠂇 267.12 L2008-2781	𠂇 267.13 L2008-3657	𠂇 267.14 L2008-3254	𠂇 267.15 L2008-3171	𠂇 269.16 L2008-2326
17FB2 𠂇 267.12 L2008-2209	𠂇 267.13 L2008-2210	𠂇 267.14 L2008-2856	𠂇 267.15 L2008-3311	𠂇 269.16 L2008-3415
17FB3 𠂇 267.12 L2008-2760	𠂇 267.13 L2008-2766	𠂇 267.14 L2008-3672	𠂇 267.15 L2008-3298	𠂇 271.11 L2008-4030

18194 𩫑 325.19 L2008-0935	181A8 𩫑 328.10 L2008-0648	181BC 𩫑 328.12 L2008-0770	181D0 𩫑 330.13 L2008-4071	181E4 𩫑 339.9 L2008-1719
18195 𩫑 326.10 L2008-1176	181A9 𩫑 328.10 L2008-0665	181BD 𩫑 328.12 L2008-1115	181D1 𩫑 330.13 L2008-4083	181E5 𩫑 340.5 L2008-1426
18196 𩫑 327.9 L2008-5870	181AA 𩫑 328.10 L2008-1652	181BE 𩫑 328.12 L2008-1048	181D2 𩫑 330.14 L2008-4063	181E6 𩫑 340.11 L2008-1446
18197 𩫑 327.10 L2008-5937	181AB 𩫑 328.10 L2008-1113	181BF 𩫑 328.13 L2008-0234	181D3 𩫑 330.15 L2008-4064	181E7 𩫑 340.12 L2008-0400
18198 𩫑 327.11 L2008-5909	181AC 𩫑 328.10 L2008-0847	181C0 𩫑 328.13 L2008-0525	181D4 𩫑 330.17 L2008-4075	181E8 𩫑 340.12 L2008-1787
18199 𩫑 327.11 L2008-5934	181AD 𩫑 328.10 L2008-1053	181C1 𩫑 328.13 L2008-0238	181D5 𩫑 330.17 L2008-4076	181E9 𩫑 340.14 L2008-1451
1819A 𩫑 327.11 L2008-5938	181AE 𩫑 328.11 L2008-0194	181C2 𩫑 328.13 L2008-1136	181D6 𩫑 331.9 L2008-0488	181EA 𩫑 340.14 L2008-0401
1819B 𩫑 327.13 L2008-5975	181AF 𩫑 328.11 L2008-0189	181C3 𩫑 328.13 L2008-1056	181D7 𩫑 331.10 L2008-0186	181EB 𩫑 341.9 L2008-0635
1819C 𩫑 327.14 L2008-5832	181B0 𩫑 328.11 L2008-0191	181C4 𩫑 328.13 L2008-0649	181D8 𩫑 331.10 L2008-1622	181EC 𩫑 341.9 L2008-1557
1819D 𩫑 328.7 L2008-0764	181B1 𩫑 328.11 L2008-0667	181C5 𩫑 328.13 L2008-1626	181D9 𩫑 333.15 L2008-1457	181ED 𩫑 341.10 L2008-1566
1819E 𩫑 328.9 L2008-0216	181B2 𩫑 328.11 L2008-0984	181C6 𩫑 328.13 L2008-1654	181DA 𩫑 333.15 L2008-0720	181EE 𩫑 341.11 L2008-0738
1819F 𩫑 328.9 L2008-0233	181B3 𩫑 328.11 L2008-0983	181C7 𩫑 328.14 L2008-1119	181DB 𩫑 335.11 L2008-0715	181EF 𩫑 341.11 L2008-1573
181A0 𩫑 328.9 L2008-1046	181B4 𩫑 328.11 L2008-0669	181C8 𩫑 328.14 L2008-0848	181DC 𩫑 336.5 L2008-1121	181F0 𩫑 342.5 L2008-1500
181A1 𩫑 328.9 L2008-0516	181B5 𩫑 328.11 L2008-0666	181C9 𩫑 328.14 L2008-0192	181DD 𩫑 336.9 L2008-0517	181F1 𩫑 342.7 L2008-0839
181A2 𩫑 328.9 L2008-1052	181B6 𩫑 328.11 L2008-1606	181CA 𩫑 328.15 L2008-0852	181DE 𩫑 336.12 L2008-1116	181F2 𩫑 342.9 L2008-0632
181A3 𩫑 328.9 L2008-1135	181B7 𩫑 328.11 L2008-1653	181CB 𩫑 328.15 L2008-0650	181DF 𩫑 337.7 L2008-0765	181F3 𩫑 342.9 L2008-1823
181A4 𩫑 328.10 L2008-0212	181B8 𩫑 328.11 L2008-1656	181CC 𩫑 328.16 L2008-0672	181E0 𩫑 337.9 L2008-0518	181F4 𩫑 342.10 L2008-0449
181A5 𩫑 328.10 L2008-0768	181B9 𩫑 328.11 L2008-0859	181CD 𩫑 328.17 L2008-1609	181E1 𩫑 338.11 L2008-1600	181F5 𩫑 342.10 L2008-0633
181A6 𩫑 328.10 L2008-0520	181BA 𩫑 328.11 L2008-1114	181CE 𩫑 329.11 L2008-1603	181E2 𩫑 338.11 L2008-1133	181F6 𩫑 342.11 L2008-1881
181A7 𩫑 328.10 L2008-0655	181BB 𩫑 328.12 L2008-1658	181CF 𩫑 329.12 L2008-1657	181E3 𩫑 338.14 L2008-1663	181F7 𩫑 342.11 L2008-0840

IECNORM.CN : Click to view the full PDF version

181F8 𠂔 342.13 L2008-1882	1820C 𢃵 347.14 L2008-0122	18220 𢃵 354.12 L2008-1655	18234 𢃵 367.11 L2008-1837	18248 𢃵 373.13 L2008-3444
181F9 𢃵 343.9 L2008-0544	1820D 𢃵 348.10 L2008-0831	18221 𢃵 354.14 L2008-1057	18235 𢃵 367.11 L2008-1561	18249 𢃵 375.7 L2008-4566
181FA 𢃵 343.10 L2008-0352	1820E 𢃵 348.10 L2008-0605	18222 𢃵 354.16 L2008-0193	18236 𢃵 367.12 L2008-0472	1824A 𢃵 375.14 L2008-4666
181FB 𢃵 343.10 L2008-0355	1820F 𢃵 348.10 L2008-1791	18223 𢃵 355.11 L2008-0215	18237 𢃵 367.12 L2008-1567	1824B 𢃵 376.6 L2008-4602
181FC 𢃵 343.10 L2008-0532	18210 𢃵 348.11 L2008-0413	18224 𢃵 355.12 L2008-0232	18238 𢃵 367.13 L2008-1568	1824C 𢃵 376.7 L2008-4607
181FD 𢃵 343.10 L2008-0695	18211 𢃵 348.11 L2008-0607	18225 𢃵 356.12 L2008-0671	18239 𢃵 367.13 L2008-1553	1824D 𢃵 376.10 L2008-4573
181FE 𢃵 343.10 L2008-1742	18212 𢃵 348.11 L2008-1801	18226 𢃵 357.10 L2008-0701	1823A 𢃵 368.10 L2008-2390	1824E 𢃵 376.10 L2008-4640
181FF 𢃵 343.11 L2008-0578	18213 𢃵 348.12 L2008-0614	18227 𢃵 357.12 L2008-1332	1823B 𢃵 369.10 L2008-2924	1824F 𢃵 376.10 L2008-4515
18200 𢃵 343.11 L2008-0300	18214 𢃵 348.14 L2008-1879	18228 𢃵 357.12 L2008-1747	1823C 𢃵 369.12 L2008-2976	18250 𢃵 376.11 L2008-4587
18201 𢃵 343.11 L2008-1713	18215 𢃵 350.12 L2008-1196	18229 𢃵 362.6 L2008-0400	1823D 𢃵 369.14 L2008-2392	18251 𢃵 376.11 L2008-4574
18202 𢃵 343.11 L2008-1743	18216 𢃵 350.12 L2008-0706	1822A 𢃵 362.11 L2008-1863	1823E 𢃵 369.14 L2008-2925	18252 𢃵 376.11 L2008-4575
18203 𢃵 343.11 L2008-0819	18217 𢃵 350.12 L2008-0787	1822B 𢃵 363.10 L2008-0546	1823F 𢃵 372.11 N1966-136-052	18253 𢃵 376.11 L2008-4655
18204 𢃵 343.13 L2008-1294	18218 𢃵 350.12 L2008-1760	1822C 𢃵 363.10 L2008-1722	18240 𢃵 372.11 L2008-2975	18254 𢃵 376.11 L2008-4626
18205 𢃵 343.15 L2008-1371	18219 𢃵 351.11 L2008-0160	1822D 𢃵 363.13 L2008-1684	18241 𢃵 372.13 L2008-1979	18255 𢃵 376.12 L2008-4645
18206 𢃵 343.16 L2008-0875	1821A 𢃵 352.6 L2008-0102	1822E 𢃵 364.11 L2008-0869	18242 𢃵 372.14 L2008-1935	18256 𢃵 376.12 L2008-4646
18207 𢃵 345.10 L2008-2046	1821B 𢃵 352.8 L2008-0786	1822F 𢃵 364.12 L2008-0589	18243 𢃵 373.9 L2008-3445	18257 𢃵 376.12 L2008-4590
18208 𢃵 345.12 L2008-2047	1821C 𢃵 352.12 L2008-0711	18230 𢃵 364.12 L2008-1690	18244 𢃵 373.10 L2008-2351	18258 𢃵 376.12 L2008-4562
18209 𢃵 345.13 L2008-3525	1821D 𢃵 352.13 L2008-0284	18231 𢃵 364.12 L2008-1728	18245 𢃵 373.10 L2008-2549	18259 𢃵 376.13 L2008-4570
1820A 𢃵 347.13 L2008-0141	1821E 𢃵 352.14 L2008-0330	18232 𢃵 364.14 L2008-1386	18246 𢃵 373.11 L2008-3755	1825A 𢃵 376.14 L2008-4641
1820B 𢃵 347.14 L2008-0024	1821F 𢃵 354.10 L2008-0515	18233 𢃵 367.11 L2008-0469	18247 𢃵 373.13 L2008-3447	1825B 𢃵 376.15 L2008-4588

18388 ※ 432.13 L2008-4929	舞 18389 ※ 432.14 L2008-5009	1839C ※ 434.14 L2008-5204	罷 1839D ※ 434.15 L2008-5767	183B0 ※ 436.10 L2008-5220	彌 183B1 ※ 436.10 L2008-5237	183C4 ※ 436.11 L2008-5199	彌 183D8 ※ 436.11 L2008-5736
1838A ※ 432.14 L2008-4912	巍 1838B ※ 432.14 L2008-4876	1839E ※ 434.15 L2008-5731	并 1839F ※ 434.16 L2008-5766	183B2 ※ 436.10 L2008-5621	彌 183B3 ※ 436.10 L2008-5435	183C5 ※ 436.11 S1968-2650	彌 183D9 ※ 436.11 L2008-5582
1838C ※ 432.14 L2008-5023	普 1838D ※ 432.15 L2008-4890	183AO ※ 434.18 L2008-5603	并 183A1 ※ 434.18 L2008-5668	183B4 ※ 436.10 L2008-5313	彌 183C7 ※ 436.11 L2008-5452	183C6 ※ 436.11 L2008-5158	彌 183DA ※ 436.11 L2008-5645
1838E ※ 432.16 L2008-4734	龍 1838F ※ 432.16 L2008-4714	183A2 ※ 436.7 L2008-5299	刻 183A3 ※ 436.7 L2008-5611	183B5 ※ 436.10 L2008-5613	彌 183C8 ※ 436.11 L2008-5170	183C9 ※ 436.11 L2008-5218	彌 183DC ※ 436.11 L2008-5638
18390 ※ 432.16 L2008-4827	巖 18391 ※ 432.16 L2008-4983	183A4 ※ 436.8 L2008-5300	刻 183A5 ※ 436.8 L2008-5633	183B6 ※ 436.10 L2008-5308	彌 183CA ※ 436.11 L2008-5396	183CC ※ 436.11 L2008-5171	彌 183DE ※ 436.11 L2008-5685
18392 ※ 432.17 L2008-4802	叢 18393 ※ 434.11 L2008-5224	183A6 ※ 436.8 L2008-5434	彌 183A7 ※ 436.9 L2008-5156	183B7 ※ 436.10 L2008-5384	彌 183CB ※ 436.11 L2008-5171	183CD ※ 436.11 L2008-5676	彌 183E0 ※ 436.12 L2008-5457
18394 ※ 434.11 L2008-5385	并 18395 ※ 434.12 L2008-5338	183A8 ※ 436.9 L2008-5591	彌 183A9 ※ 436.9 L2008-5380	183B9 ※ 436.10 L2008-5735	彌 183CE ※ 436.11 L2008-5533	彌 183E1 ※ 436.12 L2008-5247	彌 183E2 ※ 436.12 L2008-5177
18396 ※ 434.12 L2008-5337	叢 18397 ※ 434.12 L2008-5667	183AA ※ 436.9 L2008-5612	彌 183AB ※ 436.10 L2008-5157	183BC ※ 436.10 L2008-5581	彌 183BD ※ 436.10 L2008-5686	彌 183D0 ※ 436.11 L2008-5307	彌 183E4 ※ 436.12 L2008-5221
18398 ※ 434.13 L2008-5242	并 18399 ※ 434.13 L2008-5454	183AC ※ 436.10 L2008-5241	彌 183AD ※ 436.10 L2008-5169	183BE ※ 436.10 L2008-5644	彌 183BF ※ 436.10 L2008-5160	彌 183D1 ※ 436.11 L2008-5393	彌 183E5 ※ 436.12 L2008-5330
1839A ※ 434.13 L2008-5602	并 1839B ※ 434.14 L2008-5340	183AE ※ 436.10 L2008-5212	彌 183AF ※ 436.10 L2008-5236	183C0 ※ 436.11 L2008-5304	彌 183C1 ※ 436.11 L2008-5448	彌 183D2 ※ 436.11 L2008-5390	彌 183E6 ※ 436.12 L2008-5183
				183C2 ※ 436.11 L2008-5159	彌 183C3 ※ 436.11 L2008-5246	彌 183D3 ※ 436.11 L2008-5383	彌 183E7 ※ 436.12 L2008-5322
				183C4 ※ 436.11 L2008-5448	彌 183D4 ※ 436.11 L2008-5372	彌 183D5 ※ 436.11 L2008-5389	彌 183E8 ※ 436.12 L2008-5655
				183C5 ※ 436.11 L2008-5448	彌 183D6 ※ 436.11 L2008-5800	彌 183D7 ※ 436.11 L2008-5750	彌 183E9 ※ 436.12 L2008-5397
				183C6 ※ 436.11 L2008-5158	彌 183D8 ※ 436.11 L2008-5736	彌 183EA ※ 436.12 L2008-5654	彌 183EB ※ 436.12 L2008-5474

IECNORM.COM · Click to view the full PDF · ISO/IEC 10646:2017/Amd.2:2019(E) · 2019-02-19

183EC 曼 436.12	𢃔	18400 曼 436.13	𢃔	18414 曼 436.13	𢃔	18428 曼 436.14	𢃔	1843C 曼 436.16	𢃔
	L2008-5592		L2008-5233		L2008-5771		L2008-5584		L2008-5484
183ED 曼 436.12	𢃔	18401 曼 436.13	𢃔	18415 曼 436.14	𢃔	18429 曼 436.14	𢃔	1843D 曼 436.16	𢃔
	L2008-5343		L2008-5216		L2008-5184		L2008-5607		L2008-5475
183EE 曼 436.12	𢃔	18402 曼 436.13	𢃔	18416 曼 436.14	𢃔	1842A 曼 436.14	𢃔	1843E 曼 436.16	𢃔
	L2008-5321		L2008-5192		L2008-5765		L2008-5245		L2008-5482
183EF 曼 436.12	𢃔	18403 曼 436.13	𢃔	18417 曼 436.14	𢃔	1842B 曼 436.15	𢃔	1843F 曼 436.16	𢃔
	L2008-5318		N1966-236-07G		L2008-5486		L2008-5769		L2008-5459
183F0 曼 436.12	𢃔	18404 曼 436.13	𢃔	18418 曼 436.14	𢃔	1842C 曼 436.15	𢃔	18440 曼 436.16	𢃔
	L2008-5392		L2008-5226		L2008-5217		L2008-5481		L2008-5378
183F1 曼 436.12	𢃔	18405 曼 436.13	𢃔	18419 曼 436.14	𢃔	1842D 曼 436.15	𢃔	18441 曼 436.16	𢃔
	L2008-5391		L2008-5208		L2008-5334		L2008-5487		L2008-5797
183F2 曼 436.12	𢃔	18406 曼 436.13	𢃔	1841A 曼 436.14	𢃔	1842E 曼 436.15	𢃔	18442 曼 436.16	𢃔
	L2008-5742		L2008-5404		L2008-5178		L2008-6065		L2008-5213
183F3 曼 436.12	𢃔	18407 曼 436.13	𢃔	1841B 曼 436.14	𢃔	1842F 曼 436.15	𢃔	18443 曼 436.16	𢃔
	L2008-5790		L2008-5373		L2008-5727		L2008-5341		L1986-4840
183F4 曼 436.12	𢃔	18408 曼 436.13	𢃔	1841C 曼 436.14	𢃔	18430 曼 436.15	𢃔	18444 曼 436.16	𢃔
	L2008-5788		L2008-5758		L2008-6063		L2008-5312		L2008-5336
183F5 曼 436.12	𢃔	18409 曼 436.13	𢃔	1841D 曼 436.14	𢃔	18431 曼 436.15	𢃔	18445 曼 436.16	𢃔
	L2008-5759		L2008-5791		L2008-5339		L2008-5335		L2008-5631
183F6 曼 436.12	𢃔	1840A 曼 436.13	𢃔	1841E 曼 436.14	𢃔	18432 曼 436.15	𢃔	18446 曼 436.16	𢃔
	L2008-5728		L2008-5760		L2008-5639		L2008-5206		L2008-5649
183F7 曼 436.12	𢃔	1840B 曼 436.13	𢃔	1841F 曼 436.14	𢃔	18433 曼 436.15	𢃔	18447 曼 436.16	𢃔
	L2008-5751		L2008-5724		L2008-5450		L2008-5302		L2008-5209
183F8 曼 436.12	𢃔	1840C 曼 436.13	𢃔	18420 曼 436.14	𢃔	18434 曼 436.15	𢃔	18448 曼 436.16	𢃔
	L2008-5442		L2008-5763		L2008-5377		L2008-5585		L2008-5188
183F9 曼 436.12	𢃔	1840D 曼 436.13	𢃔	18421 曼 436.14	𢃔	18435 曼 436.15	𢃔	18449 曼 436.17	𢃔
	L2008-5583		L2008-5601		L2008-5379		L2008-5648		L2008-5172
183FA 曼 436.12	𢃔	1840E 曼 436.13	𢃔	18422 曼 436.14	𢃔	18436 曼 436.15	𢃔	1844A 曼 436.17	𢃔
	L2008-5796		L2008-5456		L2008-5608		L2008-5586		L2008-5231
183FB 曼 436.12	𢃔	1840F 曼 436.13	𢃔	18423 曼 436.14	𢃔	18437 曼 436.15	𢃔	1844B 曼 436.17	𢃔
	L2008-5489		L2008-5449		L2008-5744		L2008-5682		L2008-6071
183FC 曼 436.12	𢃔	18410 曼 436.13	𢃔	18424 曼 436.14	𢃔	18438 曼 436.16	𢃔	1844C 曼 436.17	𢃔
	L2008-5646		L2008-5628		L2008-5737		L2008-5483		L2008-5726
183FD 曼 436.13	𢃔	18411 曼 436.13	𢃔	18425 曼 436.14	𢃔	18439 曼 436.16	𢃔	1844D 曼 436.17	𢃔
	L2008-5323		L2008-5445		L2008-5764		L2008-5229		L2008-5770
183FE 曼 436.13	𢃔	18412 曼 436.13	𢃔	18426 曼 436.14	𢃔	1843A 曼 436.16	𢃔	1844E 曼 436.17	𢃔
	L2008-5478		L2008-5683		L2008-5729		L2008-5461		L2008-6069
183FF 曼 436.13	𢃔	18413 曼 436.13	𢃔	18427 曼 436.14	𢃔	1843B 曼 436.16	𢃔	1844F 曼 436.17	𢃔
	L2008-5460		L2008-5443		L2008-5647		L2008-5476		L2008-5772

18450 436.18 L2008-5477	𢃤	18464 442.13 L2008-0370	𢃥	18478 452.12 L2008-1417	𢃦	1848C 458.14 L2008-1472	𢃧	184A0 458.20 L2006-1186
18451 436.18 L2008-5663	𢃨	18465 444.13 L2008-0940	𢃩	18479 452.13 L2008-0315	𢃪	1848D 458.14 L2008-0934	𢃨	184A1 459.18 L2008-0096
18452 436.18 L2008-5662	𢃨	18466 446.10 L2008-1037	𢃫	1847A 452.13 L2008-0299	𢃪	1848E 458.14 L2008-1408	𢃨	184A2 459.18 L2008-1130
18453 436.19 L2008-5485	𢃨	18467 446.13 L2008-1132	𢃫	1847B 452.13 L2008-1389	𢃪	1848F 458.14 L2008-1531	𢃨	184A3 461.9 L2008-1045
18454 436.19 L2008-5732	𢃨	18468 446.13 L2008-0645	𢃩	1847C 452.15 L2008-0794	𢃪	18490 458.15 L2008-1462	𢃨	184A4 461.10 L2008-0646
18455 436.20 L2008-5473	𢃨	18469 447.9 L2008-1066	𢃪	1847D 452.17 L2008-0277	𢃪	18491 458.15 L2008-1366	𢃨	184A5 461.10 L2008-0483
18456 436.20 L2008-5730	𢃨	1846A 448.15 L2008-0417	𢃫	1847E 453.10 L2008-0240	𢃪	18492 458.15 L2008-1428	𢃨	184A6 461.11 L2008-1054
18457 437.9 L2008-4871	𢃨	1846B 449.9 L2008-0404	𢃫	1847F 453.11 L2008-0242	𢃪	18493 458.15 L2008-0975	𢃨	184A7 461.13 L2008-0196
18458 437.10 L2008-4860	𢃨	1846C 449.10 L2008-0615	𢃪	18480 453.11 L2008-0241	𢃪	18494 458.16 L2008-1167	𢃨	184A8 461.13 L2008-0771
18459 438.16 L2008-1458	𢃨	1846D 449.10 L2008-0609	𢃩	18481 453.11 L2008-1152	𢃪	18495 458.16 L2008-1503	𢃨	184A9 461.13 L2008-0524
1845A 440.7 L2008-1016	𢃨	1846E 449.12 L2008-0725	𢃪	18482 455.11 L2008-0683	𢃪	18496 458.16 L2008-1535	𢃨	184AA 461.14 L2008-1117
1845B 442.7 L2008-0526	𢃨	1846F 449.12 L2008-1468	𢃪	18483 456.13 L2008-1086	𢃪	18497 458.17 L2008-1095	𢃨	184AB 462.10 L2008-5871
1845C 442.8 L2008-0780	𢃨	18470 449.13 L2008-1806	𢃪	18484 458.10 L2008-1255	𢃪	18498 458.17 L2008-1199	𢃨	184AC 462.10 L2008-5976
1845D 442.10 L2008-0246	𢃨	18471 449.14 L2008-0414	𢃪	18485 458.12 L2008-1025	𢃪	18499 458.17 L2008-1305	𢃨	184AD 462.11 L2008-5833
1845E 442.11 L2008-0531	𢃨	18472 451.8 L2008-1030	𢃪	18486 458.12 L2008-1061	𢃪	1849A 458.17 L2008-1508	𢃨	184AE 462.11 L2008-5869
1845F 442.11 L2008-0694	𢃨	18473 452.9 L2008-0247	𢃪	18487 458.13 L2008-1526	𢃪	1849B 458.17 L2008-1512	𢃨	184AF 462.11 L2008-5892
18460 442.11 L2008-1237	𢃨	18474 452.10 L2008-1184	𢃪	18488 325.13 L2008-1510	𢃪	1849C 458.18 L2008-0954	𢃨	184B0 462.12 L2008-5977
18461 442.12 L2008-0387	𢃨	18475 452.11 L2008-1711	𢃪	18489 458.14 L2008-1345	𢃪	1849D 458.19 L2008-0976	𢃨	184B1 462.12 L2008-5991
18462 442.12 L2008-0682	𢃨	18476 452.12 L2008-1724	𢃪	1848A 458.14 L2008-1094	𢃪	1849E 458.19 L2008-0904	𢃨	184B2 462.12 L2008-5978
18463 442.12 L2008-0881	𢃨	18477 452.12 L2008-0814	𢃪	1848B 458.14 L2008-0953	𢃪	1849F 458.19 L2008-1186	𢃨	184B3 462.12 L2008-5939

18770 693.14	𢃔	18784 701.14	𢃔	18798 711.16	𢃔	187AC 717.16	𢃔	187C0 727.11	𢃔
	L2008-5622		L2008-1696		L2008-1577		L2008-5698		L2008-0046
18771 693.15	𢃔	18785 701.19	𢃔	18799 711.16	𢃔	187AD 717.16	𢃔	187C1 727.15	𢃔
	L2008-5324		L2008-1372		L2008-1582		L2008-5717		L2008-0210
18772 693.15	𢃔	18786 702.9	𢃔	1879A 711.17	𢃔	187AE 718.14	𢃔	187C2 727.15	𢃔
	L2008-5451		L2008-1475		L2008-0740		L2008-5743		L2008-0508
18773 693.15	𢃔	18787 702.14	𢃔	1879B 711.18	𢃔	187AF 719.12	𢃔	187C3 728.11	𢃔
	L2008-5795		L2008-1789		L2008-1578		L2008-5436		L2008-0118
18774 693.15	𢃔	18788 702.16	𢃔	1879C 711.19	𢃔	187B0 719.16	𢃔	187C4 728.15	𢃔
	L2008-6064		L2008-1439		L2008-1583		L2008-5761		L2008-0597
18775 694.9	𢃔	18789 703.13	𢃔	1879D 713.10	𢃔	187B1 720.10	𢃔	187C5 729.11	𢃔
	L2008-1245		L2008-0262		L2008-0031		L2008-0900		L2008-0063
18776 694.13	𢃔	1878A 703.15	𢃔	1879E 713.13	𢃔	187B2 720.17	𢃔	187C6 729.15	𢃔
	L2008-0582		L2008-0565		L2008-1019		L2008-0910		L2008-0782
18777 695.16	𢃔	1878B 703.15	𢃔	1879F 713.17	𢃔	187B3 721.10	𢃔	187C7 730.11	𢃔
	L2008-0470		L2008-1745		L2008-1621		L2008-0527		L2008-0002
18778 695.17	𢃔	1878C 704.9	𢃔	187A0 714.13	𢃔	187B4 721.15	𢃔	187C8 730.17	𢃔
	L2008-1835		L2008-0902		L2008-3971		L2008-0595		L2008-1581
18779 696.13	𢃔	1878D 704.11	𢃔	187A1 714.16	𢃔	187B5 722.14	𢃔	187C9 730.19	𢃔
	L2008-0156		L2008-0739		L2008-3941		L2008-0596		L2008-0741
1877A 696.15	𢃔	1878E 705.14	𢃔	187A2 714.16	𢃔	187B6 722.17	𢃔	187CA 731.22	𢃔
	L2008-1580		L2008-0640		L2008-3997		L2008-1876		L2008-4452
1877B 697.9	𢃔	1878F 706.16	𢃔	187A3 714.19	𢃔	187B7 723.16	𢃔	187CB 732.11	𢃔
	L2008-1034		L2008-0884		L2008-3940		L2008-0334		L2008-0045
1877C 697.14	𢃔	18790 707.10	𢃔	187A4 716.10	𢃔	187B8 724.14	𢃔	187CC 732.16	𢃔
	L2008-0977		L2008-0151		L2008-4874		L2008-0519		L2008-0512
1877D 697.15	𢃔	18791 707.16	𢃔	187A5 716.13	𢃔	187B9 725.10	𢃔	187CD 733.16	𢃔
	L2008-0511		L2008-1841		L2008-5636		L2008-1156		L2008-4665
1877E 698.9	𢃔	18792 707.18	𢃔	187A6 716.14	𢃔	187BA 725.17	𢃔	187CE 733.21	𢃔
	L2008-1142		L2008-1833		L2008-5637		L2008-0337		L2008-4634
1877F 698.12	𢃔	18793 708.17	𢃔	187A7 717.10	𢃔	187BB 725.19	𢃔	187CF 735.16	𢃔
	L2008-1222		L2008-0676		L2008-4777		L2008-1185		L2008-3883
18780 698.14	𢃔	18794 709.15	𢃔	187A8 717.12	𢃔	187BC 726.11	𢃔	187D0 736.12	𢃔
	L2008-1740		L2008-4462		L2008-5425		L2008-0003		L2008-5495
18781 698.14	𢃔	18795 709.18	𢃔	187A9 717.13	𢃔	187BD 726.15	𢃔	187D1 736.17	𢃔
	L2008-1241		L2008-6051		L2008-5126		L2008-0477		L2008-5493
18782 700.15	𢃔	18796 710.14	𢃔	187AA 717.14	𢃔	187BE 726.15	𢃔	187D2 736.21	𢃔
	L2008-1118		L2008-4442		L2008-5356		L2008-1579		L2008-5494
18783 701.14	𢃔	18797 711.10	𢃔	187AB 717.16	𢃔	187BF 726.16	𢃔	187D3 737.15	𢃔
	L2008-1329		L2008-0001		L2008-5368		L2008-0476		L2008-0583

187D4 738.11	貢 L2008-1035	187E8 752.18	𢵤 L2008-5787
187D5 738.13	亂 L2008-0763	187E9 753.20	𢵥 L2008-5779
187D6 739.15	𢵦 L2008-1031	187EA 755.16	𢵧 L2008-4995
187D7 740.12	𢵨 L2008-0039	187EB 755.19	𢵪 L2008-5205
187D8 740.17	𢵩 L2008-1041	187EC 755.20	𢵪 L2008-5203
187D9 741.12	靡 L2008-3830	187ED 𢵯 195.14	𢵫 L2012-6075
187DA 741.15	靡 L2008-3957	187EE 𢵯 308.14	𢵫 L2012-6076
187DB 742.12	𢵪 L2008-4882	187EF 𢵯 415.13	𢵪 L2012-6077
187DC 742.14	𢵮 L2008-5437	187FO 𢵯 308.17	𢵮 UTN42-004
187DD 744.16	𢵮 L2008-5309	187F1 𢵯 415.11	𢵮 UTN42-005
187DE 745.12	𢵯 L2008-5037	187F2 𢵯 42.15	𢵯 UTN42-006
187DF 745.18	𢵯 L2008-5778	187F3 𢵯 185.12	𢵯 UTN42-007
187E0 746.12	𢵯 L2008-1338	187F4 𢵯 73.11	𢵯 UTN42-008
187E1 746.13	𢵯 L2008-1265	187F5 𢵯 383.18	𢵯 UTN42-009
187E2 746.17	𢵯 L2008-0373	187F6 𢵯 79.14	𢵯 UTN42-010
187E3 748.12	𢵯 L2008-0930	187F7 𢵯 79.19	𢵯 UTN42-011
187E4 748.16	𢵯 L2008-0487		
187E5 750.13	𢵯 L2008-1888		
187E6 750.18	𢵯 L2008-3301		
187E7 751.18	𢵯 L2008-5794		

IECNORM.CC
Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	188A	188B	188C	188D	188E	188F
0	一 18800	川 18810	彔 18820	兀 18830	𠂇 18840	彔 18850	手 18860	爻 18870	𠂇 18880	冬 18890	广 188A0	𠂇 188B0	彔 188C0	市 188D0	𢃉 188E0	𠂇 188F0
1	丨 18801	𠂇 18811	𢃉 18821	𢃉 18831	彳 18841	彔 18851	丰 18861	爻 18871	𠂇 18881	𠂇 18891	𠂇 188A1	𠂇 188B1	𢃉 188C1	𠂇 188D1	𠂇 188E1	𠂇 188F1
2	ノ 18802	𠂇 18812	匕 18822	扌 18832	乡 18842	彔 18852	𠂇 18862	彔 18872	𠂇 18882	父 18892	半 188A2	𠂇 188B2	𠂇 188C2	毛 188D2	𠂇 188E2	𠂇 188F2
3	刀 18803	𠂇 18813	𠂇 18823	彔 18833	父 18843	土 18853	𠂇 18863	三 18873	𠂇 18883	冬 18893	𠂇 188A3	𠂇 188B3	𢃉 188C3	老 188D3	𠂇 188E3	𠂇 188F3
4	彔 18804	𠂇 18814	𠂇 18824	𠂇 18834	父 18844	𠂇 18854	𠂇 18864	𠂇 18874	手 18884	冬 18894	𠂇 188A4	𠂇 188B4	𠂇 188C4	𠂇 188D4	𠂇 188E4	𠂇 188F4
5	彔 18805	𠂇 18815	𠂇 18825	𠂇 18835	父 18845	𠂇 18855	𠂇 18865	𠂇 18875	𠂇 18885	𠂇 18895	𠂇 188A5	𠂇 188B5	𠂇 188C5	𠂇 188D5	𠂇 188E5	𠂇 188F5
6	𠂇 18806	𠂇 18816	𠂇 18826	𠂇 18836	𠂇 18846	𠂇 18856	𠂇 18866	𠂇 18876	𠂇 18886	𠂇 18896	𠂇 188A6	𠂇 188B6	𠂇 188C6	𠂇 188D6	𠂇 188E6	𠂇 188F6
7	𠂇 18807	𠂇 18817	𠂇 18827	𠂇 18837	𠂇 18847	𠂇 18857	𠂇 18867	𠂇 18877	𠂇 18887	𠂇 18897	𠂇 188A7	𠂇 188B7	𠂇 188C7	𠂇 188D7	𠂇 188E7	𠂇 188F7
8	𠂇 18808	𠂇 18818	干 18828	𠂇 18838	广 18848	𠂇 18858	𠂇 18868	𠂇 18878	𠂇 18888	𠂇 18898	𠂇 188A8	𠂇 188B8	𠂇 188C8	𠂇 188D8	𠂇 188E8	𠂇 188F8
9	𠂇 18809	𠂇 18819	𠂇 18829	𠂇 18839	𠂇 18849	𠂇 18859	𠂇 18869	𠂇 18879	𠂇 18889	𠂇 18899	𠂇 188A9	𠂇 188B9	𠂇 188C9	𠂇 188D9	𠂇 188E9	𠂇 188F9
A	𠂇 1880A	𠂇 1881A	𠂇 1882A	𠂇 1883A	𠂇 1884A	𠂇 1885A	𠂇 1886A	𠂇 1887A	𠂇 1888A	𠂇 1889A	𠂇 188AA	𠂇 188BA	𠂇 188CA	𠂇 188DA	𠂇 188EA	𠂇 188FA
B	𠂇 1880B	𠂇 1881B	𠂇 1882B	𠂇 1883B	𠂇 1884B	𠂇 1885B	𠂇 1886B	𠂇 1887B	𠂇 1888B	𠂇 1889B	𠂇 188AB	𠂇 188BB	𠂇 188CB	𠂇 188DB	𠂇 188EB	𠂇 188FB
C	𠂇 1880C	𠂇 1881C	𠂇 1882C	𠂇 1883C	𠂇 1884C	𠂇 1885C	𠂇 1886C	𠂇 1887C	𠂇 1888C	𠂇 1889C	𠂇 188AC	𠂇 188BC	𠂇 188CC	𠂇 188DC	𠂇 188EC	𠂇 188FC
D	𠂇 1880D	𠂇 1881D	𠂇 1882D	𠂇 1883D	𠂇 1884D	𠂇 1885D	𠂇 1886D	𠂇 1887D	𠂇 1888D	𠂇 1889D	𠂇 188AD	𠂇 188BD	𠂇 188CD	𠂇 188DD	𠂇 188ED	𠂇 188FD
E	𠂇 1880E	𠂇 1881E	𠂇 1882E	𠂇 1883E	𠂇 1884E	𠂇 1885E	𠂇 1886E	𠂇 1887E	𠂇 1888E	𠂇 1889E	𠂇 188AE	𠂇 188BE	𠂇 188CE	𠂇 188DE	𠂇 188EE	𠂇 188FE
F	𠂇 1880F	𠂇 1881F	𠂇 1882F	𠂇 1883F	𠂇 1884F	𠂇 1885F	𠂇 1886F	𠂇 1887F	𠂇 1888F	𠂇 1889F	𠂇 188AF	𠂇 188BF	𠂇 188CF	𠂇 188DF	𠂇 188EF	𠂇 188FF

Click to view the full PDF of ISO/IEC 10646:2019(E) Amendment 2:2019

1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	189A	189B	189C	189D	189E	189F
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

0 18900	帀 18910	昜 18920	昦 18930	罕 18940	𠩺 18950	𢃥 18960	𠩵 18970	𠩷 18980	𠩸 18990	𠩹 189A0	𠩻 189B0	𠩻 189C0	𠩻 189D0	𠩻 189E0	𠩻 189F0
1 18901	𠩵 18911	𠩵 18921	𠩵 18931	𠩵 18941	𠩵 18951	𠩵 18961	𠩵 18971	𠩵 18981	𠩵 18991	𠩵 189A1	𠩵 189B1	𠩵 189C1	𠩵 189D1	𠩵 189E1	𠩵 189F1
2 18902	𠩵 18912	𠩵 18922	𠩵 18932	𠩵 18942	𠩵 18952	𠩵 18962	𠩵 18972	𠩵 18982	𠩵 18992	𠩵 189A2	𠩵 189B2	𠩵 189C2	𠩵 189D2	𠩵 189E2	𠩵 189F2
3 18903	𠩵 18913	𠩵 18923	𠩵 18933	𠩵 18943	𠩵 18953	𠩵 18963	𠩵 18973	𠩵 18983	𠩵 18993	𠩵 189A3	𠩵 189B3	𠩵 189C3	𠩵 189D3	𠩵 189E3	𠩵 189F3
4 18904	𠩵 18914	𠩵 18924	𠩵 18934	𠩵 18944	𠩵 18954	𠩵 18964	𠩵 18974	𠩵 18984	𠩵 18994	𠩵 189A4	𠩵 189B4	𠩵 189C4	𠩵 189D4	𠩵 189E4	𠩵 189F4
5 18905	𠩵 18915	𠩵 18925	𠩵 18935	𠩵 18945	𠩵 18955	𠩵 18965	𠩵 18975	𠩵 18985	𠩵 18995	𠩵 189A5	𠩵 189B5	𠩵 189C5	𠩵 189D5	𠩵 189E5	𠩵 189F5
6 18906	父 18916	支 18926	𠩵 18936	𠩵 18946	𠩵 18956	𠩵 18966	𠩵 18976	𠩵 18986	𠩵 18996	𠩵 189A6	𠩵 189B6	𠩵 189C6	𠩵 189D6	𠩵 189E6	𠩵 189F6
7 18907	𠩵 18917	𠩵 18927	𠩵 18937	𠩵 18947	𠩵 18957	𠩵 18967	𠩵 18977	𠩵 18987	𠩵 18997	𠩵 189A7	𠩵 189B7	𠩵 189C7	𠩵 189D7	𠩵 189E7	𠩵 189F7
8 18908	𠩵 18918	𠩵 18928	𠩵 18938	𠩵 18948	𠩵 18958	𠩵 18968	𠩵 18978	𠩵 18988	𠩵 18998	𠩵 189A8	𠩵 189B8	𠩵 189C8	𠩵 189D8	𠩵 189E8	𠩵 189F8
9 18909	𠩵 18919	𠩵 18929	𠩵 18939	𠩵 18949	𠩵 18959	𠩵 18969	𠩵 18979	𠩵 18989	𠩵 18999	𠩵 189A9	𠩵 189B9	𠩵 189C9	𠩵 189D9	𠩵 189E9	𠩵 189F9
A 1890A	𠩵 1891A	𠩵 1892A	𠩵 1893A	𠩵 1894A	𠩵 1895A	𠩵 1896A	𠩵 1897A	𠩵 1898A	𠩵 1899A	𠩵 189AA	𠩵 189BA	𠩵 189CA	𠩵 189DA	𠩵 189EA	𠩵 189FA
B 1890B	𠩵 1891B	𠩵 1892B	𠩵 1893B	𠩵 1894B	𠩵 1895B	𠩵 1896B	𠩵 1897B	𠩵 1898B	𠩵 1899B	𠩵 189AB	𠩵 189BB	𠩵 189CB	𠩵 189DB	𠩵 189EB	𠩵 189FB
C 1890C	𠩵 1891C	𠩵 1892C	𠩵 1893C	𠩵 1894C	𠩵 1895C	𠩵 1896C	𠩵 1897C	𠩵 1898C	𠩵 1899C	𠩵 189AC	𠩵 189BC	𠩵 189CC	𠩵 189DC	𠩵 189EC	𠩵 189FC
D 1890D	𠩵 1891D	𠩵 1892D	𠩵 1893D	𠩵 1894D	𠩵 1895D	𠩵 1896D	𠩵 1897D	𠩵 1898D	𠩵 1899D	𠩵 189AD	𠩵 189BD	𠩵 189CD	𠩵 189DD	𠩵 189ED	𠩵 189FD
E 1890E	𠩵 1891E	𠩵 1892E	𠩵 1893E	𠩵 1894E	𠩵 1895E	𠩵 1896E	𠩵 1897E	𠩵 1898E	𠩵 1899E	𠩵 189AE	𠩵 189BE	𠩵 189CE	𠩵 189DE	𠩵 189EE	𠩵 189FE
F 1890F	𠩵 1891F	𠩵 1892F	𠩵 1893F	𠩵 1894F	𠩵 1895F	𠩵 1896F	𠩵 1897F	𠩵 1898F	𠩵 1899F	𠩵 189AF	𠩵 189BF	𠩵 189CF	𠩵 189DF	𠩵 189EF	𠩵 189FF

	18A0	18A1	18A2	18A3	18A4	18A5	18A6	18A7	18A8	18A9	18AA	18AB	18AC	18AD	18AE	18AF
0	耑	𠂔	并	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔
1	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔
2	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔
3	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔
4	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔
5	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔
6	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔
7	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔
8	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔
9	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔
A	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔
B	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔
C	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔
D	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔
E	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔
F	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔	𠂔

This is a superset of components used in various Tangut sources. Indexes of components (001..755) used for Tangut ideographs are shown in the Tangut block.

One-stroke components

18800	一	TANGUT COMPONENT-001
18801		TANGUT COMPONENT-002
18802	ノ	TANGUT COMPONENT-003
18803	丨	TANGUT COMPONENT-004
18804	弌	TANGUT COMPONENT-005
18805	弌	TANGUT COMPONENT-006
18806	𠂔	TANGUT COMPONENT-007
18807	𠂔	TANGUT COMPONENT-008
18808	𠂔	TANGUT COMPONENT-009
18809	𠂔	TANGUT COMPONENT-010

Two-stroke components

1880A	二	TANGUT COMPONENT-011
1880B	厂	TANGUT COMPONENT-012
1880C	丨	TANGUT COMPONENT-013
1880D	丨	TANGUT COMPONENT-014
1880E	十	TANGUT COMPONENT-015
1880F	丨	TANGUT COMPONENT-016
18810	丨	TANGUT COMPONENT-017
18811	𠂔	TANGUT COMPONENT-018
18812	𠂔	TANGUT COMPONENT-019
18813	𠂔	TANGUT COMPONENT-020
18814	𠂔	TANGUT COMPONENT-021
18815	丨	TANGUT COMPONENT-022
18816	丨	TANGUT COMPONENT-023
18817	𠂔	TANGUT COMPONENT-024
18818	𠂔	TANGUT COMPONENT-025
18819	一	TANGUT COMPONENT-026
1881A	ノ	TANGUT COMPONENT-027
1881B	ニ	TANGUT COMPONENT-028
1881C	丨	TANGUT COMPONENT-029
1881D	丨	TANGUT COMPONENT-030
1881E	ヰ	TANGUT COMPONENT-031
1881F	ヰ	TANGUT COMPONENT-032
18820	ヰ	TANGUT COMPONENT-033
18821	ヰ	TANGUT COMPONENT-034
18822	ヰ	TANGUT COMPONENT-035
18823	ヰ	TANGUT COMPONENT-036
18824	ヰ	TANGUT COMPONENT-037
18825	ヰ	TANGUT COMPONENT-038

Three-stroke components

18826	匚	TANGUT COMPONENT-039
18827	丨	TANGUT COMPONENT-040
18828	丨	TANGUT COMPONENT-041
18829	ヰ	TANGUT COMPONENT-042
1882A	𠂔	TANGUT COMPONENT-043
1882B	𠂔	TANGUT COMPONENT-044
1882C	𠂔	TANGUT COMPONENT-045
1882D	ヰ	TANGUT COMPONENT-046
1882E	𠂔	TANGUT COMPONENT-047
1882F	匚	TANGUT COMPONENT-048
18830	匚	TANGUT COMPONENT-049
18831	ヰ	TANGUT COMPONENT-050
18832	ヰ	TANGUT COMPONENT-051
18833	ヰ	TANGUT COMPONENT-052
18834	ヰ	TANGUT COMPONENT-053
18835	ヰ	TANGUT COMPONENT-054

18836	𠂔	TANGUT COMPONENT-055
18837	𠂔	TANGUT COMPONENT-056
18838	𠂔	TANGUT COMPONENT-057
18839	𠂔	TANGUT COMPONENT-058
1883A	𠂔	TANGUT COMPONENT-059
1883B	𠂔	TANGUT COMPONENT-060
1883C	𠂔	TANGUT COMPONENT-061
1883D	𠂔	TANGUT COMPONENT-062
1883E	𠂔	TANGUT COMPONENT-063
1883F	𠂔	TANGUT COMPONENT-064
18840	𠂔	TANGUT COMPONENT-065
18841	𠂔	TANGUT COMPONENT-066
18842	𠂔	TANGUT COMPONENT-067
18843	𠂔	TANGUT COMPONENT-068
18844	𠂔	TANGUT COMPONENT-069
18845	𠂔	TANGUT COMPONENT-070
18846	𠂔	TANGUT COMPONENT-071
18847	𠂔	TANGUT COMPONENT-072
18848	𠂔	TANGUT COMPONENT-073
18849	ヰ	TANGUT COMPONENT-074
1884A	ヰ	TANGUT COMPONENT-075
1884B	ヰ	TANGUT COMPONENT-076
1884C	ヰ	TANGUT COMPONENT-077
1884D	ヰ	TANGUT COMPONENT-078
1884E	ヰ	TANGUT COMPONENT-079
1884F	ヰ	TANGUT COMPONENT-080
18850	ヰ	TANGUT COMPONENT-081
18851	ヰ	TANGUT COMPONENT-082
18852	ヰ	TANGUT COMPONENT-083
18853	ヰ	TANGUT COMPONENT-084
18854	ヰ	TANGUT COMPONENT-085
18855	ヰ	TANGUT COMPONENT-086
18856	ヰ	TANGUT COMPONENT-087
18857	ヰ	TANGUT COMPONENT-088
18858	ヰ	TANGUT COMPONENT-089
18859	ヰ	TANGUT COMPONENT-090
1885A	ヰ	TANGUT COMPONENT-091
1885B	ヰ	TANGUT COMPONENT-092
1885C	ヰ	TANGUT COMPONENT-093
1885D	ヰ	TANGUT COMPONENT-094
1885E	ヰ	TANGUT COMPONENT-095
1885F	ヰ	TANGUT COMPONENT-096

Four-stroke components

18860	ヰ	TANGUT COMPONENT-097
18861	ヰ	TANGUT COMPONENT-098
18862	ヰ	TANGUT COMPONENT-099
18863	ヰ	TANGUT COMPONENT-100
18864	ヰ	TANGUT COMPONENT-101
18865	ヰ	TANGUT COMPONENT-102
18866	ヰ	TANGUT COMPONENT-103
18867	ヰ	TANGUT COMPONENT-104
18868	ヰ	TANGUT COMPONENT-105
18869	ヰ	TANGUT COMPONENT-106
1886A	ヰ	TANGUT COMPONENT-107
1886B	ヰ	TANGUT COMPONENT-108
1886C	ヰ	TANGUT COMPONENT-109
1886D	ヰ	TANGUT COMPONENT-110
1886E	ヰ	TANGUT COMPONENT-111
1886F	ヰ	TANGUT COMPONENT-112
18870	ヰ	TANGUT COMPONENT-113
18871	ヰ	TANGUT COMPONENT-114

IEC PRAM.COM - Download the full PDF at IECPRAM.COM

18872	𢂔	TANGUT COMPONENT-115
18873	𢂕	TANGUT COMPONENT-116
18874	𢂖	TANGUT COMPONENT-117
18875	𢂗	TANGUT COMPONENT-118
18876	𢂘	TANGUT COMPONENT-119
18877	𢂙	TANGUT COMPONENT-120
18878	𢂚	TANGUT COMPONENT-121
18879	𢂛	TANGUT COMPONENT-122
1887A	𢂜	TANGUT COMPONENT-123
1887B	𢂝	TANGUT COMPONENT-124
1887C	𢂞	TANGUT COMPONENT-125
1887D	𢂟	TANGUT COMPONENT-126
1887E	𢂠	TANGUT COMPONENT-127
1887F	𢂡	TANGUT COMPONENT-128
18880	𢂢	TANGUT COMPONENT-129
18881	𢂣	TANGUT COMPONENT-130
18882	𢂤	TANGUT COMPONENT-131
18883	𢂥	TANGUT COMPONENT-132
18884	𢂦	TANGUT COMPONENT-133
18885	𢂧	TANGUT COMPONENT-134
18886	𢂩	TANGUT COMPONENT-135
18887	𢂪	TANGUT COMPONENT-136
18888	𢂨	TANGUT COMPONENT-137
18889	𢂩	TANGUT COMPONENT-138
1888A	𢂪	TANGUT COMPONENT-139
1888B	𢂫	TANGUT COMPONENT-140
1888C	𢂬	TANGUT COMPONENT-141
1888D	𢂭	TANGUT COMPONENT-142
1888E	𢂮	TANGUT COMPONENT-143
1888F	𢂯	TANGUT COMPONENT-144
18890	𢂰	TANGUT COMPONENT-145
18891	𢂱	TANGUT COMPONENT-146
18892	𢂲	TANGUT COMPONENT-147
18893	𢂳	TANGUT COMPONENT-148
18894	𢂴	TANGUT COMPONENT-149
18895	𢂵	TANGUT COMPONENT-150
18896	𢂶	TANGUT COMPONENT-151
18897	𢂷	TANGUT COMPONENT-152
18898	𢂸	TANGUT COMPONENT-153
18899	𢂹	TANGUT COMPONENT-154
1889A	𢂺	TANGUT COMPONENT-155
1889B	𢂻	TANGUT COMPONENT-156
1889C	𢂼	TANGUT COMPONENT-157
1889D	𢂽	TANGUT COMPONENT-158
1889E	𢂾	TANGUT COMPONENT-159
1889F	𢂿	TANGUT COMPONENT-160
188A0	𢂿	TANGUT COMPONENT-161
188A1	𢂿	TANGUT COMPONENT-162
188A2	𢂿	TANGUT COMPONENT-163
188A3	𢂿	TANGUT COMPONENT-164
188A4	𢂿	TANGUT COMPONENT-165
188A5	𢂿	TANGUT COMPONENT-166
188A6	𢂿	TANGUT COMPONENT-167
188A7	𢂿	TANGUT COMPONENT-168
188A8	𢂿	TANGUT COMPONENT-169
188A9	𢂿	TANGUT COMPONENT-170
188AA	𢂿	TANGUT COMPONENT-171
188AB	𢂿	TANGUT COMPONENT-172
188AC	𢂿	TANGUT COMPONENT-173
188AD	𢂿	TANGUT COMPONENT-174
188AE	𢂿	TANGUT COMPONENT-175
188AF	𢂿	TANGUT COMPONENT-176

188B0	𢂿	TANGUT COMPONENT-177
188B1	𢂿	TANGUT COMPONENT-178
188B2	𢂿	TANGUT COMPONENT-179
188B3	𢂿	TANGUT COMPONENT-180
188B4	𢂿	TANGUT COMPONENT-181
188B5	𢂿	TANGUT COMPONENT-182
188B6	𢂿	TANGUT COMPONENT-183
188B7	𢂿	TANGUT COMPONENT-184
188B8	𢂿	TANGUT COMPONENT-185
188B9	𢂿	TANGUT COMPONENT-186
188BA	𢂿	TANGUT COMPONENT-187
188BB	𢂿	TANGUT COMPONENT-188
188BC	𢂿	TANGUT COMPONENT-189
188BD	𢂿	TANGUT COMPONENT-190
188BE	𢂿	TANGUT COMPONENT-191
188BF	𢂿	TANGUT COMPONENT-192
188C0	𢂿	TANGUT COMPONENT-193
188C1	𢂿	TANGUT COMPONENT-194
188C2	𢂿	TANGUT COMPONENT-195
188C3	𢂿	TANGUT COMPONENT-196
188C4	𢂿	TANGUT COMPONENT-197
188C5	𢂿	TANGUT COMPONENT-198
188C6	𢂿	TANGUT COMPONENT-199
188C7	𢂿	TANGUT COMPONENT-200
188C8	𢂿	TANGUT COMPONENT-201
188C9	𢂿	TANGUT COMPONENT-202
188CA	𢂿	TANGUT COMPONENT-203
188CB	𢂿	TANGUT COMPONENT-204

Five-stroke components

188CC	𢂿	TANGUT COMPONENT-205
188CD	𢂿	TANGUT COMPONENT-206
188CE	𢂿	TANGUT COMPONENT-207
188CF	𢂿	TANGUT COMPONENT-208
188D0	𢂿	TANGUT COMPONENT-209
188D1	𢂿	TANGUT COMPONENT-210
188D2	𢂿	TANGUT COMPONENT-211
188D3	𢂿	TANGUT COMPONENT-212
188D4	𢂿	TANGUT COMPONENT-213
188D5	𢂿	TANGUT COMPONENT-214
188D6	𢂿	TANGUT COMPONENT-215
188D7	𢂿	TANGUT COMPONENT-216
188D8	𢂿	TANGUT COMPONENT-217
188D9	𢂿	TANGUT COMPONENT-218
188DA	𢂿	TANGUT COMPONENT-219
188DB	𢂿	TANGUT COMPONENT-220
188DC	𢂿	TANGUT COMPONENT-221
188DD	𢂿	TANGUT COMPONENT-222
188DE	𢂿	TANGUT COMPONENT-223
188DF	𢂿	TANGUT COMPONENT-224
188E0	𢂿	TANGUT COMPONENT-225
188E1	𢂿	TANGUT COMPONENT-226
188E2	𢂿	TANGUT COMPONENT-227
188E3	𢂿	TANGUT COMPONENT-228
188E4	𢂿	TANGUT COMPONENT-229
188E5	𢂿	TANGUT COMPONENT-230
188E6	𢂿	TANGUT COMPONENT-231
188E7	𢂿	TANGUT COMPONENT-232
188E8	𢂿	TANGUT COMPONENT-233
188E9	𢂿	TANGUT COMPONENT-234
188EA	𢂿	TANGUT COMPONENT-235
188EB	𢂿	TANGUT COMPONENT-236

188EC	𢃔	TANGUT COMPONENT-237
188ED	𢃕	TANGUT COMPONENT-238
188EE	𢃖	TANGUT COMPONENT-239
188EF	𢃗	TANGUT COMPONENT-240
188F0	𢃘	TANGUT COMPONENT-241
188F1	𢃙	TANGUT COMPONENT-242
188F2	𢃚	TANGUT COMPONENT-243
188F3	𢃛	TANGUT COMPONENT-244
188F4	𢃜	TANGUT COMPONENT-245
188F5	𢃝	TANGUT COMPONENT-246
188F6	𢃞	TANGUT COMPONENT-247
188F7	𢃟	TANGUT COMPONENT-248
188F8	𢃠	TANGUT COMPONENT-249
188F9	𢃡	TANGUT COMPONENT-250
188FA	𢃢	TANGUT COMPONENT-251
188FB	𢃣	TANGUT COMPONENT-252
188FC	𢃤	TANGUT COMPONENT-253
188FD	𢃥	TANGUT COMPONENT-254
188FE	𢃦	TANGUT COMPONENT-255
188FF	𢃧	TANGUT COMPONENT-256
18900	𢃨	TANGUT COMPONENT-257
18901	𢃩	TANGUT COMPONENT-258
18902	𢃪	TANGUT COMPONENT-259
18903	𢃫	TANGUT COMPONENT-260
18904	𢃬	TANGUT COMPONENT-261
18905	𢃭	TANGUT COMPONENT-262
18906	𢃮	TANGUT COMPONENT-263
18907	𢃯	TANGUT COMPONENT-264
18908	𢃰	TANGUT COMPONENT-265
18909	𢃱	TANGUT COMPONENT-266
1890A	𢃲	TANGUT COMPONENT-267
1890B	𢃳	TANGUT COMPONENT-268
1890C	𢃴	TANGUT COMPONENT-269
1890D	𢃵	TANGUT COMPONENT-270
1890E	𢃶	TANGUT COMPONENT-271
1890F	𢃷	TANGUT COMPONENT-272
18910	𢃸	TANGUT COMPONENT-273
18911	𢃹	TANGUT COMPONENT-274
18912	𢃺	TANGUT COMPONENT-275
18913	𢃻	TANGUT COMPONENT-276
18914	𢃼	TANGUT COMPONENT-277
18915	𢃽	TANGUT COMPONENT-278
18916	𢃾	TANGUT COMPONENT-279
18917	𢃿	TANGUT COMPONENT-280
18918	𢃿	TANGUT COMPONENT-281
18919	𢃿	TANGUT COMPONENT-282
1891A	𢃿	TANGUT COMPONENT-283
1891B	𢃿	TANGUT COMPONENT-284
1891C	𢃿	TANGUT COMPONENT-285
1891D	𢃿	TANGUT COMPONENT-286
1891E	𢃿	TANGUT COMPONENT-287
1891F	𢃿	TANGUT COMPONENT-288
18920	𢃿	TANGUT COMPONENT-289
18921	𢃿	TANGUT COMPONENT-290
18922	𢃿	TANGUT COMPONENT-291
18923	𢃿	TANGUT COMPONENT-292
18924	𢃿	TANGUT COMPONENT-293
18925	𢃿	TANGUT COMPONENT-294
18926	𢃿	TANGUT COMPONENT-295
18927	𢃿	TANGUT COMPONENT-296
18928	𢃿	TANGUT COMPONENT-297
18929	𢃿	TANGUT COMPONENT-298
1892A	𢃿	TANGUT COMPONENT-299
1892B	𢃿	TANGUT COMPONENT-300
1892C	𢃿	TANGUT COMPONENT-301
1892D	𢃿	TANGUT COMPONENT-302
1892E	𢃿	TANGUT COMPONENT-303
1892F	𢃿	TANGUT COMPONENT-304
18930	𢃿	TANGUT COMPONENT-305
18931	𢃿	TANGUT COMPONENT-306
18932	𢃿	TANGUT COMPONENT-307
18933	𢃿	TANGUT COMPONENT-308
18934	𢃿	TANGUT COMPONENT-309
18935	𢃿	TANGUT COMPONENT-310
18936	𢃿	TANGUT COMPONENT-311
18937	𢃿	TANGUT COMPONENT-312
18938	𢃿	TANGUT COMPONENT-313
18939	𢃿	TANGUT COMPONENT-314
1893A	𢃿	TANGUT COMPONENT-315
1893B	𢃿	TANGUT COMPONENT-316
1893C	𢃿	TANGUT COMPONENT-317
1893D	𢃿	TANGUT COMPONENT-318
1893E	𢃿	TANGUT COMPONENT-319
1893F	𢃿	TANGUT COMPONENT-320
18940	𢃿	TANGUT COMPONENT-321
18941	𢃿	TANGUT COMPONENT-322
18942	𢃿	TANGUT COMPONENT-323
18943	𢃿	TANGUT COMPONENT-324
18944	𢃿	TANGUT COMPONENT-325
18945	𢃿	TANGUT COMPONENT-326
18946	𢃿	TANGUT COMPONENT-327
18947	𢃿	TANGUT COMPONENT-328
18948	𢃿	TANGUT COMPONENT-329
18949	𢃿	TANGUT COMPONENT-330
1894A	𢃿	TANGUT COMPONENT-331
1894B	𢃿	TANGUT COMPONENT-332
1894C	𢃿	TANGUT COMPONENT-333
1894D	𢃿	TANGUT COMPONENT-334
1894E	𢃿	TANGUT COMPONENT-335
1894F	𢃿	TANGUT COMPONENT-336
18950	𢃿	TANGUT COMPONENT-337
18951	𢃿	TANGUT COMPONENT-338
18952	𢃿	TANGUT COMPONENT-339
18953	𢃿	TANGUT COMPONENT-340
18954	𢃿	TANGUT COMPONENT-341
18955	𢃿	TANGUT COMPONENT-342
18956	𢃿	TANGUT COMPONENT-343
18957	𢃿	TANGUT COMPONENT-344
18958	𢃿	TANGUT COMPONENT-345

Six-stroke components

18959	𢃿	TANGUT COMPONENT-346
1895A	𢃿	TANGUT COMPONENT-347
1895B	𢃿	TANGUT COMPONENT-348
1895C	𢃿	TANGUT COMPONENT-349
1895D	𢃿	TANGUT COMPONENT-350
1895E	𢃿	TANGUT COMPONENT-351
1895F	𢃿	TANGUT COMPONENT-352
18960	𢃿	TANGUT COMPONENT-353
18961	𢃿	TANGUT COMPONENT-354
18962	𢃿	TANGUT COMPONENT-355
18963	𢃿	TANGUT COMPONENT-356
18964	𢃿	TANGUT COMPONENT-357
18965	𢃿	TANGUT COMPONENT-358

IEC/ISO 2019 Catalogue - view the full PDF at www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_tc_01.html?csnumber=IEC%202019%20Catalogue

18966	𠂇	TANGUT COMPONENT-359	189A4	𢃈	TANGUT COMPONENT-421
18967	𠂇	TANGUT COMPONENT-360	189A5	𢃈	TANGUT COMPONENT-422
18968	𠂇	TANGUT COMPONENT-361	189A6	𢃈	TANGUT COMPONENT-423
18969	𠂇	TANGUT COMPONENT-362	189A7	𢃈	TANGUT COMPONENT-424
1896A	𠂇	TANGUT COMPONENT-363	189A8	𢃈	TANGUT COMPONENT-425
1896B	𠂇	TANGUT COMPONENT-364	189A9	𢃈	TANGUT COMPONENT-426
1896C	𠂇	TANGUT COMPONENT-365	189AA	𢃈	TANGUT COMPONENT-427
1896D	𠂇	TANGUT COMPONENT-366	189AB	𢃈	TANGUT COMPONENT-428
1896E	𠂇	TANGUT COMPONENT-367	189AC	𢃈	TANGUT COMPONENT-429
1896F	𠂇	TANGUT COMPONENT-368	189AD	𢃈	TANGUT COMPONENT-430
18970	𠂇	TANGUT COMPONENT-369	189AE	𢃈	TANGUT COMPONENT-431
18971	𠂇	TANGUT COMPONENT-370	189AF	𢃈	TANGUT COMPONENT-432
18972	𠂇	TANGUT COMPONENT-371	189B0	𢃈	TANGUT COMPONENT-433
18973	𠂇	TANGUT COMPONENT-372	189B1	𢃈	TANGUT COMPONENT-434
18974	𠂇	TANGUT COMPONENT-373	189B2	𢃈	TANGUT COMPONENT-435
18975	𠂇	TANGUT COMPONENT-374	189B3	𢃈	TANGUT COMPONENT-436
18976	𠂇	TANGUT COMPONENT-375	189B4	𢃈	TANGUT COMPONENT-437
18977	𠂇	TANGUT COMPONENT-376	189B5	𢃈	TANGUT COMPONENT-438
18978	𠂇	TANGUT COMPONENT-377	189B6	𢃈	TANGUT COMPONENT-439
18979	𠂇	TANGUT COMPONENT-378	189B7	𢃈	TANGUT COMPONENT-440
1897A	𠂇	TANGUT COMPONENT-379	189B8	𢃈	TANGUT COMPONENT-441
1897B	𠂇	TANGUT COMPONENT-380	189B9	𢃈	TANGUT COMPONENT-442
1897C	𠂇	TANGUT COMPONENT-381	189BA	𢃈	TANGUT COMPONENT-443
1897D	𠂇	TANGUT COMPONENT-382	189BB	𢃈	TANGUT COMPONENT-444
1897E	𠂇	TANGUT COMPONENT-383	189BC	𢃈	TANGUT COMPONENT-445
1897F	𠂇	TANGUT COMPONENT-384	189BD	𢃈	TANGUT COMPONENT-446
18980	𠂇	TANGUT COMPONENT-385	189BE	𢃈	TANGUT COMPONENT-447
18981	𠂇	TANGUT COMPONENT-386	189BF	𢃈	TANGUT COMPONENT-448
18982	𠂇	TANGUT COMPONENT-387	189C0	𢃈	TANGUT COMPONENT-449
18983	𠂇	TANGUT COMPONENT-388	189C1	𢃈	TANGUT COMPONENT-450
18984	𠂇	TANGUT COMPONENT-389	189C2	𢃈	TANGUT COMPONENT-451
18985	𠂇	TANGUT COMPONENT-390	189C3	𢃈	TANGUT COMPONENT-452
18986	𠂇	TANGUT COMPONENT-391	189C4	𢃈	TANGUT COMPONENT-453
18987	𠂇	TANGUT COMPONENT-392	189C5	𢃈	TANGUT COMPONENT-454
18988	𠂇	TANGUT COMPONENT-393	189C6	𢃈	TANGUT COMPONENT-455
18989	𠂇	TANGUT COMPONENT-394	189C7	𢃈	TANGUT COMPONENT-456
1898A	𠂇	TANGUT COMPONENT-395	189C8	𢃈	TANGUT COMPONENT-457
1898B	𠂇	TANGUT COMPONENT-396	189C9	𢃈	TANGUT COMPONENT-458
1898C	𠂇	TANGUT COMPONENT-397	189CA	𢃈	TANGUT COMPONENT-459
1898D	𠂇	TANGUT COMPONENT-398	189CB	𢃈	TANGUT COMPONENT-460
1898E	𠂇	TANGUT COMPONENT-399	189CC	𢃈	TANGUT COMPONENT-461
1898F	𠂇	TANGUT COMPONENT-400	189CD	𢃈	TANGUT COMPONENT-462
18990	𠂇	TANGUT COMPONENT-401	189CE	𢃈	TANGUT COMPONENT-463
18991	𠂇	TANGUT COMPONENT-402	189CF	𢃈	TANGUT COMPONENT-464
18992	𠂇	TANGUT COMPONENT-403	189D0	𢃈	TANGUT COMPONENT-465
18993	𠂇	TANGUT COMPONENT-404	189D1	𢃈	TANGUT COMPONENT-466
18994	𠂇	TANGUT COMPONENT-405	189D2	𢃈	TANGUT COMPONENT-467
18995	𠂇	TANGUT COMPONENT-406	189D3	𢃈	TANGUT COMPONENT-468
18996	𠂇	TANGUT COMPONENT-407	189D4	𢃈	TANGUT COMPONENT-469
18997	𠂇	TANGUT COMPONENT-408	189D5	𢃈	TANGUT COMPONENT-470
18998	𠂇	TANGUT COMPONENT-409	189D6	𢃈	TANGUT COMPONENT-471
18999	𠂇	TANGUT COMPONENT-410	189D7	𢃈	TANGUT COMPONENT-472
1899A	𠂇	TANGUT COMPONENT-411	189D8	𢃈	TANGUT COMPONENT-473
1899B	𠂇	TANGUT COMPONENT-412	189D9	𢃈	TANGUT COMPONENT-474
1899C	𠂇	TANGUT COMPONENT-413	189DA	𢃈	TANGUT COMPONENT-475
1899D	𠂇	TANGUT COMPONENT-414			
1899E	𠂇	TANGUT COMPONENT-415			
1899F	𠂇	TANGUT COMPONENT-416	189DB	𢃈	TANGUT COMPONENT-476
189A0	𠂇	TANGUT COMPONENT-417	189DC	𢃈	TANGUT COMPONENT-477
189A1	𠂇	TANGUT COMPONENT-418	189DD	𢃈	TANGUT COMPONENT-478
189A2	𠂇	TANGUT COMPONENT-419	189DE	𢃈	TANGUT COMPONENT-479
189A3	𠂇	TANGUT COMPONENT-420	189DF	𢃈	TANGUT COMPONENT-480

Seven-stroke components

189DB	𢃈	TANGUT COMPONENT-476
189DC	𢃈	TANGUT COMPONENT-477
189DD	𢃈	TANGUT COMPONENT-478
189DE	𢃈	TANGUT COMPONENT-479
189DF	𢃈	TANGUT COMPONENT-480

189E0 TANGUT COMPONENT-481
 189E1 TANGUT COMPONENT-482
 189E2 TANGUT COMPONENT-483
 189E3 TANGUT COMPONENT-484
 189E4 TANGUT COMPONENT-485
 189E5 TANGUT COMPONENT-486
 189E6 TANGUT COMPONENT-487
 189E7 TANGUT COMPONENT-488
 189E8 TANGUT COMPONENT-489
 189E9 TANGUT COMPONENT-490
 189EA TANGUT COMPONENT-491
 189EB TANGUT COMPONENT-492
 189EC TANGUT COMPONENT-493
 189ED TANGUT COMPONENT-494
 189EE TANGUT COMPONENT-495
 189EF TANGUT COMPONENT-496
 189F0 TANGUT COMPONENT-497
 189F1 TANGUT COMPONENT-498
 189F2 TANGUT COMPONENT-499
 189F3 TANGUT COMPONENT-500
 189F4 TANGUT COMPONENT-501
 189F5 TANGUT COMPONENT-502
 189F6 TANGUT COMPONENT-503
 189F7 TANGUT COMPONENT-504
 189F8 TANGUT COMPONENT-505
 189F9 TANGUT COMPONENT-506
 189FA TANGUT COMPONENT-507
 189FB TANGUT COMPONENT-508
 189FC TANGUT COMPONENT-509
 189FD TANGUT COMPONENT-510
 189FE TANGUT COMPONENT-511
 189FF TANGUT COMPONENT-512
 18A00 TANGUT COMPONENT-513
 18A01 TANGUT COMPONENT-514
 18A02 TANGUT COMPONENT-515
 18A03 TANGUT COMPONENT-516
 18A04 TANGUT COMPONENT-517
 18A05 TANGUT COMPONENT-518
 18A06 TANGUT COMPONENT-519
 18A07 TANGUT COMPONENT-520
 18A08 TANGUT COMPONENT-521
 18A09 TANGUT COMPONENT-522
 18A0A TANGUT COMPONENT-523
 18A0B TANGUT COMPONENT-524
 18A0C TANGUT COMPONENT-525
 18A0D TANGUT COMPONENT-526
 18A0E TANGUT COMPONENT-527
 18A0F TANGUT COMPONENT-528
 18A10 TANGUT COMPONENT-529
 18A11 TANGUT COMPONENT-530
 18A12 TANGUT COMPONENT-531
 18A13 TANGUT COMPONENT-532
 18A14 TANGUT COMPONENT-533
 18A15 TANGUT COMPONENT-534
 18A16 TANGUT COMPONENT-535
 18A17 TANGUT COMPONENT-536
 18A18 TANGUT COMPONENT-537
 18A19 TANGUT COMPONENT-538
 18A1A TANGUT COMPONENT-539
 18A1B TANGUT COMPONENT-540
 18A1C TANGUT COMPONENT-541
 18A1D TANGUT COMPONENT-542

18A1E TANGUT COMPONENT-543
 18A1F TANGUT COMPONENT-544
 18A20 TANGUT COMPONENT-545
 18A21 TANGUT COMPONENT-546
 18A22 TANGUT COMPONENT-547
 18A23 TANGUT COMPONENT-548
 18A24 TANGUT COMPONENT-549
 18A25 TANGUT COMPONENT-550
 18A26 TANGUT COMPONENT-551
 18A27 TANGUT COMPONENT-552
 18A28 TANGUT COMPONENT-553
 18A29 TANGUT COMPONENT-554
 18A2A TANGUT COMPONENT-555
 18A2B TANGUT COMPONENT-556
 18A2C TANGUT COMPONENT-557
 18A2D TANGUT COMPONENT-558
 18A2E TANGUT COMPONENT-559
 18A2F TANGUT COMPONENT-560
 18A30 TANGUT COMPONENT-561
 18A31 TANGUT COMPONENT-562
 18A32 TANGUT COMPONENT-563
 18A33 TANGUT COMPONENT-564
 18A34 TANGUT COMPONENT-565
 18A35 TANGUT COMPONENT-566
 18A36 TANGUT COMPONENT-567
 18A37 TANGUT COMPONENT-568
 18A38 TANGUT COMPONENT-569
 18A39 TANGUT COMPONENT-570
 18A3A TANGUT COMPONENT-571
 18A3B TANGUT COMPONENT-572
 18A3C TANGUT COMPONENT-573
 18A3D TANGUT COMPONENT-574
 18A3E TANGUT COMPONENT-575
 18A3F TANGUT COMPONENT-576
 18A40 TANGUT COMPONENT-577

Eight-stroke components

18A41 TANGUT COMPONENT-578
 18A42 TANGUT COMPONENT-579
 18A43 TANGUT COMPONENT-580
 18A44 TANGUT COMPONENT-581
 18A45 TANGUT COMPONENT-582
 18A46 TANGUT COMPONENT-583
 18A47 TANGUT COMPONENT-584
 18A48 TANGUT COMPONENT-585
 18A49 TANGUT COMPONENT-586
 18A4A TANGUT COMPONENT-587
 18A4B TANGUT COMPONENT-588
 18A4C TANGUT COMPONENT-589
 18A4D TANGUT COMPONENT-590
 18A4E TANGUT COMPONENT-591
 18A4F TANGUT COMPONENT-592
 18A50 TANGUT COMPONENT-593
 18A51 TANGUT COMPONENT-594
 18A52 TANGUT COMPONENT-595
 18A53 TANGUT COMPONENT-596
 18A54 TANGUT COMPONENT-597
 18A55 TANGUT COMPONENT-598
 18A56 TANGUT COMPONENT-599
 18A57 TANGUT COMPONENT-600
 18A58 TANGUT COMPONENT-601
 18A59 TANGUT COMPONENT-602

IEC 10646-2:2019 - Check out www.pdf-software.com to view the full PDF of IEC 10646-2:2019

18A5A	𢃤	TANGUT COMPONENT-603
18A5B	𢃥	TANGUT COMPONENT-604
18A5C	𢃦	TANGUT COMPONENT-605
18A5D	𢃧	TANGUT COMPONENT-606
18A5E	𢃨	TANGUT COMPONENT-607
18A5F	𢃩	TANGUT COMPONENT-608
18A60	𢃪	TANGUT COMPONENT-609
18A61	𢃫	TANGUT COMPONENT-610
18A62	𢃬	TANGUT COMPONENT-611
18A63	𢃭	TANGUT COMPONENT-612
18A64	𢃮	TANGUT COMPONENT-613
18A65	𢃯	TANGUT COMPONENT-614
18A66	𢃰	TANGUT COMPONENT-615
18A67	𢃱	TANGUT COMPONENT-616
18A68	𢃲	TANGUT COMPONENT-617
18A69	𢃳	TANGUT COMPONENT-618
18A6A	𢃴	TANGUT COMPONENT-619
18A6B	𢃵	TANGUT COMPONENT-620
18A6C	𢃶	TANGUT COMPONENT-621
18A6D	𢃷	TANGUT COMPONENT-622
18A6E	𢃸	TANGUT COMPONENT-623
18A6F	𢃹	TANGUT COMPONENT-624
18A70	𢃺	TANGUT COMPONENT-625
18A71	𢃻	TANGUT COMPONENT-626
18A72	𢃼	TANGUT COMPONENT-627
18A73	𢃽	TANGUT COMPONENT-628
18A74	𢃾	TANGUT COMPONENT-629
18A75	𢃿	TANGUT COMPONENT-630
18A76	𢃾	TANGUT COMPONENT-631
18A77	𢃿	TANGUT COMPONENT-632
18A78	𢃿	TANGUT COMPONENT-633
18A79	𢃿	TANGUT COMPONENT-634
18A7A	𢃿	TANGUT COMPONENT-635
18A7B	𢃿	TANGUT COMPONENT-636
18A7C	𢃿	TANGUT COMPONENT-637
18A7D	𢃿	TANGUT COMPONENT-638
18A7E	𢃿	TANGUT COMPONENT-639
18A7F	𢃿	TANGUT COMPONENT-640
18A80	𢃿	TANGUT COMPONENT-641
18A81	𢃿	TANGUT COMPONENT-642
18A82	𢃿	TANGUT COMPONENT-643
18A83	𢃿	TANGUT COMPONENT-644
18A84	𢃿	TANGUT COMPONENT-645
18A85	𢃿	TANGUT COMPONENT-646
18A86	𢃿	TANGUT COMPONENT-647
18A87	𢃿	TANGUT COMPONENT-648
18A88	𢃿	TANGUT COMPONENT-649
18A89	𢃿	TANGUT COMPONENT-650
18A8A	𢃿	TANGUT COMPONENT-651
18A8B	𢃿	TANGUT COMPONENT-652
18A8C	𢃿	TANGUT COMPONENT-653
18A8D	𢃿	TANGUT COMPONENT-654
18A8E	𢃿	TANGUT COMPONENT-655
18A8F	𢃿	TANGUT COMPONENT-656
18A90	𢃿	TANGUT COMPONENT-657
18A91	𢃿	TANGUT COMPONENT-658
18A92	𢃿	TANGUT COMPONENT-659
18A93	𢃿	TANGUT COMPONENT-660
18A94	𢃿	TANGUT COMPONENT-661
18A95	𢃿	TANGUT COMPONENT-662
18A96	𢃿	TANGUT COMPONENT-663
18A97	𢃿	TANGUT COMPONENT-664

18A98 𢃿 TANGUT COMPONENT-665

Nine-stroke components

18A99	𢃿	TANGUT COMPONENT-666
18A9A	𢃿	TANGUT COMPONENT-667
18A9B	𢃿	TANGUT COMPONENT-668
18A9C	𢃿	TANGUT COMPONENT-669
18A9D	𢃿	TANGUT COMPONENT-670
18A9E	𢃿	TANGUT COMPONENT-671
18A9F	𢃿	TANGUT COMPONENT-672
18AA0	𢃿	TANGUT COMPONENT-673
18AA1	𢃿	TANGUT COMPONENT-674
18AA2	𢃿	TANGUT COMPONENT-675
18AA3	𢃿	TANGUT COMPONENT-676
18AA4	𢃿	TANGUT COMPONENT-677
18AA5	𢃿	TANGUT COMPONENT-678
18AA6	𢃿	TANGUT COMPONENT-679
18AA7	𢃿	TANGUT COMPONENT-680
18AA8	𢃿	TANGUT COMPONENT-681
18AA9	𢃿	TANGUT COMPONENT-682
18AAA	𢃿	TANGUT COMPONENT-683
18AAAB	𢃿	TANGUT COMPONENT-684
18AAC	𢃿	TANGUT COMPONENT-685
18AAD	𢃿	TANGUT COMPONENT-686
18AAE	𢃿	TANGUT COMPONENT-687
18AAF	𢃿	TANGUT COMPONENT-688
18AB0	𢃿	TANGUT COMPONENT-689
18AB1	𢃿	TANGUT COMPONENT-690
18AB2	𢃿	TANGUT COMPONENT-691
18AB3	𢃿	TANGUT COMPONENT-692
18AB4	𢃿	TANGUT COMPONENT-693
18AB5	𢃿	TANGUT COMPONENT-694
18AB6	𢃿	TANGUT COMPONENT-695
18AB7	𢃿	TANGUT COMPONENT-696
18AB8	𢃿	TANGUT COMPONENT-697
18AB9	𢃿	TANGUT COMPONENT-698
18ABA	𢃿	TANGUT COMPONENT-699
18ABB	𢃿	TANGUT COMPONENT-700
18ABC	𢃿	TANGUT COMPONENT-701
18ABD	𢃿	TANGUT COMPONENT-702
18ABE	𢃿	TANGUT COMPONENT-703
18ABF	𢃿	TANGUT COMPONENT-704
18AC0	𢃿	TANGUT COMPONENT-705

Ten-stroke components

18AC1	𢃿	TANGUT COMPONENT-706
18AC2	𢃿	TANGUT COMPONENT-707
18AC3	𢃿	TANGUT COMPONENT-708
18AC4	𢃿	TANGUT COMPONENT-709
18AC5	𢃿	TANGUT COMPONENT-710
18AC6	𢃿	TANGUT COMPONENT-711
18AC7	𢃿	TANGUT COMPONENT-712
18AC8	𢃿	TANGUT COMPONENT-713
18AC9	𢃿	TANGUT COMPONENT-714
18ACA	𢃿	TANGUT COMPONENT-715
18ACB	𢃿	TANGUT COMPONENT-716
18ACC	𢃿	TANGUT COMPONENT-717
18ACD	𢃿	TANGUT COMPONENT-718
18ACE	𢃿	TANGUT COMPONENT-719
18ACF	𢃿	TANGUT COMPONENT-720
18AD0	𢃿	TANGUT COMPONENT-721
18AD1	𢃿	TANGUT COMPONENT-722
18AD2	𢃿	TANGUT COMPONENT-723

18AD3 𢃔 TANGUT COMPONENT-724
 18AD4 𢃕 TANGUT COMPONENT-725

Eleven-stroke components

18AD5 𢃖 TANGUT COMPONENT-726
 18AD6 𢃗 TANGUT COMPONENT-727
 18AD7 𢃘 TANGUT COMPONENT-728
 18AD8 𢃙 TANGUT COMPONENT-729
 18AD9 𢃚 TANGUT COMPONENT-730
 18ADA 𢃛 TANGUT COMPONENT-731
 18ADB 𢃜 TANGUT COMPONENT-732
 18ADC 𢃝 TANGUT COMPONENT-733
 18ADD 𢃞 TANGUT COMPONENT-734
 18ADE 𢃟 TANGUT COMPONENT-735
 18ADF 𢃠 TANGUT COMPONENT-736
 18AE0 𢃡 TANGUT COMPONENT-737
 18AE1 𢃢 TANGUT COMPONENT-738
 18AE2 𢃣 TANGUT COMPONENT-739

Twelve-stroke components

18AE3 𢃤 TANGUT COMPONENT-740
 18AE4 𢃥 TANGUT COMPONENT-741
 18AE5 𢃦 TANGUT COMPONENT-742
 18AE6 𢃧 TANGUT COMPONENT-743
 18AE7 𢃨 TANGUT COMPONENT-744
 18AE8 𢃩 TANGUT COMPONENT-745
 18AE9 𢃪 TANGUT COMPONENT-746
 18AEA 𢃫 TANGUT COMPONENT-747
 18AEB 𢃬 TANGUT COMPONENT-748

Thirteen-stroke components

18AEC 𢃭 TANGUT COMPONENT-749
 18AED 𢃮 TANGUT COMPONENT-750
 18AEE 𢃯 TANGUT COMPONENT-751
 18AEF 𢃰 TANGUT COMPONENT-752
 18AF0 𢃱 TANGUT COMPONENT-753
 18AF1 𢃲 TANGUT COMPONENT-754

Sixteen-stroke component

18AF2 𢃳 TANGUT COMPONENT-755

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019

1B13	1B14	1B15	1B16
0	ゐ 1B150		
1		ゑ 1B151	
2		を 1B152	
3			
4		ヰ 1B164	
5		ヱ 1B165	
6		ヲ 1B166	
7		ン 1B167	
8			
9			
A			
B			
C			
D			
E			
F			

Historic small hiragana letters

1B150 ゐ HIRAGANA LETTER SMALL WI
 1B151 ゑ HIRAGANA LETTER SMALL WE
 1B152 を HIRAGANA LETTER SMALL WO

Historic small katakana letters

1B164 キ HIRAGANA LETTER SMALL WI
 1B165 ェ HIRAGANA LETTER SMALL WE
 1B166 ォ HIRAGANA LETTER SMALL WO
 1B167 ソ HIRAGANA LETTER SMALL N

IECNCRIM.COM. Click to View the full PDF of ISO/IEC 10646:2017/Amd 2:2019

	1E10	1E11	1E12	1E13	1E14
0	𖩠	𖩡	𖩢	𖩤	𖩦
1	𖩧	𖩨	𖩪	𖩥	𖩧
2	𖩧	𖩧	𖩪	𖩥	𖩧
3	𖩧	𖩨	𖩪	𖩥	𖩧
4	𖩧	𖩧	𖩪	𖩥	𖩧
5	𖩧	𖩨	𖩪	𖩥	𖩧
6	𖩧	𖩨	𖩪	𖩥	𖩧
7	𖩧	𖩨	𖩪	𖩥	𖩧
8	𖩧	𖩨	𖩪	𖩥	𖩧
9	𖩧	𖩨	𖩪	𖩥	𖩧
A	𖩧	𖩨	𖩪	𖩥	
B	𖩧	𖩨	𖩪	𖩥	
C	𖩧	𖩨	𖩪	𖩥	
D	𖩧	𖩨		𖩪	
E	𖩧	𖩨			𖩪
F	𖩧	𖩨			𖩪

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646:2017/Amd 2:2019